

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/14/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: LITTLE ROCK 4 STATE: AR LOC ID: LIT FAA SITE NR: 01056.\*A  
> 2 AIRPORT NAME: BILL AND HILLARY CLINTON NTL/ADAMS FLD 5 COUNTY: PULASKI AR  
> 3 CBD TO AIRPORT (NM): 02 E 6 REGION/ADO: ASW/AOK 7 SECT AERO CHT: MEMPHIS

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: CITY OF LITTLE ROCK  
> 12 ADDRESS: 1 AIRPORT DRIVE  
LITTLE ROCK, AR 72202  
> 13 PHONE NR: 501-372-3439  
> 14 MANAGER: DAVID TIPTON  
> 15 ADDRESS: 1 AIRPORT DRIVE  
LITTLE ROCK, AR 72202  
> 16 PHONE NR: 501-537-7311  
> 17 ATTENDANCE SCHEDULE:  
ALL ALL ALL

### SERVICES

70 FUEL: 100LL A  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN: HIGH  
74 BULK OXYGEN: HIGH  
75 TSNT STORAGE: HGR, TIE  
76 OTHER SERVICES:  
AFRT, AMB, AVNCS, CARGO, CHTR, INSTR,  
RNTL, SALES, SURV

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

80 ARPT BCN: WG  
81 ARPT LGT SKED : SS-SR  
BCN LGT SKED: SS-SR  
82 UNICOM: 122.950  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: NONE  
85 CONTROL TWR: YES  
86 FSS: JONESBORO  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 34-43-45.9890N ESTIMATED  
20 ARPT LONG: 092-13-29.1980W  
21 ARPT ELEV: 266.0 SURVEYED  
22 ACREAGE: 2,000  
> 23 RIGHT TRAFFIC: 22R, 04R  
> 24 NON-COMM LANDING: YES  
25 NPIAS/FED AGREEMENTS: NGPSY3  
> 26 FAR 139 INDEX: I C S 05/1973

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

	04L/22R	04R/22L	18/36
8,273	8,251	6,224	
150	150	150	
CONC-G	CONC-G	CONC-G	
GRVD	GRVD	GRVD	
75.0	75.0	75.0	
200.0	200.0	100.0	
350.0	350.0	135.0	

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGS1:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

	HIGH	HIGH	MED	
PIR - G / PIR - G	PIR - G / PIR - G	NPI - G / NPI - G	- / -	
P4L / P4R	P4R / P4L	P4L / P4R	/	
50 / 58	50 / 50	50 / 63	/	
3.00 / 3.00	3.00 / 3.00	3.00 / 3.75	/	
Y - N / Y - Y	Y - N / Y - N	- / -	- / -	
TMR - N / TMR -	TR - / TR -	- / -	- / -	
N /	/	/	/	
MALSR / ALSF2	MALSR / MALSF	/	/	

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

	PIR / PIR	PIR / PIR	C / C	
297 /	1,050 /	/ 164	/	
RR /	POLE / TREES	TREE / TREES	/	
L /	L /	/	/	
23 /	78 / 72	35 / 105	/	
670 /	2,874 / 3,301	1,286 / 2,489	/	
557L /	820R / 754R	164L / 351R	/	
20:1 / 50:1	34:1 / 43:1	31:1 / 21:1	/	
N / N	N / N	N / N	/	

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

	8,273 / 8,273	8,250 / 7,200	6,060 / 6,224	/
8,273 / 8,273	8,250 / 7,200	6,060 / 6,224	/	
8,273 / 8,273	8,250 / 7,200	6,060 / 6,224	/	
7,976 / 8,273	7,200 / 7,200	6,060 / 6,060	/	

### > 110 REMARKS

A 039 RWY 04L/22R PCR VALUE: 865/R/B/W/T  
A 039 RWY 04R/22L PCR VALUE: 719/R/A/W/T  
A 039 RWY 18/36 PCR VALUE: 347/R/B/W/T  
A 057 RWY 04L APCH RATIO 42:1 FM DSPLCD THLD.  
A 057 RWY 18 APCH RATIO 39:1 BASED ON DSPLCD THLD +35 FT TREE 1385 FT DIST 164 FT LEFT.  
A 057 RWY 36 APCH RATIO 24:1 BASED ON DSPLCD THLD; 105 FT TREES 2579 FT DIST 351 FT R.  
A 110-001 LARGE CONCENTRATIONS OF BIRDS INVOLVING ARPT; MOST ACTIVITY BTN SR-SS UP TO 1500 FT MSL.  
A 110-002 CARGO & TERMINAL RAMPS ARE NON-MOVEMENT AREAS.  
A 110-003 NO GENERAL AVIATION PARKING ON TERMINAL OR CARGO RAMP.  
A 110-006 TWY A 315 FT SOUTH OF TWY A6 INTERSECTION TO RWY 36 CLSD EXCEPT ACFT WITH WINGSPAN LESS THAN 79 FT.  
A 110-009 BE ALERT: NORTH LITTLE ROCK MUNI AIRPORT IS LCTD 6 MILES NNW WITH SIMILAR RUNWAY CONFIGURATIONS.  
A 110-010 FOR CD WHEN UNA VIA FREQ CTC LITTLE ROCK APCH 501-379-2908 OR LITTLE ROCK ATCT 501-379-2911.  
A 110-011 SMGCS SUSPENDED UFN.  
A 110-012 PSGR ACR ACFT ADG-IV AND HYR RESTRICTED FROM USING TWY F BTN TWY E AND ATLANTIC AVN/ENVOY HNGR RAMP DUE TO NON-STD SAFETY AREA

111 INSPECTOR: ( F ) 112 LAST INSP: 03/05/2026 113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/14/2026  
AFD EFF 06/11/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/14/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: AR LOC ID: LIT FAA SITE NR: 01056.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASW/AOK 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

### FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 03/05/2026

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/14/2026  
AFD EFF 06/11/2026