

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/PRINT DATE: 6/16/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: KLAMATH FALLS 4 STATE: OR LOC ID: LMT FAA SITE NR: 19481.*A
 > 2 AIRPORT NAME: CRATER LAKE/KLAMATH RGNL 5 COUNTY: KLAMATH OR
 > 3 CBD TO AIRPORT (NM): 04 SE 6 REGION/ADO: ANM/SEA 7 SECT AERO CHT: KLAMATH FALLS

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: CITY OF KLAMATH FALLS
 > 12 ADDRESS: CITY HALL PO BOX 237
 KLAMATH FALLS, OR 97601
 > 13 PHONE NR: 541-883-5316
 > 14 MANAGER: JONATHAN TEICHERT
 > 15 ADDRESS: 3000 AIRPORT WAY STE. 300
 KLAMATH FALLS, OR 97603
 > 16 PHONE NR: 541-883-5373
 > 17 ATTENDANCE SCHEDULE:
 ALL MON-FRI 0630-1700

SERVICES

70 FUEL: 100LL A A++
 71 AIRFRAME RPRS: MAJOR
 72 PWR PLANT RPRS: MAJOR
 73 BOTTLE OXYGEN: HIGH
 74 BULK OXYGEN: HIGH
 75 TSNT STORAGE: HGR, TIE
 76 OTHER SERVICES:
 AFRT, AGRI, CARGO, CHTR, INSTR

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
 19 ARPT LAT: 42-09-22.1150N ESTIMATED
 20 ARPT LONG: 121-44-00.1140W
 21 ARPT ELEV: 4095.4 SURVEYED
 22 ACREAGE: 1,251
 > 23 RIGHT TRAFFIC: NO
 > 24 NON-COMM LANDING: YES
 25 NPIAS/FED AGREEMENTS: NGPSY
 > 26 FAR 139 INDEX: IV A U 05/1973

80 ARPT BCN: WG
 81 ARPT LGT SKED : SEE RMK
 BCN LGT SKED: SS-SR
 82 UNICOM: 122.950
 83 WIND INDICATOR: YES-L
 84 SEGMENTED CIRCLE: YES
 85 CONTROL TWR: YES
 86 FSS: MC MINNVILLE
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

| | 08/26 | 14/32 |
|--|--------|-------------|
| | 5,001 | 10,302 |
| | 75 | 150 |
| | ASPH-G | ASPH-CONC-G |
| | GRVD | GRVD |
| | 41.0 | 120.0 |
| | 68.0 | 243.0 |
| | 116.0 | 474.0 |
| | | 970.0 |

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGS: I
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

| | MED | HIGH | | |
|--|-------------------|-------------------|-------|-------|
| | NPI - G / NPI - G | PIR - G / PIR - F | - / - | - / - |
| | / P4L | P4L / V4L | / | / |
| | / 34 | 53 / 55 | / | / |
| | / 3.00 | 3.20 / 3.00 | / | / |
| | - / - | - / - | - / - | - / - |
| | - / - | R - / T - | - / - | - / - |
| | / Y | / | / | / |
| | / | MALSF / MALSR | / | / |

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTGL OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

| | B(V) / B(V) | C / PIR | | |
|--|-------------|-------------|---|---|
| | / | / | / | / |
| | RR / FENCE | / | / | / |
| | / | / | / | / |
| | 25 / 8 | / | / | / |
| | 625 / 86 | / | / | / |
| | 125R / 125R | / | / | / |
| | 16:1 / 0:1 | 50:1 / 50:1 | / | / |
| | N / N | N / N | / | / |

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

| | 5,001 / 5,001 | 10,302 / 10,302 | | |
|--|---------------|-----------------|---|---|
| | 5,001 / 5,001 | 10,302 / 10,302 | / | / |
| | 5,001 / 5,001 | 10,302 / 10,302 | / | / |
| | 5,001 / 5,001 | 10,302 / 10,302 | / | / |
| | 5,001 / 5,001 | 10,302 / 10,302 | / | / |

REMARKS

A 016 541-539-8977.
 A 017 UNATNDD WKEND & HOL.
 A 039 RWY 08/26 PCR VALUE: 110/F/A/X/T
 A 039 RWY 14/32 PCR VALUE: 560/F/A/W/T
 A 043 RWY 14 PAPI UNUSBL BYD 3.5 NM.
 A 057 RWY 08 APCH SLOPE 29:1 TO DTHR.
 A 057 RWY 26 APCH SLOPE 34:1 TO DTHR.
 A 081 WHEN ATCT CLSD ACTVT MALSF RWY 14, MALSR RWY 32, HIRL RWY 14/32, MIRL RWY 08/26 & TWY LGTS - CTAF. RWY & TWY LGTS ALSO ACTVT ON 257.8. REIL RWY 26; PAPI RWY 26, PAPI RWY 14 & VASI RWY 32 OPR CONSLY.
 A 110-001 WATERFOWL INVOF ARPT NOV-MAY.
 A 110-005 MIL ANG: HVY ACFT AFT LNDG TAX TO N OR S EOR; SHTDN OUTBOARD ENGS BFR TAX TO MIL RAMP.
 A 110-008 CSTMS/AG/IMG SVC NA. KPDY CUST - C503-326-3249.
 A 110-010 ANG: OFFL BUS, PPR COMM 541-885-6686. BASE OPS OPR 1430-2359Z++ MON++FRI EXC HOL.
 A 110-011 MIL FUEL SVC 1500-0300Z++; 20 MIN PRIOR NOTICE & FEE - C541-882-4681
 A 110-012 MIL BASH PHASE II - FEB - MAY & SEP - NOV. OTR TIMES BASH PHASE I.

111 INSPECTOR: (F) 112 LAST INSP: 08/06/2025 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/16/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/16/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: OR LOC ID: LMT FAA SITE NR: 19481.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ANM/SEA 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

| | | | |
|-------|-------|-------|-------|
| - / - | - / - | - / - | - / - |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| - / - | - / - | - / - | - / - |
| - / - | - / - | - / - | - / - |
| / | / | / | / |
| / | / | / | / |

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

| | | | |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

| | | | |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

> 110 REMARKS

A 110-014 RSTD: TWY A WEST OF TWY D & TWY D BTN TWY E & F MIL OPS ONLY.
A 110-017 FBO - 541-882-4681.
A 110-019 TWY G SOUTH RUN UP PAD MIL OPS ONLY.
A 110-020 CONDS UNMTR WKDAY 2230 - 0630, WKEND & HOL.
A 110-022 FOR CD IF UNA TO CTC ON FSS FREQ, CTC SEATTLE ARTCC AT 253-351-3694.
A 110-023 MIL ANG: CLASSIFIED MTRL STORAGE SECRET & BLW - AMGMT.
A 110-024 RSTD: TWY G S RUN UP PAD MIL OPS ONLY. TWY B BTN TWY B1 & TWY B2 WINGTIP TO FIXED OBJECT SEPARATION NSTD; WINGSPAN GREATER THAN 133 FT MINIMIZE TAXI SPEED.

111 INSPECTOR: (F)

112 LAST INSP: 08/06/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/16/2026
AFD EFF 06/11/2026