

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/13/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: LOUISVILLE 4 STATE: KY LOC ID: LOU FAA SITE NR: 07244.*A
 > 2 AIRPORT NAME: BOWMAN FLD 5 COUNTY: JEFFERSON KY
 3 CBD TO AIRPORT (NM): 05 SE 6 REGION/ADO: ASO/MEM 7 SECT AERO CHT: ST LOUIS

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: REGIONAL AIRPORT AUTH
 > 12 ADDRESS: P O BOX 9129
 LOUISVILLE, KY 40209-0129
 > 13 PHONE NR: 502-368-6524
 > 14 MANAGER: JORGIE DERMODY
 > 15 ADDRESS: 3345 ROGER E SCHUPP STREET
 LOUISVILLE, KY 40205
 > 16 PHONE NR: 502-243-7305
 > 17 ATTENDANCE SCHEDULE:
 ALL ALL 0700-2200

SERVICES

70 FUEL: 100LL A
 71 AIRFRAME RPRS: MAJOR
 72 PWR PLANT RPRS: MAJOR
 73 BOTTLE OXYGEN: HIGH/LOW
 74 BULK OXYGEN: HIGH/LOW
 75 TSNT STORAGE: HGR, TIE
 76 OTHER SERVICES:
 AMB, AVNCS, CHTR, INSTR, RNTL, SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

80 ARPT BCN: WG
 81 ARPT LGT SKED : SEE RMK
 BCN LGT SKED: SS-SR
 82 UNICOM: 122.950
 83 WIND INDICATOR: YES-L
 84 SEGMENTED CIRCLE: NONE
 85 CONTROL TWR: YES
 86 FSS: LOUISVILLE
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

18 AIRPORT USE: PUBLIC
 19 ARPT LAT: 38-13-40.7450N ESTIMATED
 20 ARPT LONG: 085-39-49.4940W
 21 ARPT ELEV: 545.5 SURVEYED
 22 ACREAGE: 426
 > 23 RIGHT TRAFFIC: NO
 > 24 NON-COMM LANDING: NO
 25 NPIAS/FED AGREEMENTS: NGPY3
 > 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

	06/24	15/33
> 30 RUNWAY INDENT:	4,358	3,580
> 31 LENGTH:	75	75
> 32 WIDTH:	ASPH-E	ASPH-G
> 33 SURF TYPE-COND:	GRVD	NONE
> 34 SURF TREATMENT:	30.0	30.0

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGS: 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

	MED	MED		
> 40 EDGE INTENSITY:	NPI - G / NPI - G	NPI - G / NPI - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	P2L / P2L	P2L / P2L	/	/
> 43 VGS:	45 / 53	45 / 45	/	/
44 THR COSSING HGT.:	3.50 / 3.00	3.50 / 3.25	/	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	/ Y	/ Y	/	/
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

	A(V) / A(NP)	A(V) / A(NP)		
50 FAR 77 CATEGORY	848 / 310	206 / 342	/	/
> 51 DISPLACED THR:	TREE / TREE	FENCE / ROAD	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	29 / 13	10 / 22	/	/
> 54 HGT ABOVE RWY END:	202 / 378	187 / 388	/	/
> 55 DIST FROM RWY END:	232R / 131L	28R / 235L	/	/
> 56 CNTRLN OFFSET:	0:1 / 13:1	0:1 / 8:1	/	/
57 OBSTN CLNC SLOPE:	Y / N	Y / N	/	/
58 CLOSE-IN OBSTN:				

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

	06/24	15/33		
> 60 TAKE OFF RUN AVBL (TORA):	4,047 / 3,509	3,238 / 3,373	/	/
> 61 TAKE OFF DIST AVBL (TODA):	4,357 / 4,357	3,579 / 3,579	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	4,316 / 4,165	3,579 / 3,466	/	/
> 63 LNDG DIST AVBL (LDA):	3,469 / 3,856	3,373 / 3,125	/	/

> 110 REMARKS

A 016 AMGR CELL 502-458-1475.
 A 052 RWY 15 6 FT PATH & GOLF CARTS.
 A 057 RWY 06 CONTROLLING OBSTN EXCEEDS A 45 DEG SLP.
 A 057 RWY 15 CONTROLLING OBSTN EXCEEDS A 45 DEG SLP
 A 057 RWY 24 CLEAR 53:1 APCH TO DTHR.
 A 057 CLEAR 33:1 APCH TO DTHR.
 A 058 RWY 06 8 FT FENCE 108 FT FM RWY END; 956 FT FM DTHR. ROAD 159 FT FM RWY END; 1007 FT FM DTHR.
 A 058 RWY 15 +8 FT FENCE 188 FT FM RWY END; 394 FT FM DTHR.
 A 081 ACTVT MIRL RWY 06/24 & 15/33 - CTAF.
 A 110-002 STAGE 3 COMPLIANCE RQRD FOR TURBOJET; PPR OVR 30000 LB GWT - AMGR.
 A 110-005 TRNG OPS NA WHEN ATCT CLSD.
 A 110-006 OBSTNS & TREES IN ALL APCH SFCS.
 A 110-007 ADCUS FLT NOTIFICATION SVC AVBL.
 A 110-008 BIRDS ON & INVOF ARPT DURG DALGT HR.
 A 110-010 COMPASS ROSE LCTD AT ADMIN BLDG NOT FOR COMPASS CALIBRATION USE.
 111 INSPECTOR: (S) 112 LAST INSP: 05/15/2025 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/13/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/13/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: KY LOC ID: LOU FAA SITE NR: 07244.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASO/MEM 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-011 24 HR PPR FOR MIL ROTARY WING.
A 110-012 FOR CD WHEN ATCT CLSD, CTC SDF ATCT 502-375-7499.
A 110-013 NOISE ABATEMENT: NO PRACTICE APCH MON-SAT 2200-0700. SUN 2200-0900, OR WHEN TWR CLSD.

111 INSPECTOR: (S)

112 LAST INSP: 05/15/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/13/2026
AFD EFF 06/11/2026