

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/7/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: CINCINNATI 4 STATE: OH LOC ID: LUK FAA SITE NR: 17731.*A
> 2 AIRPORT NAME: CINCINNATI MUNI/LUNKEN FLD 5 COUNTY: HAMILTON OH
> 3 CBD TO AIRPORT (NM): 03 SE 6 REGION/ADO: AGL/DET 7 SECT AERO CHT: CINCINNATI

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: CITY OF CINCINNATI
> 12 ADDRESS: 465 WILMER AVE
CINCINNATI, OH 45226-1833
> 13 PHONE NR: 513-321-4132
> 14 MANAGER: JAIME EDROSA
> 15 ADDRESS: 465 WILMER AVE
CINCINNATI, OH 45226-1833
> 16 PHONE NR: 513-352-6340
> 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

SERVICES

70 FUEL: 100LL A+
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN:
74 BULK OXYGEN: HIGH
75 TSNT STORAGE: TIE
76 OTHER SERVICES:
AMB, AVNCS, CHTR, INSTR, SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 39-06-10.7180N ESTIMATED
20 ARPT LONG: 084-25-03.3810W
21 ARPT ELEV: 481.6 SURVEYED
22 ACREAGE: 1,140
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: YES
25 NPIAS/FED AGREEMENTS: NGY
> 26 FAR 139 INDEX: IV A U 11/1974

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: YES
86 FSS: DAYTON
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	03/21	07/25
> 30 RUNWAY INDENT:	6,101	5,127
> 31 LENGTH:	150	100
> 32 WIDTH:	ASPH-E	ASPH-F
> 33 SURF TYPE-COND:	GRVD	GRVD
> 34 SURF TREATMENT:	60.0	11.0
35 GROSS WT: S	70.0	20.0
36 (IN THSDS) D	140.0	55.0
37 2D		
38 2D/2D2		
> 39 PCN:		38 /R/C/X/T

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGS: 44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

	HIGH	MED		
> 40 EDGE INTENSITY:	NPI - G / PIR - G	NPI - F / NPI - F	- / -	- / -
> 42 RWY MARK TYPE-COND:	P4R / P4L	/ V4L	/	/
> 43 VGS:	44 / 39	/ 40	/	/
44 THR COSSING HGT.:	3.00 / 3.00	/ 3.00	/	/
45 VISUAL GLIDE ANGLE:	N - N / N - N	N - N / N - N	- / -	- / -
> 46 CNTRLN-TDZ:	R - N / T - N	- N / - N	- / -	- / -
> 47 RVR-RVV:	Y / N	N / N	/	/
> 48 REIL:	/ MALSR	/	/	/
> 49 APCH LIGHTS:				

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

	C / PIR	B(V) / C		
50 FAR 77 CATEGORY	/	439 /	/	/
> 51 DISPLACED THR:	TREE / TREE	BLDG / TREE	/	/
> 52 CTLG OBSTN:	/	L /	/	/
> 53 OBSTN MARKED/LGTD:	106 / 47	30 / 57	/	/
> 54 HGT ABOVE RWY END:	2,094 / 962	210 / 1,261	/	/
> 55 DIST FROM RWY END:	734R / 605R	167R / 254R	/	/
> 56 CNTRLN OFFSET:	17:1 / 16:1	0:1 / 18:1	/	/
57 OBSTN CLNC SLOPE:	N / N	Y / N	/	/
58 CLOSE-IN OBSTN:				

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

	6,101 / 6,101	/	/	/
> 60 TAKE OFF RUN AVBL (TORA):	6,101 / 6,101	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	6,101 / 6,101	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	6,101 / 6,101	/	/	/
> 63 LNDG DIST AVBL (LDA):	6,101 / 6,101	/	/	/

> 110 REMARKS

A 030 RWY 07/25 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.
A 039 RWY 03/21 PCR VALUE: 377/R/C/X/T
A 043 RWY 03 PAPI UNUSBL BYD 7 DEGS LEFT OF CNTRLN.
A 057 RWY 07 CTLG OBSTN EXCEEDS A 45 DEG SLP.
A 058 RWY 07 +35 FT HNGR, 615 FT DIST, 157 FT R, APCH RATIO 19:1 TO DTHR.
A 070 A+ C513-871-2020.
A 080 LCTD 1.7 NM E OF ARP.
A 081 WHEN ATCT CLSD ACTVT OR INCR INTST MALSR RWY 21; HIRL RWY 03/21 - CTAF. HIRL RWY 03/21 PRESET MED INTST. RWY 07/25 PCL UNAVBL.
A 110-001 DEER & BIRDS ON & INVOF ARPT.
A 110-004 CLSD TO SKEDD ACR OPS GTR THAN 9 PAX SEATS. 48 HR PPR FOR UNSKED ACR OPS WITH GTR THAN 30 PAX SEATS CALL AMGR.
A 110-005 NOISE ABATEMENT PROCS IN EFCT CALL AMGR. ACFT MAINT RUNUPS RSTRD BTN 2100-0700.
A 110-006 AER 25 & 21 ARE CLOSELY LCTD; VFY COR RWY WITH COMPASS HDG BFR DEP.
A 110-007 TWY D, E, G, & H CLSD TO UNSKED ACR OPS GTR THAN 30 PAX SEATS.

111 INSPECTOR: (F) 112 LAST INSP: 04/09/2025 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/7/2026
AFD EFF 05/14/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/7/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: OH LOC ID: LUK FAA SITE NR: 17731.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/DET 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-008 ARPT SFC COND UNMON DLY 2300-0700.
A 110-009 TWY H NOT VSB FM ATCT, CTC GC. WHEN ATCT CLSD, USE CTAF.
A 110-010 CUST IN TEMPO FAC; CUST FAC REQS MUST BE SMTD TO ARPT FIRST BY CALLING 513-709-2761 OR EMAIL #DOTE-AVIATION@CINCINNATI-OH.GOV.

111 INSPECTOR: (F)

112 LAST INSP: 04/09/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/7/2026
AFD EFF 05/14/2026