

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/25/2026  
AFD EFF 05/14/2026

> 1 ASSOC CITY: CARBONDALE/MURPHYSB 4 STATE: IL LOC ID: MDH FAA SITE NR: 04477.\*A  
> 2 AIRPORT NAME: SOUTHERN ILLINOIS 5 COUNTY: JACKSON IL  
> 3 CBD TO AIRPORT (NM): 03 NW 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT: ST LOUIS

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: SOUTHERN ILLINOIS ARPT AUTH  
> 12 ADDRESS: PO BOX 1086  
CARBONDALE, IL 62903  
> 13 PHONE NR: 618-529-1721  
> 14 MANAGER: ALYSSA CONNELL  
> 15 ADDRESS: P O BOX 1086  
CARBONDALE, IL 62903  
> 16 PHONE NR: 618-529-1721  
> 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

### SERVICES

70 FUEL: 100LL A  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN: NONE  
74 BULK OXYGEN: NONE  
75 TSNT STORAGE: HGR, TIE  
76 OTHER SERVICES: AMB, CARGO, CHTR, INSTR, RNTL, SALES

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 37-46-41.1000N ESTIMATED  
20 ARPT LONG: 089-15-07.3000W  
21 ARPT ELEV: 411.2 SURVEYED  
22 ACREAGE: 1,200  
> 23 RIGHT TRAFFIC: NO  
> 24 NON-COMM LANDING: NO  
25 NPIAS/FED AGREEMENTS: NGY  
> 26 FAR 139 INDEX: IV A U 10/1974

80 ARPT BCN: WG  
81 ARPT LGT SKED : SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM: 122.950  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: YES  
85 CONTROL TWR: YES  
86 FSS: SAINT LOUIS  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

	06/24	18L/36R	18R/36L
> 30 RUNWAY INDENT:	4,163	6,506	3,498
> 31 LENGTH:	100	100	60
> 32 WIDTH:	ASPH-F	ASPH-E	ASPH-E
> 33 SURF TYPE-COND:	PFC	GRVD	NONE
> 34 SURF TREATMENT:	86.0		
35 GROSS WT: S	110.0		
36 (IN THSDS) D	167.0		
37 2D			
38 2D/2D2			

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGS: 44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

	MED	HIGH	MED	
> 40 EDGE INTENSITY:	BSC - G / BSC - G	PIR - G / NPI - G	BSC - G / BSC - G	- / -
> 42 RWY MARK TYPE-COND:	V4L / P4R	/ P4L	PSIL / PSIL	/
> 43 VGS:	48 / 25	/ 45	27 / 25	/
44 THR COSSING HGT.:	3.50 / 3.50	/ 3.00	3.00 / 3.00	/
45 VISUAL GLIDE ANGLE:	N - N / N - N	N - N / N - N	- / -	- / -
> 46 CNTRLN-TDZ:	- N / - N	- N / - N	- / -	- / -
> 47 RVR-RVV:	Y / N	/ Y	/	/
> 48 REIL:	/	MALSR /	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

	A(V) / A(V)	PIR / C	A(V) / A(V)	
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	20:1 / 20:1	50:1 / 34:1	20:1 / 20:1	/
57 OBSTN CLNC SLOPE:	N / N	N / N	N / N	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

	06/24	18L/36R	18R/36L	
> 60 TAKE OFF RUN AVBL (TORA):	4,163 / 4,163	6,506 / 6,506	3,498 / 3,498	/
> 61 TAKE OFF DIST AVBL (TODA):	4,163 / 4,163	6,506 / 6,506	3,498 / 3,498	/
> 62 ACLT STOP DIST AVBL (ASDA):	4,163 / 4,163	6,506 / 6,506	3,498 / 3,498	/
> 63 LNDG DIST AVBL (LDA):	4,163 / 4,163	6,506 / 6,506	3,498 / 3,498	/

> 110 REMARKS

A 026 CLSD TO SKED ACR OPS GTR THAN 9 PSGR SEATS. UNSKED ACR OPS GTR THAN 30 PSGR SEATS RQR 24 HR PPR - CALL AMGR MON-FRI.  
A 030 RWY 06/24 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.  
A 030 RWY 18R/36L NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.  
A 035 RWY 06/24 RSTRD TO ACFT 12500 LBS OR LESS UNLESS PPR WITH ATCT.  
A 039 RWY 06/24 PCR VALUE: 350/F/D/X/T  
A 039 RWY 18L/36R PCR VALUE: 270/F/D/X/T  
A 039 RWY 18R/36L PCR VALUE: 40/F/D/X/T  
A 043 RWY 18R UNUSBL BYD 6 DEG RIGHT OF COURSE. PVASI OTS INDEF.  
A 052 RWY 36R 39 FT MKD PLINE 1872 FT FM RWY 192 FT L OF CNTRLN. APCH RATIO 42:1.  
A 081 ACTVT MALSR RWY 18L; VASI RWY 06; PAPI RWY 24 & 36R; MIRL RWY 06/24; HIRL RWY 18L/36R - CTAF. WHEN ATCT CLSD HIRL RWY 18L/36R PRESET MED INTST; INCREASE INTST - CTAF. WHEN ATCT CLSD 18R/36L LTG BY REQUEST ONLY - CALL 618-534-3662.  
A 110-001 BIRDS ON & INVOF ARPT.  
A 110-002 HIGH STUDENT TRNG ACTVTY.

111 INSPECTOR: ( F )

112 LAST INSP: 03/05/2026

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/25/2026  
AFD EFF 05/14/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/25/2026  
AFD EFF 05/14/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: IL LOC ID: MDH FAA SITE NR: 04477.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics  
<https://aspm.faa.gov>

## FACILITIES

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

## OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

## DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-003 RWY 6 & RWY 18R-36L INTERSECT; VERIFY CORRECT COMPASS HDG FOR RWY 6 DEP.

111 INSPECTOR: ( F )

112 LAST INSP: 03/05/2026

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/25/2026  
AFD EFF 05/14/2026