

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/27/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: CHICAGO 4 STATE: IL LOC ID: MDW FAA SITE NR: 04507.\*A  
> 2 AIRPORT NAME: CHICAGO MIDWAY INTL 5 COUNTY: COOK IL  
> 3 CBD TO AIRPORT (NM): 09 SW 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT: CHICAGO

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: CITY OF CHICAGO  
> 12 ADDRESS: 5700 S. CICERO  
CHICAGO, IL 60638  
> 13 PHONE NR: 773-838-0608  
> 14 MANAGER: MICHAEL MCMURRAY  
> 15 ADDRESS: 10510 WEST ZEMKE ROAD  
CHICAGO, IL 60666  
> 16 PHONE NR: 773-686-8060  
> 17 ATTENDANCE SCHEDULE:  
ALL ALL ALL

### SERVICES

70 FUEL: 100LL A1+  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN: LOW  
74 BULK OXYGEN: LOW  
75 TSNT STORAGE: HGR, TIE  
76 OTHER SERVICES:  
AFRT, AMB, AVNCS, CARGO, CHTR, INSTR

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 41-47-08.3153N ESTIMATED  
20 ARPT LONG: 087-45-09.8230W  
21 ARPT ELEV: 619.8 SURVEYED  
22 ACREAGE: 650  
> 23 RIGHT TRAFFIC: NO  
> 24 NON-COMM LANDING: NO  
25 NPIAS/FED AGREEMENTS: NGY3  
> 26 FAR 139 INDEX: I C S 05/1973

80 ARPT BCN: WG  
81 ARPT LGT SKED :  
BCN LGT SKED: SS-SR  
82 UNICOM: 122.950  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: NONE  
85 CONTROL TWR: YES  
86 FSS: KANKAKEE  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

04L/22R	04R/22L	13L/31R	13R/31L
5,507	6,445	6,522	3,859
150	150	150	60
ASPH-G	ASPH-CONC-E	ASPH-CONC-E	ASPH-E
GRVD	GRVD	GRVD	NONE
60.0	95.0	95.0	12.5
120.0	165.0	165.0	
	250.0	250.0	

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSi:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

MED	HIGH	HIGH	MED
NPI - G / NPI - G	PIR - G / PIR - G	PIR - G / PIR - G	BSC - G / BSC - G
P4L / P4L	P4L / P4R	P4R / P4L	/
39 / 35	66 / 43	47 / 63	/
3.00 / 3.00	3.00 / 3.00	3.00 / 3.00	/
N - N / N - N	Y - N / Y - N	Y - N / Y - N	N - N / N - N
- N / - N	TR - N / TR - N	TR - N / TR - N	- / -
N / N	Y / Y	N / Y	N / N
/	/	RLLS / RLLS	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

C / C	PIR / C	PIR / PIR	A(V) / A(V)
758 / 878	518 / 635	463 / 696	/
ROAD / ROAD	ROAD / ROAD	ROAD / ROAD	TREE / TREE
/	/	/	/
15 / 15	15 / 15	15 / 47	55 / 59
200 / 200	200 / 200	200 / 200	1,504 / 1,737
25L / 125R	325R / 350L	225R / 225L	214R / 147R
0:1 / 0:1	0:1 / 0:1	0:1 / 0:1	23:1 / 26:1
N / N	N / N	N / N	N / N

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

5,507 / 5,507	6,446 / 6,446	6,522 / 6,522	/
5,507 / 5,507	6,446 / 6,446	6,522 / 6,522	/
5,507 / 5,507	6,446 / 6,446	6,522 / 6,522	/
4,749 / 4,629	5,928 / 5,812	6,059 / 5,826	/

> 110 REMARKS

A 016 ARPT OPNS 773-838-0677.  
A 026 ARFF INDEX "D" EQPT AVBL WITH 8 HRS NOTIFICATION TO ARPT OPNS 773-838-0677.  
A 030 RWY 04L/22R NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.  
A 030 RWY 13R/31L NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.  
A 039 RWY 04L/22R PCR VALUE: 330/F/D/X/U  
A 039 RWY 04R/22L PCR VALUE: 685/F/D/X/U  
A 039 RWY 13L/31R PCR VALUE: 685/F/D/X/U  
A 039 RWY 13R/31L PCR VALUE: 125/R/B/X/U  
A 057 RWY 04L APCH RATIO 19:1 AT DSPLCD THLD. TREES 178 FT L 1313 FT FROM DSPLCD THLD.  
A 057 RWY 04R APCH RATIO 16:1 AT DSPLCD THLD. TREE 547 FT R 1122 FT FROM DSPLCD THLD.  
A 057 RWY 13L APCH RATIO 16:1 AT DSPLCD THLD. TREE 453 FT R 915 FT FROM DSPLCD THLD.  
A 057 RWY 22L APCH RATIO 19:1 AT DSPLCD THLD. LGT POLE 474 FT R 674 FT FROM DSPLCD THLD.  
A 057 RWY 22R APCH RATIO 37:1 AT DSPLCD THR. TREE 2490 FT FROM DSPLCD THR 319 FT L.

111 INSPECTOR: (S)

112 LAST INSP: 08/09/2024

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/27/2026  
AFD EFF 04/16/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/27/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: IL LOC ID: MDW FAA SITE NR: 04507.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

## FACILITIES

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

## OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

## DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

- A 057 RWY 31R APCH RATIO 24:1 AT DSPLCD THR. TREE 1211 FT FROM DSPLCD THR 459 FT R.
- A 110-002 NOISE ABATEMENT PROCEDURES: ALL DEPARTURES ARE REQUESTED TO EXPEDITE CLIMB THROUGH 1500 FT MSL 2200-0600 DLY.
- A 110-003 ARPT CLSD TO SOLO STUDENT TRAINING.
- A 110-004 BIRDS ON & INVOF ARPT.
- A 110-005 CLOSE-IN OBST ALL RYS EXCEPT RY 13R/31L TOO NUMEROUS TO ITEMIZE.
- A 110-007 RY 22L PREFERRED DEP RY 2200-0700.
- A 110-015 TWY A CLSD TO ACFT OVR 94 FT WINGSPAN.
- A 110-018 TWY F CLSD TO ACFT OVR 94 FT WINGSPAN.
- A 110-019 RY 13R/31L CLSD TO FLT OPS WHEN ACFT OVR 79 FT WINGSPAN ARE ON TWY F.
- A 110-020 TWY N CLSD BTN TWY Y AND RWY 22L PAD.

111 INSPECTOR: (S)

112 LAST INSP: 08/09/2024

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/27/2026  
AFD EFF 04/16/2026