

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/14/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: MANHATTAN 4 STATE: KS LOC ID: MHK FAA SITE NR: 06748.*A
> 2 AIRPORT NAME: MANHATTAN RGNL 5 COUNTY: RILEY KS
> 3 CBD TO AIRPORT (NM): 04 SW 6 REGION/ADO: ACE/NONE 7 SECT AERO CHT: KANSAS CITY

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: CITY OF MANHATTAN
> 12 ADDRESS: 1101 POYNTZ
MANHATTAN, KS 66502-5497
> 13 PHONE NR: 785-587-4560
> 14 MANAGER: BRANDON KEAZER
> 15 ADDRESS: 5500 SKYWAY DRIVE, STE 120
MANHATTAN, KS 66503-9791
> 16 PHONE NR: 785-587-4565
> 17 ATTENDANCE SCHEDULE:
ALL ALL 0600-2200

SERVICES

70 FUEL: 100LL A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES:
AMB, CARGO, CHTR, INSTR, RNTL, SALES,
SURV

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 39-08-29.1000N ESTIMATED
20 ARPT LONG: 096-40-17.6000W
21 ARPT ELEV: 1066.1 SURVEYED
22 ACREAGE: 680
> 23 RIGHT TRAFFIC: 03, 31
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGSVY
> 26 FAR 139 INDEX: I B S 05/1973

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM:
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: YES
86 FSS: WICHITA
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	03/21	13/31
> 30 RUNWAY INDENT:	7,400	5,001
> 31 LENGTH:	150	75
> 32 WIDTH:	CONC-G	ASPH-CONC-E
> 33 SURF TYPE-COND:	GRVD	NONE
> 34 SURF TREATMENT:	120.0	30.0
35 GROSS WT: S	195.0	39.0
36 (IN THSDS) D	339.0	
37 2D		
38 2D/2D2		

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

	HIGH	MED		
> 40 EDGE INTENSITY:	PIR - G / PIR - G	BSC - G / BSC - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	P4L / P4L	V2L / P4L	/	/
> 43 VGSI:	50 / 50	41 / 40	/	/
44 THR COSSING HGT.:	3.00 / 3.00	3.50 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	/ Y	/ Y	/	/
> 48 REIL:	MALSR /	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

	PIR / D	B(V) / B(V)		
50 FAR 77 CATEGORY	/ 370	/	/	/
> 51 DISPLACED THR:	TREES / TREES	POLE / TREE	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	105 / 86	237 / 93	/	/
> 54 HGT ABOVE RWY END:	3,996 / 2,124	7,174 / 1,607	/	/
> 55 DIST FROM RWY END:	537L / 259R	392L / 624L	/	/
> 56 CNTRLN OFFSET:	36:1 / 23:1	29:1 / 15:1	/	/
57 OBSTN CLNC SLOPE:	N / N	N / N	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

	7,030 / 7,400	5,000 / 5,000		
> 60 TAKE OFF RUN AVBL (TORA):	7,030 / 7,400	5,000 / 5,000	/	/
> 61 TAKE OFF DIST AVBL (TODA):	7,030 / 7,400	5,000 / 5,000	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	7,030 / 7,400	5,000 / 5,000	/	/
> 63 LNDG DIST AVBL (LDA):	7,030 / 7,030	5,000 / 5,000	/	/

> 110 REMARKS

- A 016 AFT HR - 785-587-4562.
- A 018 AFT HR ACR OPS NA 15 MIN BFR OR AFT SKED ARR OR DEP WO PPR TO CFM; ARFF SVC AVBL BFR LNDG OR TKOF - 785-587-4521.
- A 026 INDEX C EQUIP AVBL UPON REQ.
- A 030 RWY 13/31 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.
- A 039 RWY 03/21 PCR VALUE: 640/R/C/W/T
- A 039 RWY 13/31 PCR VALUE: 150/R/C/W/T
- A 081 WHEN ATCT CLSD ACTVT MALSR RWY 03; REIL RWY 21 & 31; HIRL RWY 03/21; MIRL RWY 13/31 - CTAF. PAPI RWY 03, 21 & 31; VASI RWY 13; OPR CONSLY.
- A 082 MULTICOM FREQ 122.85 AVBL.
- A 110-002 NONSTD ATC MINIMA APPLIED TO IFR HIGH PERFORMANCE OPS ARR WI CFNS OF R-3602.
- A 110-006 MIL ARPT 7 MI SW RESEMBLES THIS ARPT.
- A 110-007 BIRDS INVOF ARPT MAR-MAY & SEP-NOV; WILDLIFE ON & INVOF RWYS.
- A 110-010 24 HR PPR FOR UNSKED ACR GTR THAN 30 PAX SEATS - 785-587-4597.

111 INSPECTOR: (F) 112 LAST INSP: 04/02/2025 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/14/2026
AFD EFF 05/14/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/14/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: KS LOC ID: MHK FAA SITE NR: 06748.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ACE/NONE 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-011 FOR CD IF UNA CTC ON FSS FREQ, CTC MARSHALL APCH AS 785-239-2118. WHEN MARSHALL APCH IS CLSD, CTC KANSAS CITY ARTCC AT 913-254-8508.

111 INSPECTOR: (F)

112 LAST INSP: 04/02/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/14/2026
AFD EFF 05/14/2026