AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 1/25/2026
AFD EFF 01/22/2026

> 1 ASSOC CITY:	MIAMI	4 STATE:	FL	LOC ID:	MIA	FAA SITE NR:	03333.*A
> 2 AIRPORT NAME:	MIAMI INTL			5 COUNTY:	DADE FL		
3 CBD TO AIRPORT (NM):	08 NW	6 REGION/ADO:	ASO/ORL	7 SECT AERO CHT:	MIAMI		

GENERAL

10 OWNERSHIP:	PUBLIC
> 11 OWNER:	DADE COUNTY AVIATON DEPT
> 12 ADDRESS:	PO BOX 025504 MIAMI, FL 33102-5504
> 13 PHONE NR:	305-876-7077
> 14 MANAGER:	RALPH CUTIE
> 15 ADDRESS:	MIAMI-DADE AVIATION DEPARTMENT, P.O. BOX MIAMI, FL 33102-5504
> 16 PHONE NR:	305-876-7038
> 17 ATTENDANCE SCHEDULE:	

ALL ALL ALL

18 AIRPORT USE:	PUBLIC
19 ARPT LAT:	25-47-43.3000N ESTIMATED
20 ARPT LONG:	080-17-24.4170W
21 ARPT ELEV:	9.3 SURVEYED
22 ACREAGE:	3,300
> 23 RIGHT TRAFFIC:	26L, 09
> 24 NON-COMM LANDING:	YES
25 NPIAS/FED AGREEMENTS:	NGPY
> 26 FAR 139 INDEX:	I E S 05/1973

SERVICES

70 FUEL:	100 A
71 AIRFRAME RPRS:	MAJOR
72 PWR PLANT RPRS:	MAJOR
73 BOTTLE OXYGEN:	HIGH/LOW
74 BULK OXYGEN:	HIGH/LOW
75 TSNT STORAGE:	HGR, TIE
76 OTHER SERVICES:	AFRT, AGRI, CARGO, CHTR

FACILITIES

80 ARPT BCN:	WG
81 ARPT LGT SKED :	
BCN LGT SKED:	SS-SR
82 UNICOM:	123.000
83 WIND INDICATOR:	YES-L
84 SEGMENTED CIRCLE:	NONE
85 CONTROL TWR:	YES
86 FSS:	MIAMI
87 FSS ON ARPT:	NO
88 FSS PHONE NR:	
89 TOLL FREE NR:	1-800-WX-BRIEF

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

RUNWAY DATA

	08L/26R	08R/26L	09/27	12/30
> 30 RUNWAY INDENT:	8,600	10,506	13,016	9,360
> 31 LENGTH:	150	200	150	150
> 32 WIDTH:	ASPH-G	ASPH-G	ASPH-G	ASPH-G
> 33 SURF TYPE-COND:	GRVD	GRVD	GRVD	GRVD
> 34 SURF TREATMENT:	120.0	120.0	120.0	120.0
35 GROSS WT: S	250.0	250.0	250.0	250.0
36 (IN THSDS) D	550.0	550.0	550.0	550.0
37 2D	1120.0	1120.0	1120.0	1120.0
38 2D/2D2				
> 39 PCN:				
LIGHTING/APCH AIDS				
> 40 EDGE INTENSITY:	HIGH	HIGH	HIGH	HIGH
> 42 RWY MARK TYPE-COND:	NPI - G / NPI - G	PIR - G / PIR - G	PIR - G / PIR - G	PIR - G / PIR - G
> 43 VGSI:	P4L / P4L	P4L / P4L	P4L / P4L	P4R / P4L
44 THR COSSING HGT.:	60 / 60	77 / 73	72 / 71	72 / 71
45 VISUAL GLIDE ANGLE:	3.00 / 3.00	3.00 / 3.00	3.00 / 3.00	3.00 / 3.00
> 46 CNTRLN-TDZ:	Y - N / Y - N	Y - Y / Y - N	Y - N / Y - N	Y - N / Y - N
> 47 RVR-RVV:	- / -	TR - N / TR - N	TMR - N / TMR - N	TR - N / TR - N
> 48 REIL:	Y / Y	/	/	/
> 49 APCH LIGHTS:	/	MALSR / MALSF	MALSR / MALSR	MALSR / MALS
OBSTRUCTION DATA				
50 FAR 77 CATEGORY	D / D	PIR / PIR	PIR / PIR	PIR / PIR
> 51 DISPLACED THR:	/	/	1,358 / 261	/ 945
> 52 CTLG OBSTN:	/	/	RR /	TOWER / TREE
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	23 /	40 / 52
> 55 DIST FROM RWY END:	/	/	750 /	1,700 / 1,600
> 56 CNTRLN OFFSET:	/	/	580R /	200L / 300L
57 OBSTN CLNC SLOPE:	34:1 / 34:1	50:1 / 50:1	23:1 / 50:1	37:1 / 26:1
58 CLOSE-IN OBSTN:	N / N	N / N	N / N	N / Y
DECLARED DISTANCES				
> 60 TAKE OFF RUN AVBL (TORA):	8,600 / 8,600	10,506 / 10,506	13,016 / 13,016	9,355 / 9,355
> 61 TAKE OFF DIST AVBL (TODA):	8,600 / 8,600	10,506 / 10,506	13,016 / 13,016	9,355 / 9,355
> 62 ACLT STOP DIST AVBL (ASDA):	8,600 / 8,600	10,506 / 10,220	12,755 / 13,016	8,579 / 8,853
> 63 LNDG DIST AVBL (LDA):	8,600 / 8,600	10,506 / 10,220	11,397 / 12,755	8,579 / 7,913

> 110 REMARKS

A 014	JIM MURPHY, AIRPORT SUPERVISOR 305-876-7516.
A 030	RWY 08L/26R CLSD 0300-1200++ WHEN RWY 08R/26L & RWY 09/27 ARE IN USE.
A 030	RWY 12/30 CLSD 0300-1200++ WHEN RWY 08R/26L & RWY 09/27 ARE IN USE.
A 039	RWY 08L/26R PCR VALUE: 711/F/A/X/T
A 039	RWY 08R/26L PCR VALUE: 851/F/A/X/T
A 039	RWY 09/27 PCR VALUE: 851/F/A/X/T
A 039	RWY 12/30 PCR VALUE: 780/F/A/X/T
A 057	RWY 09 APCH RATIO 50:1 TO DSPLCD THR.
A 057	RWY 30 APCH RATIO 48:1 TO DSPLCD THR.
A 058	RWY 30 +20' RR 200' FM RY END; 450'L.
A 110-001	CLSD NON ENG ACFT.
A 110-005	BIRDS ON & INVOF ARPT.
A 110-018	PPR 3 HRS PRIOR TO ALL ARRIVALS ON THE GENERAL AVIATION CENTER (GAC) RAMP 305-876-7550 CTC RAMP CONTROL UPON ARRIVAL ON FREQUENCY 131.600. ACFT WITH WINGSPAN GREATER THAN 78 FT ARE PROHIBITED FROM ENTERING THE GAC RAMP.
A 110-019	ALL MEDICAL EMERGENCIES ARRIVALS, WITH THE EXCEPTION OF AIR AMBULANCE FLIGHTS, MUST SECURE DOORS UNTIL ARFF IS ON SCENE.

111 INSPECTOR: (F) 112 LAST INSP: 04/18/2025 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 1/25/2026
AFD EFF 01/22/2026

> 1 ASSOC CITY: ***CONTINUED***
> 2 AIRPORT NAME:
3 CBD TO AIRPORT (NM):

4 STATE: FL
6 REGION/ADO: ASO/ORL

LOC ID: MIA
5 COUNTY:
7 SECT AERO CHT:

FAA SITE NR: 03333.*A

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:				
> 31 LENGTH:				
> 32 WIDTH:				
> 33 SURF TYPE-COND:				
> 34 SURF TREATMENT:				
35 GROSS WT:	S			
36 (IN THSDS)	D			
37	2D			
38	2D/2D2			
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 110-021 PPR FOR INBOUND MILITARY FLIGHTS 100 NM ON FREQ 130.5.
A 110-022 ALL DIVERSION CTC FREQ 130.5 UPON ARR.
A 110-023 AIRPORT MANAGER: 305-876-7038.
A 110-025 AIRPORT OPS 305-876-7550.
A 110-026 US CBP AND EAPIS AVBL.
A 110-027 RWY 12-30 CLSD 0300-1200Z++ WHEN RWY 08R-26L AND RWY 09-27 ARE IN USE.
A 110-028 RWY 08L-26R CLSD 0300-1200Z++ WHEN RWY 08R-26L AND RWY 09-27 ARE IN USE.
A 110-030 ALL TBJT ACFT ARE REQD TO USE DSNT NOISE ABATEMENT DEP PROFILE (NADP-2) FROM ALL RWYS.
A 110-031 ACFT WITH A WINGSPAN GTR THAN 171 FT ARE PROHIBITED FM TXG ON TWY P E OF TWY U, EXCEPT ADG VI ACFT COMPLYING WITH MIA ADG VI OPERATIONAL PLAN WHEN ADJ AIRSIDE SVC ROAD IS CLSD TO TRAFFIC.
A 110-032 TRML APN TXY SPOTS 2, 4, 13,15, 22 AND 24 MAX SPAN 125 FT OR LESS. TRML APN TXY SPOTS 26, 28 MAX SPAN 167 FT OR LESS
A 110-033 24 HR PPR FOR ACFT EQUIPPED WITH WEATHER MODIFICATION OR GEOENGINEERING EQPT 305-876-7550.

111 INSPECTOR: (F) 112 LAST INSP: 04/18/2025 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 1/25/2026
AFD EFF 01/22/2026

> 1 ASSOC CITY: ***CONTINUED***
> 2 AIRPORT NAME:
3 CBD TO AIRPORT (NM):

4 STATE: FL
6 REGION/ADO: ASO/ORL

LOC ID: MIA
5 COUNTY:
7 SECT AERO CHT:

FAA SITE NR: 03333.*A

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:

71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)
112 LAST INSP: 04/18/2025
113 LAST INFO REQ: