

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/17/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: MUNCIE 4 STATE: IN LOC ID: MIE FAA SITE NR: 05511.\*A  
> 2 AIRPORT NAME: DELAWARE COUNTY RGNL 5 COUNTY: DELAWARE IN  
> 3 CBD TO AIRPORT (NM): 03 NW 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT: CHICAGO

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: DELAWARE COUNTY ARPT AUTH  
> 12 ADDRESS: 311 W. CARL SIMMONS RD.  
MUNCIE, IN 47303  
> 13 PHONE NR: 765-747-5690  
> 14 MANAGER: TIM BATY  
> 15 ADDRESS: 311 W. CARL SIMMONS RD.  
MUNCIE, IN 47303  
> 16 PHONE NR: 765-747-5690  
> 17 ATTENDANCE SCHEDULE:  
ALL ALL 0600-2200

### SERVICES

70 FUEL: 100LL A  
71 AIRFRAME RPRS: MINOR  
72 PWR PLANT RPRS: MINOR  
73 BOTTLE OXYGEN: HIGH  
74 BULK OXYGEN: HIGH  
75 TSNT STORAGE: HGR, TIE  
76 OTHER SERVICES:  
AFRT, AVNCS, CHTR, INSTR, RNTL, SALES

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 40-14-32.9000N ESTIMATED  
20 ARPT LONG: 085-23-44.7000W  
21 ARPT ELEV: 937.4 SURVEYED  
22 ACREAGE: 963  
> 23 RIGHT TRAFFIC: NO  
> 24 NON-COMM LANDING: NO  
25 NPIAS/FED AGREEMENTS: NGY  
> 26 FAR 139 INDEX: IV A U 11/1974

80 ARPT BCN: WG  
81 ARPT LGT SKED : SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM: 122.950  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: YES  
85 CONTROL TWR: YES  
86 FSS: TERRE HAUTE  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

	03/21	14/32
> 30 RUNWAY INDENT:	5,198	6,500
> 31 LENGTH:	100	150
> 32 WIDTH:	ASPH-F	ASPH-G
> 33 SURF TYPE-COND:	GRVD	GRVD
> 34 SURF TREATMENT:	80.0	91.0
35 GROSS WT: S	100.0	125.0
36 (IN THSDS) D	125.0	215.0
37 2D		
38 2D/2D2		

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

	MED	HIGH	
> 40 EDGE INTENSITY:	NPI - F / NPI - F	PIR - F / PIR - F	- / -
> 42 RWY MARK TYPE-COND:	P4L / P4L	P4L /	/
> 43 VGSI:	39 / 45	49 /	/
44 THR COSSING HGT.:	3.00 / 3.00	3.00 /	/
45 VISUAL GLIDE ANGLE:	N - N / N - N	N - N / N - N	- / -
> 46 CNTRLN-TDZ:	- N / - N	- N / - N	- / -
> 47 RVR-RVV:	Y / Y	Y / N	/
> 48 REIL:	/	/ MALSR	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

	B(V) / C	C / PIR	
50 FAR 77 CATEGORY	/	/	/
> 51 DISPLACED THR:	TREE / TREE	TREES / TREES	/
> 52 CTLG OBSTN:	/	/	/
> 53 OBSTN MARKED/LGTD:	58 / 44	98 / 73	/
> 54 HGT ABOVE RWY END:	1,570 / 1,281	4,200 / 3,066	/
> 55 DIST FROM RWY END:	241L / 424L	50R / 857L	/
> 56 CNTRLN OFFSET:	23:1 / 25:1	40:1 / 39:1	/
57 OBSTN CLNC SLOPE:	N / N	N / N	/
58 CLOSE-IN OBSTN:			

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

> 60 TAKE OFF RUN AVBL (TORA):	5,197 / 5,197	6,500 / 6,500	/
> 61 TAKE OFF DIST AVBL (TODA):	5,197 / 5,197	6,500 / 6,500	/
> 62 ACLT STOP DIST AVBL (ASDA):	5,197 / 5,197	6,500 / 6,500	/
> 63 LNDG DIST AVBL (LDA):	5,197 / 5,197	6,500 / 6,500	/

> 110 REMARKS

A 016 765-729-1078  
A 026 CLOSED TO SCHEDULED ACR OPNS GREATER THAN 9 PASSENGER SEATS. 96 HRS PPR FOR UNSKED ACR OPNS WITH MORE THAN 30 PSGR SEATS  
CALL AMGR 765-747-5690.  
A 030 RWY 03/21 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS  
MORE THAN 30 PAX SEATS.  
A 030 RWY 14/32 CALM WIND RWY.  
A 039 RWY 03/21 PCR VALUE: 640/F/D/X/T  
A 039 RWY 14/32 PCR VALUE: 580/F/D/X/T  
A 081 ACTVT MALSR RWY 32; REIL RWY 3, 14 & 21; PAPI RWY 14 & 21; MIRL RWY 3/21; HIRL RWY 14/32 - CTAF. REIL RWY 3, 14 & 21 HIGH INTSTY ONLY. PAPI  
RWY 3 ON CONSLY.  
A 110-001 DEER ON & INVOF ARPT.  
A 110-002 SVC AFT HR - 765-729-1078.  
A 110-003 WHEN ATCT IS CLSD FOR CD CTC INDIANAPOLIS APCH AT 317-227-5743.  
A 110-004 SFC COND NMNT MON-FRI 1500-0700 & WKEND.

111 INSPECTOR: (F)

112 LAST INSP: 10/30/2023

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/17/2026  
AFD EFF 06/11/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/17/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: IN LOC ID: MIE FAA SITE NR: 05511.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

### FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 10/30/2023

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/17/2026  
AFD EFF 06/11/2026