

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/2/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: MUNCIE 4 STATE: IN LOC ID: MIE FAA SITE NR: 05511.*A
 > 2 AIRPORT NAME: DELAWARE COUNTY RGNL 5 COUNTY: DELAWARE IN
 3 CBD TO AIRPORT (NM): 03 NW 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT: CHICAGO

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: DELAWARE COUNTY ARPT AUTH
 > 12 ADDRESS: 311 W. CARL SIMMONS RD.
 MUNCIE, IN 47303
 > 13 PHONE NR: 765-747-5690
 > 14 MANAGER: TIM BATY
 > 15 ADDRESS: 311 W. CARL SIMMONS RD.
 MUNCIE, IN 47303
 > 16 PHONE NR: 765-747-5690
 > 17 ATTENDANCE SCHEDULE:
 ALL ALL 0600-2200

SERVICES

70 FUEL: 100LL A
 71 AIRFRAME RPRS: MINOR
 72 PWR PLANT RPRS: MINOR
 73 BOTTLE OXYGEN: HIGH
 74 BULK OXYGEN: HIGH
 75 TSNT STORAGE: HGR, TIE
 76 OTHER SERVICES:
 AFRT, AVNCS, CHTR, INSTR, RNTL, SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
 19 ARPT LAT: 40-14-32.9000N ESTIMATED
 20 ARPT LONG: 085-23-44.7000W
 21 ARPT ELEV: 937.4 SURVEYED
 22 ACREAGE: 963
 > 23 RIGHT TRAFFIC: NO
 > 24 NON-COMM LANDING: NO
 25 NPIAS/FED AGREEMENTS: NGY
 > 26 FAR 139 INDEX: IV A U 11/1974

80 ARPT BCN: WG
 81 ARPT LGT SKED : SEE RMK
 BCN LGT SKED: SS-SR
 82 UNICOM: 122.950
 83 WIND INDICATOR: YES-L
 84 SEGMENTED CIRCLE: YES
 85 CONTROL TWR: YES
 86 FSS: TERRE HAUTE
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

	03/21	14/32
> 30 RUNWAY INDENT:	5,198	6,500
> 31 LENGTH:	100	150
> 32 WIDTH:	ASPH-F	ASPH-G
> 33 SURF TYPE-COND:	GRVD	GRVD
> 34 SURF TREATMENT:	80.0	91.0
35 GROSS WT: S	100.0	125.0
36 (IN THSDS) D	125.0	215.0
37 2D		
38 2D/2D2		

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGSI:
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

	MED	HIGH		
> 40 EDGE INTENSITY:	NPI - F / NPI - F	PIR - F / PIR - F	- / -	- / -
> 42 RWY MARK TYPE-COND:	P4L / P4L	P4L /	/	/
> 43 VGSI:	39 / 45	49 /	/	/
44 THR COSSING HGT.:	3.00 / 3.00	3.00 /	/	/
45 VISUAL GLIDE ANGLE:	N - N / N - N	N - N / N - N	- / -	- / -
> 46 CNTRLN-TDZ:	- N / - N	- N / - N	- / -	- / -
> 47 RVR-RVV:	Y / Y	Y / N	/	/
> 48 REIL:	/	/ MALSR	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

	B(V) / C	C / PIR		
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	TREE / TREE	TREES / TREES	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	58 / 44	98 / 73	/	/
> 54 HGT ABOVE RWY END:	1,570 / 1,281	4,200 / 3,066	/	/
> 55 DIST FROM RWY END:	241L / 424L	50R / 857L	/	/
> 56 CNTRLN OFFSET:	23:1 / 25:1	40:1 / 39:1	/	/
57 OBSTN CLNC SLOPE:	N / N	N / N	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

	5,197 / 5,197	6,500 / 6,500		
> 60 TAKE OFF RUN AVBL (TORA):	5,197 / 5,197	6,500 / 6,500	/	/
> 61 TAKE OFF DIST AVBL (TODA):	5,197 / 5,197	6,500 / 6,500	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	5,197 / 5,197	6,500 / 6,500	/	/
> 63 LNDG DIST AVBL (LDA):	5,197 / 5,197	6,500 / 6,500	/	/

> 110 REMARKS

A 016 765-729-1078
 A 026 CLOSED TO SCHEDULED ACR OPNS GREATER THAN 9 PASSENGER SEATS. 96 HRS PPR FOR UNSKED ACR OPNS WITH MORE THAN 30 PSGR SEATS
 CALL AMGR 765-747-5690.
 A 030 RWY 03/21 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS
 MORE THAN 30 PAX SEATS.
 A 030 RWY 14/32 CALM WIND RWY.
 A 039 RWY 03/21 PCR VALUE: 640/F/D/X/T
 A 039 RWY 14/32 PCR VALUE: 580/F/D/X/T
 A 081 ACTVT MALSR RWY 32; REIL RWY 3, 14 & 21; PAPI RWY 14 & 21; MIRL RWY 3/21; HIRL RWY 14/32 - CTAF. REIL RWY 3, 14 & 21 HIGH INTSTY ONLY. PAPI
 RWY 3 ON CONSLY.
 A 110-001 DEER ON & INVOF ARPT.
 A 110-002 SVC AFT HR - 765-729-1078.
 A 110-003 WHEN ATCT IS CLSD FOR CD CTC INDIANAPOLIS APCH AT 317-227-5743.
 A 110-004 SFC COND NMNT MON-FRI 1500-0700 & WKEND.

111 INSPECTOR: (F) 112 LAST INSP: 10/30/2023 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/2/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/2/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: IN LOC ID: MIE FAA SITE NR: 05511.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 10/30/2023

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/2/2026
AFD EFF 04/16/2026