

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: KAUNAKAKAI 4 STATE: HI LOC ID: MKK FAA SITE NR: 52294.*A
> 2 AIRPORT NAME: MOLOKAI 5 COUNTY: MAUI HI
> 3 CBD TO AIRPORT (NM): 06 NW 6 REGION/ADO: AWP/HNL 7 SECT AERO CHT: HAWAIIAN ISLANDS

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: HAWAII STATE AIRPORTS DIV
> 12 ADDRESS: HONOLULU INTL ARPT
HONOLULU, HI 96819
> 13 PHONE NR: 808-838-8600
> 14 MANAGER: MARVIN MONIZ
> 15 ADDRESS: KAHULUI ARPT
KAHULUI, HI 96732
> 16 PHONE NR: 808-281-9898
> 17 ATTENDANCE SCHEDULE:
ALL ALL 0500-2015

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE: TIE
76 OTHER SERVICES:
AFRT, CARGO

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 21-09-10.3890N ESTIMATED
20 ARPT LONG: 157-05-46.5220W
21 ARPT ELEV: 453.9 SURVEYED
22 ACREAGE: 288
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NPY3
> 26 FAR 139 INDEX: I A S 05/1973

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM:
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: YES
86 FSS: HONOLULU
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	05/23	17/35
> 30 RUNWAY INDENT:	4,494	3,118
> 31 LENGTH:	100	100
> 32 WIDTH:	ASPH-G	ASPH-F
> 33 SURF TYPE-COND:	GRVD	NONE
> 34 SURF TREATMENT:	30.0	13.0
35 GROSS WT: S	60.0	
36 (IN THSDS) D		
37 2D		
38 2D/2D2		
> 39 PCN:		

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGS: 44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

	MED	MED		
> 40 EDGE INTENSITY:	NPI - G / NPI - G	BSC - G / BSC - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	P4L /	/	/	/
> 43 VGS:	49 /	/	/	/
44 THR COSSING HGT.:	4.00 /	/	/	/
45 VISUAL GLIDE ANGLE:	N - N / N - N	N - N / N - N	- / -	- / -
> 46 CNTRLN-TDZ:	- N / - N	- N / - N	- / -	- / -
> 47 RVR-RVV:	Y / N	N / N	/	/
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

	B(V) / B(V)	B(V) / B(V)		
50 FAR 77 CATEGORY	/ 593	426 /	/	/
> 51 DISPLACED THR:	/ BRUSH	FENCE / FENCE	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/ 23	12 / 4	/	/
> 54 HGT ABOVE RWY END:	/ 400	80 / 248	/	/
> 55 DIST FROM RWY END:	/ 0B	0B / 0B	/	/
> 56 CNTRLN OFFSET:	20:1 / 17:1	0:1 / 12:1	/	/
57 OBSTN CLNC SLOPE:	N / N	N / N	/	/
58 CLOSE-IN OBSTN:				

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

	4,494 / 4,494	3,118 / 3,118		
> 60 TAKE OFF RUN AVBL (TORA):	4,494 / 4,494	3,118 / 3,118	/	/
> 61 TAKE OFF DIST AVBL (TODA):	4,494 / 4,494	3,118 / 3,118	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	4,494 / 3,901	2,692 / 3,118	/	/
> 63 LNDG DIST AVBL (LDA):				

> 110 REMARKS

A 026 ARPT CLOSED TO AIR CARRIER OPS WITH 10 OR MORE PASSENGER SEATS 1930-0600 EXCEPT PPR, CALL 808-567-9660/9663.
A 039 RWY 05/23 PCR VALUE: 104/F/A/X/T
A 039 RWY 17/35 PCR VALUE: 124/F/B/X/T
A 043 RWY 05 PAPI NOT AUTHORIZED 1.8 NM BYD LDG THLD DUE TO RAPIDLY RISING TERRAIN.
A 052 RWY 23 BRUSH 1900' FROM DSPLCD THR.
A 057 RWY 17 APCH RATIO 23:1 FROM DSPLCD THLD.
A 057 APCH RATIO FROM DSPLCD THLD 23:1.
A 081 WHEN ATCT CLSD ACTVT MIRL RY 05/23 AND RY 17/35, REIL RY 05 - CTAF.
A 110 THIS AIRPORT HAS BEEN SURVEYED BY THE NATIONAL GEODETIC SURVEY.
A 110-001 24 HRS PPR FOR DIVISION 1.1,1.2,1.3 EXPLOSIVES AND 4 HRS PPR FOR OTHER HAZARDOUS MATERIAL IN/OUT OF ARPT CTC 808-567-6140/6008.
A 110-002 MTN APPROXIMATELY 1280' MSL LCTD 2.8 NM FROM RWY 05 THR ON CNTRLN EXTDD.
A 110-003 BE ALERT TO EGRETS AND PIGEONS ON & INV OF ARPT.
A 110-004 LARGE ACFT WITH WINGSPAN GREATER THAN 78 FT MAY NOT USE TWY A OR RY 05/23 FOR SIMULTANEOUS OPNS.
A 110-005 (E94) LAWS AVBL FROM TWR PERSONNEL 0600-1900 LCL.

111 INSPECTOR: (F)

112 LAST INSP: 02/20/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: HI LOC ID: MKK FAA SITE NR: 52294.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/HNL 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-006 STANDING WATER/PONDING ON RY 17/35 NEAR TWY ECHO DURING INCLEMENT WEATHER.
A 110-007 FOR CD WHEN ATCT IS CLSD CTC HONOLULU CONTROL FACILITY AT 808-840-6262.
A 110-008 (CONTACT TITLE) ARPT OPNS/MAINT/AOM/MR. ANTONE KALILIKANE (808) 567-9660.

111 INSPECTOR: (F)

112 LAST INSP: 02/20/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026