

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/24/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: MINOT 4 STATE: ND LOC ID: MOT FAA SITE NR: 17418.\*A  
> 2 AIRPORT NAME: MINOT INTL 5 COUNTY: WARD ND  
> 3 CBD TO AIRPORT (NM): 02 N 6 REGION/ADO: AGL/DMA 7 SECT AERO CHT: BILLINGS

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: CITY OF MINOT  
> 12 ADDRESS: 305 AIRPORT RD., SUITE 216  
MINOT, ND 58703  
> 13 PHONE NR: 701-857-4724  
> 14 MANAGER: JENNIFER ECKMAN  
> 15 ADDRESS: 305 AIRPORT RD, SUITE 216  
MINOT, ND 58703  
> 16 PHONE NR: 701-857-4724  
> 17 ATTENDANCE SCHEDULE:  
ALL ALL ALL

### SERVICES

70 FUEL: 100LL A  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN: HIGH  
74 BULK OXYGEN:  
75 TSNT STORAGE: TIE  
76 OTHER SERVICES:  
AGRI, AMB, AVNCS, CHTR, INSTR, RNTL,  
SALES

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 48-15-27.5000N ESTIMATED  
20 ARPT LONG: 101-16-40.9000W  
21 ARPT ELEV: 1715.7 SURVEYED  
22 ACREAGE: 1,563  
> 23 RIGHT TRAFFIC: NO  
> 24 NON-COMM LANDING: YES  
25 NPIAS/FED AGREEMENTS: NGY3  
> 26 FAR 139 INDEX: I B S 05/1973

80 ARPT BCN: WG  
81 ARPT LGT SKED : SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM: 122.950  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: YES  
85 CONTROL TWR: YES  
86 FSS: GRAND FORKS  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

|                      | 08/26  | 13/31  |
|----------------------|--------|--------|
| > 30 RUNWAY INDENT:  | 6,348  | 7,700  |
| > 31 LENGTH:         | 100    | 150    |
| > 32 WIDTH:          | ASPH-F | CONC-G |
| > 33 SURF TYPE-COND: | GRVD   | GRVD   |
| > 34 SURF TREATMENT: | 81.0   | 120.0  |
| 35 GROSS WT: S       | 118.0  | 162.0  |
| 36 (IN THSDS) D      | 186.0  | 262.0  |
| 37 2D                |        |        |
| 38 2D/2D2            |        |        |
| > 39 PCN:            |        |        |

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGS: 44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

|                          | HIGH              | HIGH              |       |       |
|--------------------------|-------------------|-------------------|-------|-------|
| > 40 EDGE INTENSITY:     | NPI - G / NPI - G | PIR - G / PIR - G | - / - | - / - |
| > 42 RWY MARK TYPE-COND: | P4L / P4L         | P4L /             | /     | /     |
| > 43 VGS:                | 45 / 49           | 49 /              | /     | /     |
| 44 THR COSSING HGT.:     | 3.00 / 3.00       | 3.00 /            | /     | /     |
| 45 VISUAL GLIDE ANGLE:   | N - N / N - N     | N - N / N - N     | - / - | - / - |
| > 46 CNTRLN-TDZ:         | - N / - N         | R - N / T - N     | - / - | - / - |
| > 47 RVR-RVV:            | Y / Y             | Y / N             | /     | /     |
| > 48 REIL:               | /                 | / MALSR           | /     | /     |
| > 49 APCH LIGHTS:        |                   |                   |       |       |

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

|                         | C / C       | C / PIR     |   |   |
|-------------------------|-------------|-------------|---|---|
| 50 FAR 77 CATEGORY      | 393 /       | /           | / | / |
| > 51 DISPLACED THR:     | TREES /     | /           | / | / |
| > 52 CTLG OBSTN:        | /           | /           | / | / |
| > 53 OBSTN MARKED/LGTD: | 57 /        | /           | / | / |
| > 54 HGT ABOVE RWY END: | 1,790 /     | /           | / | / |
| > 55 DIST FROM RWY END: | 460L /      | /           | / | / |
| > 56 CNTRLN OFFSET:     | 27:1 / 50:1 | 50:1 / 50:1 | / | / |
| 57 OBSTN CLNC SLOPE:    | N / N       | N / N       | / | / |
| 58 CLOSE-IN OBSTN:      |             |             |   |   |

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

|                                  |               |               |   |   |
|----------------------------------|---------------|---------------|---|---|
| > 60 TAKE OFF RUN AVBL (TORA):   | 6,348 / 5,958 | 7,700 / 7,700 | / | / |
| > 61 TAKE OFF DIST AVBL (TODA):  | 6,348 / 5,958 | 7,700 / 7,700 | / | / |
| > 62 ACLT STOP DIST AVBL (ASDA): | 6,348 / 6,348 | 7,700 / 7,700 | / | / |
| > 63 LNDG DIST AVBL (LDA):       | 5,958 / 6,348 | 7,700 / 7,700 | / | / |

> 110 REMARKS

A 024 LDG FEE FOR ALL COML FREIGHT AND COMMUTER ACFT AND ALL ACFT OVR 12500 LB.  
A 039 RWY 08/26 PCR VALUE: 320/F/C/X/T  
A 039 RWY 13/31 PCR VALUE: 500/R/C/W/T  
A 057 RWY 08 APCH RATIO 32:1 FM DSPLCD THLD.  
A 081 WHEN ATCT IS CLSD, ACTVT MALSR RWY 31; REIL RWYS 08 & 26; HIRL RWYS 08/26 & 13/31 - CTAF. PAPI RWYS 08, 13, & 26 OPR CONSLY.  
A 110-001 DEER & BIRDS INVOF ARPT.  
A 110-002 TWYS E, B2, F, AND A ARE MKD WITH EDGE REFLECTORS.  
A 110-003 CUSTOMS SVC AVBL 24 HRS; FOR CUSTOMS CALL 701-838-6704.  
A 110-007 MINOT AFB (MIB) ASR OTS FOR PREVENTIVE MAINTENANCE FRIDAYS 0700-0900 & ALTN TUESDAYS 0630-0830.  
A 110-008 RDO EQUIPD ACFT MUST ANNC ON CTAF - 118.2 WHEN TWR IS CLSD.  
A 110-009 FOR CD IF UNA TO CTC ON FSS FREQ, CTC MINNEAPOLIS ARTCC AT 651-463-5588.  
A 110-010 AIRFIELD STD TFC PATTERN ALT 1000 FT; OVERFLY ALT 1500 FT.  
A 110-011 WHEN ATCT CLSD CTC - CTAF.

111 INSPECTOR: ( F )

112 LAST INSP: 06/04/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/24/2026  
AFD EFF 06/11/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/24/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: ND LOC ID: MOT FAA SITE NR: 17418.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/DMA 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

### FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

|       |       |       |       |
|-------|-------|-------|-------|
| - / - | - / - | - / - | - / - |
| /     | /     | /     | /     |
| /     | /     | /     | /     |
| /     | /     | /     | /     |
| - / - | - / - | - / - | - / - |
| - / - | - / - | - / - | - / - |
| /     | /     | /     | /     |
| /     | /     | /     | /     |

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

|   |   |   |   |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

|   |   |   |   |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 06/04/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/24/2026  
AFD EFF 06/11/2026