

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/29/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: BEAUFORT 4 STATE: NC LOC ID: MRH FAA SITE NR: 16533.\*A  
> 2 AIRPORT NAME: MICHAEL J SMITH FLD 5 COUNTY: CARTERET NC  
> 3 CBD TO AIRPORT (NM): 01 N 6 REGION/ADO: ASO/MEM 7 SECT AERO CHT: CHARLOTTE

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: BEAUFORT-MOREHEAD ARPT AUTH  
> 12 ADDRESS: 180 AIRPORT ROAD  
BEAUFORT, NC 28516  
> 13 PHONE NR: 252-728-1928  
> 14 MANAGER: JANIE MASON  
> 15 ADDRESS: 180 AIRPORT ROAD  
BEAUFORT, NC 28516  
> 16 PHONE NR: 252-728-1928  
> 17 ATTENDANCE SCHEDULE:

ALL ALL 0800-DUSK

### SERVICES

70 FUEL: 100LL A1+  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN: HIGH/LOW  
74 BULK OXYGEN: NONE  
75 TSNT STORAGE: HGR, TIE  
76 OTHER SERVICES: CHTR, INSTR, PAJA, RNTL, SURV

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

80 ARPT BCN: WG  
81 ARPT LGT SKED: SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM: 122.800  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: YES  
85 CONTROL TWR: NO  
86 FSS: RALEIGH  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 34-44-01.5310N ESTIMATED  
20 ARPT LONG: 076-39-37.2770W  
21 ARPT ELEV: 10.1 SURVEYED  
22 ACREAGE: 412  
> 23 RIGHT TRAFFIC: 21, 26  
> 24 NON-COMM LANDING: NO  
25 NPIAS/FED AGREEMENTS: NGPY3  
> 26 FAR 139 INDEX:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

	03/21	08/26	14/32
> 30 RUNWAY INDENT:	4,192	5,004	4,001
> 31 LENGTH:	150	100	100
> 32 WIDTH:	ASPH-E	ASPH-G	ASPH
> 33 SURF TYPE-COND:	NONE	NONE	NONE
> 34 SURF TREATMENT:	12.5	60.0	12.5

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

	MED	MED		
> 40 EDGE INTENSITY:	NPI - G / NPI - G	NPI - G / NPI - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	P2L / P2L	P2L / P2R	/	/
> 43 VGSI:	44 / 54	45 / 43	/	/
44 THR COSSING HGT.:	4.00 / 4.00	3.00 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	N / N	Y / Y	/	/
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

	A(NP) / A(NP)	C / C		
50 FAR 77 CATEGORY	864 / 516	/ 289	/	/
> 51 DISPLACED THR:	ROAD / TREES	BOAT / ROAD	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	20 / 43	35 / 20	/	/
> 54 HGT ABOVE RWY END:	312 / 1,125	1,000 / 325	/	/
> 55 DIST FROM RWY END:	0B / 170L	0B / 0B	/	/
> 56 CNTRLN OFFSET:	5:1 / 21:1	22:1 / 6:1	/	/
57 OBSTN CLNC SLOPE:	Y / Y	Y / N	Y / N	/
58 CLOSE-IN OBSTN:	/	/	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

### > 110 REMARKS

A 017 FOR SERVICE AFTER HOURS CALL 843-465-2846.  
A 030 RWY 14/32 CLSD.  
A 052 RWY 08 45 FT MAST HGT.  
A 052 RWY 14 45 FT MAST HGT.  
A 057 RWY 03 APCH RATIO 42:1 AT DSPLCD THR DUE TO 27 FT MAST 1366 FT FM DSPLCD THLD OFFSET 367 FT L OF CNTRLN.  
A 057 RWY 08 APCH RATIO 20:1 AT DSPLCD THR DUE TO 21 FT ROAD 627 FT FM DSPLCD THR BOTH SIDES OF CNTRLN.  
A 057 RWY 21 APCH RATIO 33:1 AT DSPLCD THR DUE TO 42 FT TREES 1622 FT FM DSPLCD THR OFFSET 142 FT L OF CNTRLN.  
A 057 RWY 32 APCH RATIO 13:1 AT DSPLCD THR DUE TO 61 FT TREES 995 FT FM DSPLCD THR OFFSET 85 FT R OF CNTRLN.  
A 058 RWY 03 9 FT FENCE 191 FT FM END OF RWY BOTH SIDES OF CNTRLN.  
A 058 RWY 08 7 FT BRUSH 100-200 FT FM THR OFFSET 109 FT R OF CNTRLN.  
A 058 RWY 14 10 FT BRUSH 0-200 FT FM THR OFFSET 171 FT R OF CNTRLN, AND 11 FT TREES 43 FT FM THR OFFSET 206 FT R OF CNTRLN.  
A 058 RWY 21 13 FT TREES 63 FT FM END OF RWY OFFSET 165 FT R OF CNTRLN.  
A 075 CHECK IF HANGAR SPACE IS AVAIL W/ ARPT MAN.  
A 081 ACTVT REIL RWY 08 & 26; PAPI RWY 03 & 21; MIRL RWY 03/21 & RWY 08/26 - CTAF. PAPI RWY 08 & 26 OPER CONSLY.  
A 110-001 NO LINE OF SIGHT BTWN RWY ENDS.

111 INSPECTOR: (S) 112 LAST INSP: 08/21/2025 113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/29/2026  
AFD EFF 04/16/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/29/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: NC LOC ID: MRH FAA SITE NR: 16533.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASO/MEM 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

- A 110-003 DEER AND BIRDS ON & INVOF ARPT AND BIRD-DROPPED SHELLS MAY CAUSE FOD.
- A 110-004 NOISE ABATEMENT PROCEDURES IN EFFECT, CTC AMGR 252-728-1928.
- A 110-005 AVOID OVERFLIGHTS OF BEAUFORT WATERFRONT AND BEAUFORT NATIONAL REGISTER HISTORIC DISTRICT.
- A 110-006 FOR CD CTC CHERRY POINT APCH AT 252-466-5960.
- A 110-007 MIL ACFT RWY 08/26 REQUIRED FOR NOISE ABATEMENT.
- A 110-008 SKYDIVING OPERATIONS - DO NOT OVERFLY ARPT.
- A 110-009 DUE TO VOLUME OF MIL TFC AND TRNG RCMD ALL ACFT USING MRH CTC CHERRY POINT APP 132.57 AB AND 125.65 PRIOR TO MRH DEP.

111 INSPECTOR: (S)

112 LAST INSP: 08/21/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/29/2026  
AFD EFF 04/16/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/29/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: NC LOC ID: MRH FAA SITE NR: 16533.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASO/MEM 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

### FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (S)

112 LAST INSP: 08/21/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/29/2026  
AFD EFF 04/16/2026