

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/14/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ANCHORAGE 4 STATE: AK LOC ID: MRI FAA SITE NR: 50035.*A
 > 2 AIRPORT NAME: MERRILL FLD 5 COUNTY: ANCHORAGE AK
 3 CBD TO AIRPORT (NM): 02 E 6 REGION/ADO: AAL/NONE 7 SECT AERO CHT: ANCHORAGE

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: MUNICIPALITY OF ANCHORAGE
 > 12 ADDRESS: 800 MERRILL FIELD DR.
 ANCHORAGE, AK 99501-4129
 > 13 PHONE NR: 907-343-6303
 > 14 MANAGER: EARL MALPASS
 > 15 ADDRESS: 800 MERRILL FIELD DR
 ANCHORAGE, AK 99501-4129
 > 16 PHONE NR: 907-343-6301
 > 17 ATTENDANCE SCHEDULE:
 ALL MON-FRI 0730-1730

SERVICES

70 FUEL: 100 A
 71 AIRFRAME RPRS: MAJOR
 72 PWR PLANT RPRS: MAJOR
 73 BOTTLE OXYGEN: LOW
 74 BULK OXYGEN: LOW
 75 TSNT STORAGE: HGR, TIE
 76 OTHER SERVICES:
 AFRT, AMB, AVNCS, CARGO, CHTR, INSTR,
 RNTL, SALES, SURV

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

80 ARPT BCN: WG
 81 ARPT LGT SKED : SEE RMK
 BCN LGT SKED: SS-SR
 82 UNICOM: 122.950
 83 WIND INDICATOR: YES-L
 84 SEGMENTED CIRCLE: NONE
 85 CONTROL TWR: YES
 86 FSS: KENAI
 87 FSS ON ARPT: NO
 88 FSS PHONE NR: 907-283-7211
 89 TOLL FREE NR: 1-866-864-1737

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

	05/23	07/25	16/34
> 30 RUNWAY INDENT:	2,000	4,000	2,640
> 31 LENGTH:	60	100	75
> 32 WIDTH:	ASPH-GRVL-G	ASPH-G	ASPH-F
> 33 SURF TYPE-COND:	NONE	NONE	NONE
> 34 SURF TREATMENT:		50.0	20.0
35 GROSS WT: S		80.0	
36 (IN THSDS) D			
37 2D			
38 2D/2D2			
> 39 PCN:			
> 40 EDGE INTENSITY:		MED	MED
> 42 RWY MARK TYPE-COND:	- G / - G	PIR - G / PIR - G	BSC - F / BSC - F
> 43 VGSI:	/	P4R / P4L	V2R / P2L
44 THR COSSING HGT.:	/	29 / 29	22 / 21
45 VISUAL GLIDE ANGLE:	/	3.50 / 3.00	3.00 / 3.00
> 46 CNTRLN-TDZ:	- / -	N - N / N - N	N - N / N - N
> 47 RVR-RVV:	- / -	- N / - N	- N / - N
> 48 REIL:	N / N	Y / Y	Y / Y
> 49 APCH LIGHTS:	/	/	/
> 51 DISPLACED THR:	A(V) / A(V)	A(NP) / A(V)	A(V) / A(NP)
> 52 CTLG OBSTN:	/ FENCE	POLE /	BLDG / POLE
> 53 OBSTN MARKED/LGTD:	/	/	/
> 54 HGT ABOVE RWY END:	/ 7	41 /	31 / 27
> 55 DIST FROM RWY END:	/ 250	846 /	437 / 331
> 56 CNTRLN OFFSET:	/ 115R	339L /	268L / 231L
57 OBSTN CLNC SLOPE:	20:1 / 7:1	15:1 / 20:1	7:1 / 4:1
58 CLOSE-IN OBSTN:	N / N	N / N	N / N
> 60 TAKE OFF RUN AVBL (TORA):	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGSI:
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

> 110 REMARKS

A 030 RWY 05/23 USED SEASONALLY AS SNOW RWY. RCMD SKI EQUIP ACFT USE TO MINIMIZE WHEEL RUTTING.
 A 033 RWY 05/23 FIRST 60 FT PAVED; RMNG GRVL.
 A 081 ACTVT REIL RWY 07, 16, 25, 34; MRL RWY 07/25 & 16/34 - CTAF. PAPI RWY 07, 25 & 34; VASI RWY 16 OPR CONSLY.
 A 110-004 BIRDS & SEAGULLS ON & INVOF ARPT.
 A 110-005 PPR OVR 12500 LB.
 A 110-006 ALL RWY & TWY LGTS NONSTD HEIGHT.
 A 110-007 1-8 FT SNOW BERMS ADJ TO RWYS & TWYS DURG WINTER.
 A 110-011 WHEN ATCT CLSD CTC MERRILL WX - CTAF OR 271-4355.
 A 110-013 FLT PLANNING IN ANCHORAGE BOWL AREA - RCO 122.55.
 A 110-019 NONMOVEMENT AREA ACFT CTC GND CTL BFR TAX.
 A 110-020 ANCHORAGE WX CAMERA AVBL ON INTERNET AT [HTTPS://WEATHERCAMS.FAA.GOV](https://weathercams.faa.gov)
 A 110-023 PTNS OF TWY C BTN TWY S & N AND PTNS OF TWY Q NOT VIS FM TWR.
 A 110-024 TWY B SOUTH OF TWY M, TWY G BTN TWY N & RWY 05/23, TWY Q EAST OF TWY C & ALL SFCS SOUTH OF RWY 05/23 UNCTLD.
 A 110-025 COMPASS ROSE AVBL WITH PRIOR CDN - ATCT.
 A 110-026 ARR/DEP ROUTES - SEE AREA NOTICES; SPL NOTICE CARTEE ASP.

111 INSPECTOR: (C)

112 LAST INSP: 07/09/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/14/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/14/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: AK LOC ID: MRI FAA SITE NR: 50035.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AAL/NONE 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 110-028 NOISE ABATEMENT; TGL OR PAT WORK NA 2200-0700.
A 110-029 ALASKA RGNL HOSPITAL 20K HELI ON ARPT; SEE SEPARATE LISTING FOR INFO.
A 110-030 OTFC OF ARPT BLO 300 FT NA.

111 INSPECTOR: (C)

112 LAST INSP: 07/09/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/14/2026
AFD EFF 06/11/2026