

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/23/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: MINNEAPOLIS 4 STATE: MN LOC ID: MSP FAA SITE NR: 10824.*A
> 2 AIRPORT NAME: MINNEAPOLIS-ST PAUL INTL/WOLD-CHAMBERLAIN 5 COUNTY: HENNEPIN MN
> 3 CBD TO AIRPORT (NM): 06 S 6 REGION/ADO: AGL/DMA 7 SECT AERO CHT: TWIN CITIES

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: METRO ARPT CMSN
> 12 ADDRESS: 6040 28TH AVE S
MINNEAPOLIS, MN 55450-2799
> 13 PHONE NR: 612-726-8100
> 14 MANAGER: BRIAN RYKS
> 15 ADDRESS: 6040 28TH AVE S
MINNEAPOLIS, MN 55450-2799
> 16 PHONE NR: 612-726-8100
> 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

SERVICES

70 FUEL: 100LL A A++
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: HIGH
74 BULK OXYGEN: HIGH
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES: AFRT, AVNCS, CARGO, CHTR

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED: BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: YES
86 FSS: PRINCETON
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

	04/22	12L/30R	12R/30L	17/35
> 30 RUNWAY INDENT:	11,006	8,200	10,000	8,000
> 31 LENGTH:	150	150	200	150
> 32 WIDTH:	CONC-G	CONC-F	CONC-G	CONC-G
> 33 SURF TYPE-COND:	GRVD	GRVD	GRVD	GRVD
> 34 SURF TREATMENT:	100.0	100.0	100.0	100.0
35 GROSS WT: S	200.0	200.0	200.0	200.0
36 (IN THSDS) D	400.0	400.0	400.0	400.0
37 2D	850.0	850.0	850.0	850.0
38 2D/2D2				
> 39 PCN:				

LIGHTING/APCH AIDS

	HIGH	HIGH	HIGH	HIGH
> 40 EDGE INTENSITY:	PIR - G / PIR - G	PIR - G / PIR - G	PIR - G / PIR - G	NPI - G / PIR - G
> 42 RWY MARK TYPE-COND:	P4L / P4L	P4L / P4L	P4L / P4L	P4R / P4L
> 43 VGS:	76 / 61	79 / 71	66 / 78	60 / 71
44 THR COSSING HGT.:	3.00 / 3.00	3.00 / 3.00	3.00 / 3.00	3.00 / 3.00
45 VISUAL GLIDE ANGLE:	N - N / N - N	Y - Y / Y - N	Y - Y / Y - Y	Y - N / Y - Y
> 46 CNTRLN-TDZ:	TR - N / TR - N	TMR - N / TMR - N	TMR - N / TMR - N	TMR - N / TMR - N
> 47 RVR-RVV:	N / N	N / N	N / N	Y / N
> 48 REIL:	MALSR / MALSR	ALSF2 / MALSF	ALSF2 / ALSF2	/ ALSF2
> 49 APCH LIGHTS:				

OBSTRUCTION DATA

	D / D	PIR / PIR	PIR / PIR	C / PIR
50 FAR 77 CATEGORY	1,550 / 1,000	/ 200	/	/
> 51 DISPLACED THR:	TREE / TREE	TREE / TREE	/ TREE	TREE /
> 52 CTGL OBSTN:	/	/	/ L	/
> 53 OBSTN MARKED/LGTD:	101 / 66	61 / 13	/ 36	52 /
> 54 HGT ABOVE RWY END:	2,906 / 1,350	3,011 / 808	/ 1,477	1,990 /
> 55 DIST FROM RWY END:	834L / 636R	667R / 272R	/ 562R	732R /
> 56 CNTRLN OFFSET:	26:1 / 17:1	46:1 / 46:1	50:1 / 35:1	34:1 / 50:1
57 OBSTN CLNC SLOPE:	N / Y	N / N	N / N	N / N
58 CLOSE-IN OBSTN:				

DECLARED DISTANCES

	11,006 / 11,006	8,200 / 8,200	10,000 / 10,000	8,000 / 8,000
> 60 TAKE OFF RUN AVBL (TORA):	11,006 / 11,006	8,200 / 8,200	10,000 / 10,000	8,000 / 8,000
> 61 TAKE OFF DIST AVBL (TODA):	11,006 / 11,006	7,620 / 8,200	10,000 / 10,000	8,000 / 8,000
> 62 ACLT STOP DIST AVBL (ASDA):	9,456 / 10,006	7,620 / 8,000	10,000 / 10,000	8,000 / 8,000
> 63 LNDG DIST AVBL (LDA):				

> 110 REMARKS

A 039 RWY 04/22 PCR VALUE: 1350/R/D/W/T
A 039 RWY 12L/30R PCR VALUE: 2160/R/D/W/T
A 039 RWY 12R/30L PCR VALUE: 2010/R/D/W/T
A 039 RWY 17/35 PCR VALUE: 1840/R/D/W/T
A 057 RWY 04 APCH RATIO 43:1 TO DTHR OVR 102 FT TREE, 4456 FT DIST, 834 FT L.
A 057 RWY 22 APCH RATIO 34:1 TO DTHR OVR 70 FT TREE, 2337 FT DIST, 439 FT R.
A 058 RWY 22 8 FT FENCE, 500 FT R.
A 070 L FUEL CIV RAMP A+; NC-100LL - 612-726-5700.
A 070 FUEL MIL RAMP - MILOPS.
A 110-001 TRNG FLTS PROHIBITED. GA FLTS MUST TRMT AT THE FBO OR US CUSTOMS UNLESS APVD BY AMGR.
A 110-002 NOISE ABATEMENT PROCEDURES - 612-726-9411. NO STAGE 1 CAT CIVIL ACFT. NIGHT HR 2230-0600.
A 110-003 BIRDS ON & INVOF ARPT.
A 110-004 SIGNATURE FLIGHT SUPPORT 128.95
A 110-006 MILITARY: ARFC 934 AW OPS 1300-0400Z++ MON-THUR, 1300-2200Z++ FRI, CLSD WKEND AND FEDERAL HOL. UNIT TRNG ASSEMBLY (UTA) WKEND 1330-2200Z++. ALL TRANS ACFT MUST RECEIVE PPR 72 HR PRIOR TO ETA - CTC AIRFIELD MGMT.

111 INSPECTOR: (F) 112 LAST INSP: 08/14/2025 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/23/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/23/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: MN LOC ID: MSP FAA SITE NR: 10824.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/DMA 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-007 MILITARY RSTD: NO HAZ CL/DIV1.1 OR 1.2 EXPLOSIVES PERMITTED. LOADING OR UNLOADING OF HAZ CL/DIV 1.3, 1.4, 1.5 OR 1.6 MUST BE APV BY ARPT DRCT PRIOR TO FLT.
A 110-014 133 AW AFLD MGMT - 324.1 REMARKS: CALL LIGHTHOUSE.
A 110-015 COMMUNICATIONS: MINNEAPOLIS AIR RESERVE STATION JOINT COMD POST - 252.1 REMARKS: CALL NORTHSTAR.
A 110-016 934 AW AFLD MGMT - PTD 282.675 REMARKS: CALL VIKING OPS.
A 110-017 REMARKS: ALL ACFT MUST CTC NORTHSTAR ON FREQ 252.1 20 MIN PRIOR ARR.
A 110-019 UNSKED ACFT AT TRML 2-HUMPHREY REQ TO CTC TRML 2 GATE CONTROL ON 122.95 OR CALL 612-726-5742 PRIOR TO ARR.
A 110-020 ALL GROUP VI ACFT WITH WINGSPAN GREATER THAN 214 FT PPR REQ PRIOR TO ARR - CTC AIRSIDE OPS 612-726-5111.
A 110-021 RWY STATUS LGTS IN OPRN.
A 110-022 ALL GA ACFT WITH LESS THAN 20 PAX THAT NEED TO CLEAR US CUSTOMS SHOULD CTC SIGNATURE FLT SUPPORT 128.95 OR 612-726-5700 PRIOR TO ARR.

111 INSPECTOR: (F)

112 LAST INSP: 08/14/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/23/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/23/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: MN LOC ID: MSP FAA SITE NR: 10824.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/DMA 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 110-023 ALL GROUP IV AND LRGR ACFT OPRG ON THE PTN OF TWY S ADJ TO DELTA BLDG C RQR THE USE OF WINGWALKERS AND THAT THE VEHICLE SVC ROAD BE CLEAR OF VEHICLES.
A 110-024 AFRC - PPR ALL ACFT 72 HR PN RQR.

111 INSPECTOR: (F)

112 LAST INSP: 08/14/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/23/2026
AFD EFF 04/16/2026