

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 7/9/2026  
AFD EFF 07/09/2026

> 1 ASSOC CITY: SAN DIEGO 4 STATE: CA LOC ID: MYF FAA SITE NR: 02166.\*A  
 > 2 AIRPORT NAME: MONTGOMERY-GIBBS EXEC 5 COUNTY: SAN DIEGO CA  
 3 CBD TO AIRPORT (NM): 06 N 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT: LOS ANGELES

### GENERAL

10 OWNERSHIP: PUBLIC  
 > 11 OWNER: CITY OF SAN DIEGO  
 > 12 ADDRESS: 3750 JOHN J MONTGOMERY DR  
 SAN DIEGO, CA 92123  
 > 13 PHONE NR: 858-573-1440  
 > 14 MANAGER: CHARLES BROADBENT  
 > 15 ADDRESS: 3750 JOHN J MONTGOMERY DR  
 SAN DIEGO, CA 92123  
 > 16 PHONE NR: 858-573-1430  
 > 17 ATTENDANCE SCHEDULE:  
 ALL M-S 0700-1800

### SERVICES

70 FUEL: 100LL A A+ UL94  
 71 AIRFRAME RPRS: MAJOR  
 72 PWR PLANT RPRS: MAJOR  
 73 BOTTLE OXYGEN: LOW  
 74 BULK OXYGEN: HIGH  
 75 TSNT STORAGE: TIE  
 76 OTHER SERVICES:  
 AFRT, AMB, AVNCS, CARGO, CHTR, INSTR,  
 RNTL, SALES, SURV

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

80 ARPT BCN: WG  
 81 ARPT LGT SKED : SEE RMK  
 BCN LGT SKED: SS-SR  
 82 UNICOM: 123.075  
 83 WIND INDICATOR: YES-L  
 84 SEGMENTED CIRCLE: YES  
 85 CONTROL TWR: YES  
 86 FSS: SAN DIEGO  
 87 FSS ON ARPT: NO  
 88 FSS PHONE NR:  
 89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:  
 > 34 SURF TREATMENT:  
 35 GROSS WT: S  
 36 (IN THSDS) D  
 37 2D  
 38 2D/2D2  
 > 39 PCN:

	05/23	10L/28R	10R/28L	H1
	3,400	4,598	3,401	48
	75	150	60	48
	ASPH-TRTD-E	ASPH-G	ASPH-F	ASPH-G
	RFSC	RFSC	RFSC	NONE
	12.0	12.0	12.0	
	55 /F/B/Y/T	35 /F/C/Y/T	43 /F/C/Y/T	
		MED		
	BSC - G / BSC - G	NPI - G / PIR - G	BSC - G / BSC - F	BSC - G / -
	/	P4L / P4R	/	/
	/	45 / 41	/	/
	/	3.40 / 3.00	/	/
	N - N / N - N	N - N / N - N	N - N / N - N	- / -
	- N / - N	- N / - N	- N / - N	- / -
	N / N	N / N	N / Y	/
	/	/ MALSR	/	/
	A(V) / A(V)	B(V) / PIR	A(V) / A(V)	/
	390 /	/ 1,199	/	/
	/	/	/	/
	/	/	/	/
	/	/	/	/
	/	/	/	/
	/	/	/	/
	20:1 / 20:1	20:1 / 50:1	20:1 / 20:1	/
	N / N	N / N	N / N	N / N
	/	/	/	/
	/	/	/	/
	/	/	/	/
	/	/	/	/

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
 > 42 RWY MARK TYPE-COND:  
 > 43 VGS: 44 THR COSSING HGT.:  
 45 VISUAL GLIDE ANGLE:  
 > 46 CNTRLN-TDZ:  
 > 47 RVR-RVV:  
 > 48 REIL:  
 > 49 APCH LIGHTS:

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
 > 51 DISPLACED THR:  
 > 52 CTLG OBSTN:  
 > 53 OBSTN MARKED/LGTD:  
 > 54 HGT ABOVE RWY END:  
 > 55 DIST FROM RWY END:  
 > 56 CNTRLN OFFSET:  
 57 OBSTN CLNC SLOPE:  
 58 CLOSE-IN OBSTN:

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
 > 61 TAKE OFF DIST AVBL (TODA):  
 > 62 ACLT STOP DIST AVBL (ASDA):  
 > 63 LNDG DIST AVBL (LDA):

### > 110 REMARKS

A 057 RWY 28R 50:1 APCH SLOPE TO DSPLCD THLD.  
 A 081 ATC CTL. WHEN ATCT CLSD ACTVT PAPI RWY 10L & 28R; MALSR RWY 28R - CTAF, MIRL RWY 10L/28R OPER CONSLY.  
 A 110-004 BE ALERT TO MILITARY JET ACFT INVOF OF ARPT & 4.7 NM NW OF ARPT BEARING 312 INVOF MISSION BAY VORTAC.  
 A 110-005 EXTRM NOISE SENSITIVE AREAS W & S OF ARPT. NOISE MONITORING IN EFFECT. MAX NOISE LMT 2330-0630 70 DB OVER RESIDENTIAL AREAS. MAX NOISE LMT 0630-2330 88 DB.  
 A 110-009 BE ALERT BIRDS ON AND INVOF ARPT; COYOTE ACTIVITY ON RYS & TWYS.  
 A 110-010 BE ALERT HVY ACFT ACTIVITY IN THE VICINITY OF LAKE MURRAY & MT SOLEDAD. PILOTS ARE URGED TO BE VIGILANT FOR OTHER ACFT IN THESE AREAS & TO CTC THE TWR EARLY ENOUGH FOR TIMELY TFC ADVISORIES IF PROCEEDING EAST BOUND ADVISE TWR OF DESTINATION ARPT.  
 A 110-014 SIMULATED ENGINE FAILURES ARE PROHIBITED OVER RESIDENTIAL AREAS. NO JET TOUCH AND GO OPNS.  
 A 110-015 FOR NOISE ABATEMENT REGULATIONS CONTACT THE NOISE ABATEMENT OFFICE AT 858-573-1436.  
 A 110-016 ACFT WITH HIGH NOISE LEVELS ARE REQUESTED TO USE RY 10L/28R  
 A 110-017 LDG FEES FOR OPS BY NON-BASED PART 91 AND PART 135 CERTIFIED ACFT.  
 A 110-018 TWY K RSTRD TO WINGSPAN NO GREATER THAN 58 FT.  
 A 110-019 NO ACFT OVR 20,000 LBS ON TWY J RSTRD BY FBO.

111 INSPECTOR: (S)

112 LAST INSP: 10/16/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 7/9/2026  
AFD EFF 07/09/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 7/9/2026  
AFD EFF 07/09/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: CA LOC ID: MYF FAA SITE NR: 02166.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics  
<https://aspm.faa.gov>

## FACILITIES

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

## OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

## DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-020 FOR CD WHEN ATCT CLSD CTC SOCIAL APCH AT 800-448-3724.  
A 110-021 TXL E NON-STD, ACFT WITH WINGSPAN GTR THAN 35.5 FT. USE CAUTION.  
A 110-022 PPR FOR MIL AND CIV HELS OVER 6000 LBS MAX TKOF WT LDG AT MID-PORT; CTC ARPT MGR.  
A 110-023 RWY 23 USED AS RWY EXIT FOR RWY 28R.

111 INSPECTOR: (S)

112 LAST INSP: 10/16/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 7/9/2026  
AFD EFF 07/09/2026