

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/12/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: NEW ORLEANS 4 STATE: LA LOC ID: NEW FAA SITE NR: 07676.*A
> 2 AIRPORT NAME: LAKEFRONT 5 COUNTY: ORLEANS LA
> 3 CBD TO AIRPORT (NM): 04 NE 6 REGION/ADO: ASW/LNM 7 SECT AERO CHT: NEW ORLEANS

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: ORLEANS LEVEE DISTRICT
> 12 ADDRESS: 6001 STARS AND STRIPES BLVD, SUITE 204
NEW ORLEANS, LA 70126
> 13 PHONE NR: 504-243-4010
> 14 MANAGER: BRUCE MARTIN
> 15 ADDRESS: 6001 STARS & STRIPES BLVD, SUITE 204
NEW ORLEANS, LA 70126
> 16 PHONE NR: 504-243-4010
> 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

SERVICES

70 FUEL: 100LL A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: HIGH
74 BULK OXYGEN: HIGH
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES: AMB, AVNCS, CHTR, INSTR, RNTL, SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SEE RMK
82 UNICOM:
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: YES
86 FSS: DE RIDDER
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	09/27	18L/36R	18R/36L
> 30 RUNWAY INDENT:	3,114	3,697	6,879
> 31 LENGTH:	75	75	150
> 32 WIDTH:	ASPH-F	ASPH-G	ASPH-G
> 33 SURF TYPE-COND:	NONE	NONE	GRVD
> 34 SURF TREATMENT:	50.0	35.0	60.0
35 GROSS WT: S	80.0	55.0	175.0
36 (IN THSDS) D	100.0	80.0	200.0
37 2D			350.0
38 2D/2D2			
> 39 PCN:			

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGS:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

	MED	MED	MED	
> 40 EDGE INTENSITY:	BSC - G / BSC - F	BSC - G / BSC - G	PIR - G / NPI - G	- / -
> 42 RWY MARK TYPE-COND:	P4L / P4R	/ P4L	P4L / P4L	/
> 43 VGS:	40 / 43	/ 45	51 / 50	/
44 THR COSSING HGT.:	3.00 / 3.20	/ 3.00	3.00 / 3.00	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	Y /	Y / Y	/ Y	/
> 49 APCH LIGHTS:	/	/	MALSR /	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

	A(V) / A(V)	A(V) / A(V)	PIR / C	
50 FAR 77 CATEGORY	/	/	239 / 820	/
> 51 DISPLACED THR:	BERM / ROAD	/ BLDG	OTHER / BERM	/
> 52 CTLG OBSTN:	L /	/ L	L /	/
> 53 OBSTN MARKED/LGTD:	4 / 14	/ 54	6 / 7	/
> 54 HGT ABOVE RWY END:	267 / 543	/ 2,035	300 / 200	/
> 55 DIST FROM RWY END:	0B / 161R	/ 35L	0B / 0B	/
> 56 CNTRLN OFFSET:	16:1 / 24:1	50:1 / 33:1	16:1 / 0:1	/
57 OBSTN CLNC SLOPE:	N / N	N / N	N / Y	/
58 CLOSE-IN OBSTN:				

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

	3,113 / 3,113	3,697 / 3,697	6,880 / 6,880	
> 60 TAKE OFF RUN AVBL (TORA):	3,113 / 3,113	3,697 / 3,697	6,880 / 6,880	/
> 61 TAKE OFF DIST AVBL (TODA):	3,113 / 3,113	3,697 / 3,697	6,035 / 5,955	/
> 62 ACLT STOP DIST AVBL (ASDA):	3,113 / 3,113	3,697 / 3,697	5,510 / 5,135	/
> 63 LNDG DIST AVBL (LDA):				

> 110 REMARKS

A 033 RWY 18R/36L FEW LOW SPOTS NEAR INTERSECTION OF RY 09/27-HOLDING WATER.
A 043 RWY 36R PAPI UNUSBL BTN 2100 AND 0700 LOCAL
A 052 RWY 18R PIER.
A 057 RWY 18R APCH RATIO 50:1 FM DSPLCD THR.
A 057 RWY 36L APCH RATIO 32:1 AT DSPLCD THR; +7' SILO 2500'; 580' R.
A 058 RWY 36L +7 FT WALL 150 FT FM RY END.
A 075 OVERNIGHT PARKING ON TERMINAL RAMP MUST BE COORDINATED WITH FBO
A 081 WHEN TWR CLSD ACTVT MALSR RWY 18R; MIRL RWY 18R/36L; TWY B, C, D, E, F, H, EAST HNGRLN - PRESET LOW INTST. ACTVT 5 CLICKS FOR MED AND 7 CLICKS FOR HIGH - CTAF.
A 081 FOR ARPT BCN CTC ATCT.
A 110-001 PPR REQUIRED FOR ACFT TRNSPG ANY ITEMS LISTED IN PART 175 TITLE 49. CONTACT 504-606-9264
A 110-002 BIRDS ON & INVOF ARPT.
A 110-004 BOATS AS HIGH AS 80 FT PASS WI 400 FT OF RWY 09 THLD.
A 110-006 ARFF CPBLTY EQUIVALENT TO INDEX B.
A 110-007 FUEL NOT AVAILABLE WITHIN 100' OF TERMINAL BUILDING

111 INSPECTOR: (S) 112 LAST INSP: 07/11/2023 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/12/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/12/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: LA LOC ID: NEW FAA SITE NR: 07676.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASW/LNM 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

- A 110-010 TWY A UNEVEN PAVEMENT.
- A 110-011 FOR ASSTNC AFTER 2100 LOCAL CTC AMGR 504-874-0459
- A 110-013 FOR FICONS AFTER HRS CALL ARFF 504-606-9264.
- A 110-014 BOAT MASTS UP TO 80 FT WI 0.5NM OF AER RWY 27.
- A 110-015 ARPT WINDCONE FOR BALL PARK RAMP LGTS OTS PERMLY.
- A 110-016 CAUTION TWY F BTN TRML RAMP AND FLT LN FST RAMP IREG SFC.
- A 110-017 FOR CD WHEN ATCT IS CLSD CTC MSY APCH AT 504-471-4350 OR 127.4
- A 110-018 CTC ARPT MGR FOR DSGND RAMP SPACE FOR PUB USE AT ARPT

111 INSPECTOR: (S)

112 LAST INSP: 07/11/2023

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/12/2026
AFD EFF 06/11/2026