

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/11/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: VIRGINIA BEACH 4 STATE: VA LOC ID: NTU FAA SITE NR: 26043.11*A
> 2 AIRPORT NAME: OCEANA NAS (APOLLO SOUCEK FLD) 5 COUNTY: VIRGINIA BEACH VA
> 3 CBD TO AIRPORT (NM): 03 SW 6 REGION/ADO: AEA/DCA 7 SECT AERO CHT: WASHINGTON

GENERAL

10 OWNERSHIP: NAVY
> 11 OWNER: U.S. NAVY
> 12 ADDRESS: OCEANOGRAPHIC OFC-CODE 3142
WASHINGTON, DC 20373
> 13 PHONE NR:
> 14 MANAGER: COMMANDING OFFICER
> 15 ADDRESS: NAVAL AIR STATION OCEANA
VIRGINIA BEACH, VA 23460
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

SERVICES

70 FUEL:

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PRIVATE
19 ARPT LAT: 36-49-21.8850N ESTIMATED
20 ARPT LONG: 076-01-54.8210W
21 ARPT ELEV: 21.7 SURVEYED
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING: NO

80 ARPT BCN: SWG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: YES
86 FSS: LEESBURG
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:

05L/23R	05R/23L	14L/32R	14R/32L
8,000	12,001	8,001	8,000
150	200	150	200
PEM-G	PEM-G	PEM-G	PEM-G

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:

HIGH	HIGH	HIGH	HIGH
PIR - G / PIR - G	PIR - G / PIR - G	PIR - G / PIR - G	PIR - G / PIR - G

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 049 RWY 05L OLS.
A 049 RWY 05R ALSO OLS.
A 049 RWY 14L OLS.
A 049 RWY 14R OLS.
A 049 RWY 23L ALSO OLS.
A 049 RWY 23R OLS.
A 049 RWY 32L OLS.
A 049 RWY 32R OLS.
A 081 AVBL ONLY DURING HRS OF OPERATION.
A 110-001 SERVICE-A-GEAR: A-G NML RIGGED ALL RWY EXC INBOARD RWY SHORTFIELD ARRESTING GEAR.
A 110-002 JA SU: (NC-10C) (NC-108)(MSU-200) CTC AIR OPS DUTY OFFICER TO ENSURE AVBL.
A 110-003 FUEL: J5. NO FUEL SVC 0430-0530Z++. LTD FUEL SVC AVBL 0330-0430Z++ AND 0530-1230Z++ DUE PERS RSTD. TRAN HOT PIT AVBL 1300-0330Z++ MON-FRI, PPR; UNAVBL WKEND/HOL.
A 110-004 FLUID: SP LHOX LOX, UNAVAIL WKENDS & HOL.
A 110-005 OIL: UNAVAIL.
111 INSPECTOR: (N) 112 LAST INSP: 113 LAST INFO REQ: 08/13/1976

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/11/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/11/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: VA LOC ID: NTU FAA SITE NR: 26043.11*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AEA/DCA 7 SECT AERO CHT:

GENERAL

SERVICES

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

70 FUEL:

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:

- / - - / - - / - - / -

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:

/ / / /
/ / / /
/ / / /
/ / / /
/ / / /
/ / / /

> 110 REMARKS

- A 110-006 TRAN ALERT: TRAN LINE 1230-0330Z++ MON-FRI; 1300-2300Z++ SAT, SUN, AND HOL. LTD PRK/STOR FAC. DUR PEAK PERIODS EXTV DELAY IN TRAN SVG. JOSAC/NALO HAVE PRIORITY. NO LAV SVC OR POTABLE WATER AVBL.
- A 110-009 TFC PAT: SIMULTANEOUS LDG/DEP ARE CONDUCTED ON PARL RWY LCTD 700 FT APART. EXTV JET TRNG OCEANA NAS/FENTRESS NALF. REDUCED RWY SEPN STD IN EFF USN/USMC ACFT. DUR PEAK PERIODS EXP ONE APCH TO FULL STOP LDG.
- A 110-010 NS ABTMT: STRICT COMPLIANCE RQR WITH PROGRAM OUTLINED IN FLIP AP/1 SUPPL ARPT RMK.
- A 110-011 CSTMS/AG/IMG: AVBL OCEANA NAS BASED TACTICAL ACFT ONLY. RQR 48 HR PN TO BASE OPS. AIRCREW RQR TO REMAIN IN ACFT TIL RELEASED BY CSTMS.
- A 110-012 TWY A3, FEEDER TWY FROM A TWY TO RAMP AREA, 1ST FEEDER TWY SOUTH OF FUEL PITS.
- A 110-013 HANGAR 145 AND REVISE RAMP AREA EXTENDING SE CORNER OF RAMP FROM JUST SOUTH OF FUEL PITS TO APRX THE END OF THE OVER RUNS.
- A 110-014 RSTD: PPR RQR 48 HR PRIOR TO ARRIVAL FOR ALL NON-OCEANA BASED ACFT DSN 433-2161/2163, C757-433-2161/ 2163. STA TO FINAL LDG ONLY 0300-1200Z++, SUN 0000-1800Z++. VICE FINAL LDG ONLY 0400-1200Z++, SUN 0400-1800Z++.

111 INSPECTOR: (N)

112 LAST INSP:

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/11/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/11/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: VA LOC ID: NTU FAA SITE NR: 26043.11*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AEA/DCA 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:

- / - - / - - / - - / -

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/

> 110 REMARKS

A 110-015 RSTD: SUN ALL FIXED WING AND HEL FLT ABV 1000 FT ARR/DEP MUST FILE IFR FLT PLAN. VFR/SPECIAL VFR COPTER ROUTE MANDATORY FOR ALL HEL FLTS AT OR BLW 1000 FT.

A 110-016 TRAN ALERT - NO ON/OFF BASE TRNSP AVBL.

A 110-017 RMKS: ALL PLN SERVICES HAVE BEEN CONSOLIDATED WITH NAVAL STATION NORFOLK, CHAMBERS FIELD. FLT PLANS SHOULD BE FAXED TO DSN 565-9680, C757-445-9680. TO CONFIRM RECEIPT OF FLIGHT PLANS CALL NAVAL STATION NORFOLK, CHAMBERS FIELD FLIGHT PLANNING SUPERVISOR AT DSN 262-3419, C757-322-3419/3429.

A 110-018 RSTD PPR ALL NON-OCEANIA BASED ACFT DSN 433-2161/2163, C757-433-2161/2163 STRAIGHT-IN APCH TO FINAL LDG ONLY 0300-1200Z++, SUN 0300-1800Z++.

A 110-019 SUN ALL FIXED WING AND HEL FLIGHT ABV 1000 FT ARR/DEP NTU MUST FILE IFR FLT PLAN. VFR/SPECIAL VFR HEL ROUTE MANDATORY FOR ALL HEL FLTS AT OR BLW 1000 FT.

A 110-020 ACLS AVBL MON-FRI 1400-0430Z++.

A 110-021 TFC PAT BREAK-1500. SIMULTANEOUS LDG/DEP ARE CONDUCTED ON PARL RWY LOCATED 700 FT APART.

A 110-022 EXTV JET TRNG OCEANA NAS/FENTRESS NALF. REDUCED RWY SEPN STD IN EFFECT USN/USMC ACFT. DUR PEAK PERIODS EXPT ONE APCH TO FULL STOP LDG.

A 110-023 DRG PEAK PERIODS EXPECT ONE APCH TO FULL STOP LDG.

A 110-024 CLASS D AND CLASS E-EXT AVAIL 0500-0459Z++ SUN-SAT EXC BY NOTAM. SEE FLIP AP/1 SUPPLEMENTARY ARPT INFO.

111 INSPECTOR: (N)

112 LAST INSP:

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/11/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/11/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: VA LOC ID: NTU FAA SITE NR: 26043.11*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AEA/DCA 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY: - / - - / - - / - - / -
> 42 RWY MARK TYPE-COND:

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/

> 110 REMARKS

A 110-025 MISC: NS NORFOLK, CHAMBERS FLD COORD ALL FLT PLANNING SVCS. FLT PLANS SHOULD BE EMAILED TO KNGU.FLTPLNG.FCT@NAVY.MIL OR FAXED TO DSN 565-9680, C757 445-9680. TO CFM RECEIPT OF FLT PLANS CALL NS NORFOLK, CHAMBERS FLD FLT PLANNING SUPERVISOR AT DSN 262-3419/3429, C757 322-3419/3429.

A 110-026 CSTMS/AG/IMG AVBL OCEANA NAS BASED TACTICAL ACFT ONLY. REQUIRE 48 HR PRIOR NOTICE TO BASE OPS. AIRCREW RQR TO REMAIN IN ACFT UNTIL RLSD BY CUSTOMS.

A 110-027 DURING VMC ALL DEP AND PRACTICE INST APCH FLY RWY HDG AND DO NOT EXCEED 1000 FT UNTIL PAST DEP END DUE EXTV OVERHEAD TFC.

A 110-028 A/D USE CTN PARASAILING WILL TAKE PLACE ALONG THE COAST FROM NTU 350 CW 160 FROM COASTLINE TO 3 NM. SFC-400 FT. DAYTIME AND VMC ONLY. FROM 1 APR UNTIL 30 OCT.

A 110-029 MISC: HUFFER AIR START SVCS UNAVBL TO TSNT ACFT. USE CTN, PARASAILING WILL TAKE PLACE ALG THE COAST FM NTU R-350 TO NTU R-160 FM COASTLINE TO 3 NM, SFC-400 FT DALGT AND VMC ONLY FM 1 APR TIL 30 OCT. ALL SFCS WIP GRASS CUTTING ALG RWYS AND TWYS.

A 110-030 FOR CIVIL ACFT LANDING PERMIT (CALP) INFO CTC AFLD MGR C757-433-2318/2161.

A 110-031 OVRN SFC RWY 23L AND 23R: PEM.

A 110-032 OVRN SFC RWY 32L AND 32R: ASP.

111 INSPECTOR: (N)

112 LAST INSP:

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/11/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/11/2026
AFD EFF 06/11/2026