

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/13/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: OAKLAND 4 STATE: CA LOC ID: OAK FAA SITE NR: 01971.*A
 > 2 AIRPORT NAME: OAKLAND SAN FRANCISCO BAY 5 COUNTY: ALAMEDA CA
 3 CBD TO AIRPORT (NM): 04 S 6 REGION/ADO: AWP/SFO 7 SECT AERO CHT: SAN FRANCISCO

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: PORT OF OAKLAND
 > 12 ADDRESS: 530 WATER ST.
 OAKLAND, CA 94607
 > 13 PHONE NR: 510-563-3300
 > 14 MANAGER: MATT DAVIS
 > 15 ADDRESS: OAKLAND INTL ARPT, 1 AIRPORT DRIVE
 OAKLAND, CA 94621
 > 16 PHONE NR: 510-563-6436
 > 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

SERVICES

70 FUEL: 100LL A
 71 AIRFRAME RPRS: MAJOR
 72 PWR PLANT RPRS: MAJOR
 73 BOTTLE OXYGEN: HIGH/LOW
 74 BULK OXYGEN: HIGH/LOW
 75 TSNT STORAGE: TIE
 76 OTHER SERVICES:
 AFRT, AVNCS, CARGO, CHTR, INSTR,
 RNTL, SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

80 ARPT BCN: WG
 81 ARPT LGT SKED :
 BCN LGT SKED: SS-SR
 82 UNICOM: 122.950
 83 WIND INDICATOR: YES-L
 84 SEGMENTED CIRCLE: NONE
 85 CONTROL TWR: YES
 86 FSS: OAKLAND
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

18 AIRPORT USE: PUBLIC
 19 ARPT LAT: 37-43-16.5410N ESTIMATED
 20 ARPT LONG: 122-13-16.1420W
 21 ARPT ELEV: 9.0 SURVEYED
 22 ACREAGE: 2,600
 > 23 RIGHT TRAFFIC: 28R, 12, 33
 > 24 NON-COMM LANDING: YES
 25 NPIAS/FED AGREEMENTS: NGPY
 > 26 FAR 139 INDEX: I D S 05/1973

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

10L/28R	10R/28L	12/30	15/33
5,457	6,213	10,520	3,376
150	150	150	75
ASPH-G	ASPH-G	ASPH-G	ASPH-G
GRVD	GRVD	GRVD	NONE
120.0	120.0	120.0	12.5
250.0	250.0	250.0	65.0
550.0	550.0	550.0	100.0
1120.0	1120.0	1120.0	

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGS: I
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

HIGH	HIGH	HIGH	MED
NPI - G / PIR - G	NPI - G / PIR - G	PIR - G / PIR - G	BSC - G / BSC - G
P4R / P4L	P4L / P4R	P4R / P4L	/
50 / 51	50 / 50	70 / 71	/
3.00 / 3.00	3.00 / 3.00	2.75 / 3.00	/
N - N / N - N	- / N - N	Y - N / Y - Y	N - N / N - N
R - N / T - Y	- / - Y	TMR - N / TMR - N	- N / - N
N / N	Y / N	N / N	N / N
/ MALSR	/	MALSR / ALSF2	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

C / PIR	C / D	PIR / PIR	A(V) / A(V)
/	/	/ 114	/
/ BLDG	/	/	/
/ L	/	/	/
/ 11	/	/	/
/ 530	/	/	/
/ 480R	/	/	/
50:1 / 30:1	50:1 / 50:1	50:1 / 50:1	20:1 / 50:1
N / N	N / N	N / N	N / N

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

5,457 / 5,457	6,213 / 6,213	10,000 / 10,000	/
5,457 / 5,457	6,213 / 6,213	10,000 / 10,000	/
5,336 / 5,457	6,213 / 6,213	10,000 / 10,000	/
5,336 / 5,457	6,213 / 6,213	10,000 / 10,000	/

> 110 REMARKS

A 014 OPERATIONS - DARRON EVANS, OPNS SUPERINTENDENT (510)563-6432, CELL: (510) 715-6286 24HR OPERATIONS (510) 563-3361.
 A 024 LDG FEE IN EFCT 24 HRS/DAY, CTC AIRFIELD OPS (510) 563-3361.
 A 030 RWY 15/33 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.
 A 039 RWY 10L/28R PCR VALUE: 1266/F/B/X/T
 A 039 RWY 10R/28L PCR VALUE: 934/F/B/X/T
 A 039 RWY 12/30 PCR VALUE: 1295/F/B/X/T
 A 110-001 BIRDS ON & INVOF ARPT.
 A 110-003 400 FT BY 220 FT BLAST PAD RWY 12 AND RWY 30.
 A 110-006 NOISE ABATEMENT PROCS N/A IN EMERGS OR WHENEVER RWY 12/30 IS UNAVBL DUE TO MAINT, SAFETY, WINDS OR WX.
 A 110-007 ACFT WITH EXPERIMENTAL OR LTD CERTIF HAVING OVER 1000 HORSEPOWER OR 4000 LBS ARE RSTRD TO RWY 12/30.
 A 110-009 100 FT LGTD MICROWAVE ANT TWR LCTD 1320 FT WSW OF OAK VORTAC; S OF UPWIND END OF RWY 28L.
 A 110-011 RWYS 30, 28R AND RWY 28L DIST RMNG SIGNS L SIDE.
 A 110-012 FOR NOISE ABATEMENT INFO CTC NOISE ABATEMENT OFC AT 510-563-6463 OR VISIT ARPT WEBSITE.

111 INSPECTOR: (F) 112 LAST INSP: 05/16/2025 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/13/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/13/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: CA LOC ID: OAK FAA SITE NR: 01971.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/SFO 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 110-020 24 HR NOISE ABATEMENT PROC: TBJT AND TURBOFAN PWRD ACFT, TURBOROPS OVER 17000 LBS, FOUR-ENG RECIPROCATING PWRD ACFT, AND SURPLUS MIL ACFT OVER 12500 LBS SHOULD USE RWY 12/30.
A 110-022 TWY A, E, G, H BTN RWY 28R AND TWY C MAX ACFT WT 150,000 LBS.
A 110-023 TWY G & H BTN RWY 28L & 28R: MAX ACFT WT 12,500 LBS.
A 110-024 TWY P MAX ACFT WT 116,000 LBS SINGLE; 190,000 LBS DUAL; 305,000 LBS DUAL TANDEM; 735,000 LBS DOUBLE DUAL TANDEM.
A 110-025 TWY C BTN RWY 28R & TWY G AND TWYS B, J, AND D MAX ACFT WT 861,000 LBS.
A 110-026 TWY C BTN TWY G & J MAX ACFT WEIGHT 90,000 LBS SINGLE; 144,000 LBS DUAL; 257,000 LBS TANDEM.
A 110-027 TWY C BTN TWY J & F MAX ACFT WEIGHT 76,000 LBS SINGLE; 115,000 LBS DUAL; 257,000 LBS TANDEM (DUAL TANDEM NA).
A 110-028 TWY K BTN TWY D & INT TWYS F, L, K MAX ACFT WEIGHT 56,000 LBS SINGLE; 70,000 LBS DUAL; 130,000 LBS TANDEM.
A 110-029 TWY K BTN TWY J AND INT TWYS F, L, K MAX ACFT WT 33000 LBS SINGLE; 45000 LBS DUAL; TANDEM NA.
A 110-030 UNDERLIES CLASS B ASP, BE AWARE OF SPEEDS ON ARR AND DEP.

111 INSPECTOR: (F)

112 LAST INSP: 05/16/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/13/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/13/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: CA LOC ID: OAK FAA SITE NR: 01971.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/SFO 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
> 25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/13/2026
AFD EFF 06/11/2026