

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/16/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: OCALA 4 STATE: FL LOC ID: OCF FAA SITE NR: 03394.*A
> 2 AIRPORT NAME: OCALA INTL-JIM TAYLOR FLD 5 COUNTY: MARION FL
> 3 CBD TO AIRPORT (NM): 04 W 6 REGION/ADO: ASO/ORL 7 SECT AERO CHT: JACKSONVILLE

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: CITY OF OCALA
> 12 ADDRESS: 1770 SW 60TH AVENUE, SUITE 600
OCALA, FL 34474
> 13 PHONE NR: 352-629-8377
> 14 MANAGER: MATTHEW GROW
> 15 ADDRESS: 1770 SW 60TH AVE, SUITE 600
OCALA, FL 34474
> 16 PHONE NR: 352-629-8377
> 17 ATTENDANCE SCHEDULE:

ALL ALL 0600-2100

SERVICES

70 FUEL: 100LL A1+
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: HIGH
74 BULK OXYGEN: HIGH/LOW
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES: AVNCS, CHTR, INSTR, RNTL, SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 29-10-18.7550N ESTIMATED
20 ARPT LONG: 082-13-26.8120W
21 ARPT ELEV: 90.1 SURVEYED
22 ACREAGE: 1,532
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGY
> 26 FAR 139 INDEX: IV A U 11/1984

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM:
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: YES
86 FSS: GAINESVILLE
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	08/26	18/36
> 30 RUNWAY INDENT:	3,010	7,468
> 31 LENGTH:	50	150
> 32 WIDTH:	ASPH-G	ASPH-G
> 33 SURF TYPE-COND:	NONE	GRVD
> 34 SURF TREATMENT:	30.0	111.0
35 GROSS WT: S		181.0
36 (IN THSDS) D		328.0
37 2D		
38 2D/2D2		
> 39 PCN:		

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

		HIGH		
> 40 EDGE INTENSITY:	BSC - F / BSC - F	PIR - F / PIR - F	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	P4L / P4L	/	/
> 43 VGSI:	/	45 / 45	/	/
44 THR COSSING HGT.:	/	3.00 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	/	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/ MALSR	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

	B(V) / B(V)	PIR / PIR		
50 FAR 77 CATEGORY	/	160 / 560	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	TREES / PLINE	TREES / TREE	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	50 / 25	60 / 46	/	/
> 55 DIST FROM RWY END:	1,205 / 1,045	2,600 / 2,530	/	/
> 56 CNTRLN OFFSET:	105L / 170L	530R / 410R	/	/
57 OBSTN CLNC SLOPE:	20:1 / 34:1	40:1 / 50:1	/	/
58 CLOSE-IN OBSTN:	N / N	N / N	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

> 60 TAKE OFF RUN AVBL (TORA):	/	7,468 / 7,468	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	7,468 / 7,468	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	6,718 / 6,911	/	/
> 63 LNDG DIST AVBL (LDA):	/	6,558 / 6,351	/	/

> 110 REMARKS

A 017 SVC OR ARPT ACCESS AFT HR CTC - 352-219-0313.
A 024 FEE FOR ACR OPS ONLY.
A 026 INDEX B UPON REQUEST; CLSD TO ACR OPS WITH MORE THAN 30 PAX SEATS EXC PPR - AMGR.
A 030 RWY 08/26 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.
A 039 RWY 08/26 PCR VALUE: 280/F/A/X/T
A 039 RWY 18/36 PCR VALUE: 450/F/A/X/T
A 081 WHEN ATCT CLSD ACTVT MALSR RWY 36; PAPI RWY 18 & 36; HIRL RWY 18/36 - CTAF.
A 110-004 ACFT DEP RWY 18 MNTN RWY HDG TO 800 FT AGL OR TIL RCHG END OF RWY WHICHEVER OCRS LTR BFR MAKING LEFT TURNS.
A 110-005 TWY A1, A8, A9 & A12 E OF TWY A; TWY A NORTH OF TWY A2; CLSD TO ACR.
A 110-006 CUSTOM SVC UNAVBL.
A 110-008 SFC CONDS NOT RPRD 1700-0700L.
A 110-009 FOR CD IF UNA TO CTC ON FSS FREQ, CTC JACKSONVILLE APCH AT 904-741-0284.
A 110-010 TWY A1 RSTRD TO ACFT WITH WINGSPAN 60 FT OR LESS.
A 110-011 OBJECT 2.5 FT AGL LCTD 39 FT NORTH OF TWY A1 CNTRLN.

111 INSPECTOR: (F) 112 LAST INSP: 11/19/2025 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/16/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/16/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: FL LOC ID: OCF FAA SITE NR: 03394.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASO/ORL 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-012 RWY 36 RTHL NOT STD.
A 110-013 RWY 18/36 REDL NOT STD.
A 110-014 RWY 18 RENL NOT STD.
A 110-015 RWY 18/36 SAFETY AREA NONSTD IRG SFC FM ONGOING WILDLIFE BURROW MITIGATATION.
A 110-016 RWY 08/26 SAFETY AREA NONSTD IREG SFC FM ONGOING WILDLIFE BURROW MITIGATATION.
A 110-017 RWY 18/36 EDGE MARKINGS E SIDE NOT STD BTN TWY A2 AND TWY A6.
A 110-018 24 HR PPR FOR ACFT EQUIPPED WITH WEATHER MODIFICATION OR GEOENGINEERING EQPT 352-629-8377.
A 30A RWY 36 CALM WIND RWY.

111 INSPECTOR: (F)

112 LAST INSP: 11/19/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/16/2026
AFD EFF 06/11/2026