

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/11/2026
AFD EFF 03/19/2026

> 1 ASSOC CITY: OLEAN 4 STATE: NY LOC ID: OLE FAA SITE NR: 15857.1*A
> 2 AIRPORT NAME: CATTARAUGUS COUNTY-OLEAN 5 COUNTY: CATTARAUGUS NY
> 3 CBD TO AIRPORT (NM): 10 N 6 REGION/ADO: AEA/NYC 7 SECT AERO CHT: DETROIT

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: CITY OF OLEAN
> 12 ADDRESS: MUN BLDG
OLEAN, NY 14760
> 13 PHONE NR: 716-375-5650
> 14 MANAGER: BRUCE CRANDELL
> 15 ADDRESS: AIRPORT ROAD(5420 HATCH HILL RD)
HINSDALE, NY 14743
> 16 PHONE NR: 716-557-8800
> 17 ATTENDANCE SCHEDULE:
ALL ALL 0800-1600

SERVICES

70 FUEL: 100LL A+
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN: NONE
74 BULK OXYGEN: NONE
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 42-14-28.3000N ESTIMATED
20 ARPT LONG: 078-22-16.9000W
21 ARPT ELEV: 2135.4 SURVEYED
22 ACREAGE: 426
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGY
> 26 FAR 139 INDEX:

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 122.800
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: NO
86 FSS: BUFFALO
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	04/22	16/34
> 30 RUNWAY INDENT:	4,800	2,117
> 31 LENGTH:	100	100
> 32 WIDTH:	ASPH-F	TURF-G
> 33 SURF TYPE-COND:	GRVD	NONE
> 34 SURF TREATMENT:	81.0	
35 GROSS WT: S	103.0	
36 (IN THSDS) D	168.0	
37 2D		
38 2D/2D2		
> 39 PCN:	32 / F/D/X/T	

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGS: 44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL: Y / Y
> 49 APCH LIGHTS:

	HIGH	NPI - F / NPI - F	NSTD - F / NSTD - F	- / -	- / -
> 40 EDGE INTENSITY:					
> 42 RWY MARK TYPE-COND:	P2L / P2L	40 / 40	/	/	/
> 43 VGS:	3.00 / 3.00		/	/	/
44 THR COSSING HGT.:	- / -	- / -	- / -	- / -	- / -
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	Y / Y	/	/	/	/
> 47 RVR-RVV:	/	/	/	/	/
> 48 REIL:	/	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

	D / D	A(V) / A(V)	/	/
50 FAR 77 CATEGORY	100 / 200	/	/	/
> 51 DISPLACED THR:	TREES / TREES	TREE / TREE	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	12 / 16	24 / 27	/	/
> 54 HGT ABOVE RWY END:	217 / 301	253 / 262	/	/
> 55 DIST FROM RWY END:	94L / 430L	92L / 151L	/	/
> 56 CNTRLN OFFSET:	1:1 / 6:1	10:1 / 9:1	/	/
57 OBSTN CLNC SLOPE:	Y / Y	N / N	/	/
58 CLOSE-IN OBSTN:				

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

> 60 TAKE OFF RUN AVBL (TORA):	4,800 / 4,800	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	4,800 / 4,800	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	4,600 / 4,700	/	/	/
> 63 LNDG DIST AVBL (LDA):	4,500 / 4,500	/	/	/

> 110 REMARKS

A 017 CALL AMGR FOR SVC AVAILABILITY ON HOL.
A 042 RWY 16 REFLECTIVE EDGE & THLD MARKINGS.
A 042 RWY 34 REFLECTIVE EDGE & THLD MARKINGS.
A 043 RWY 22 UNUSBL BYD 5 DEGS LEFT OF CNTRLN.
A 057 RWY 04 CLNC SLOPE 6:1 TO DTHR.
A 057 RWY 22 CLNC SLOPE 21:1 TO DTHR DUE TO 53 FT TREE, 969 FT. FM RWY END, 585 FT RIGHT.
A 058 RWY 04 42 TO 52 FT TREES, 0-200 FT FM RWY END, 475 FT RIGHT.
A 058 RWY 22 5-15 FT TREES, 50-130 FT FM RWY END, 435 FT LEFT.
A 081 ACTVT REIL RWY 04 & 22; PAPI RWY 04 & 22; HIRL RWY 04/22; WDI - CTAF.
A 110-001 DEER ON & INVOF ARPT.
A 110-002 SNOW PLOWING & BRAKING ACTION & FIELD COND RPRPTS NOT AVBL WHEN ARPT IS UNATNDD.
A 110-004 TERRAIN DROPS OFF ON ALL RWY ENDS. RWY 4: 250 FT X 250 FT RESA. RWY 22: 225 FT WIDE X 110 FT LONG RESA.
A 110-005 RWY 16/34 CLSD WINTER MONTHS; SOFT IN SPRING.
A 110-006 FUEL AVBL 24/7.
A 110-008 UNMANNED ACFT 1NM RADIUS SFC-500 FT.

111 INSPECTOR: (S) 112 LAST INSP: 07/31/2024 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/11/2026
AFD EFF 03/19/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/11/2026
AFD EFF 03/19/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: NY LOC ID: OLE FAA SITE NR: 15857.1*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AEA/NYC 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
> 25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-009 FOR CD CTC CLEVELAND ARTCC AT 440-774-0227.

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/11/2026
AFD EFF 03/19/2026