

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/1/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: OSHKOSH 4 STATE: WI LOC ID: OSH FAA SITE NR: 27469.*A
 > 2 AIRPORT NAME: WITTMAN RGNL 5 COUNTY: WINNEBAGO WI
 3 CBD TO AIRPORT (NM): 02 S 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT: CHICAGO

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: WINNEBAGO COUNTY
 > 12 ADDRESS: 415 JACKSON ST
 OSHKOSH, WI 54901
 > 13 PHONE NR: 920-236-4930
 > 14 MANAGER: JAMES SCHELL
 > 15 ADDRESS: 525 W 20TH AVE
 OSHKOSH, WI 54902
 > 16 PHONE NR: 920-236-4930
 > 17 ATTENDANCE SCHEDULE:

ALL MON-FRI 0700-1900
 ALL SAT-SUN 0800-1700

18 AIRPORT USE: PUBLIC
 19 ARPT LAT: 43-59-03.7350N ESTIMATED
 20 ARPT LONG: 088-33-25.3530W
 21 ARPT ELEV: 808.5 SURVEYED
 22 ACREAGE: 1,392
 > 23 RIGHT TRAFFIC: NO
 > 24 NON-COMM LANDING: NO
 25 NPIAS/FED AGREEMENTS: NGY3
 > 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGS: I
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

> 110 REMARKS

SERVICES

70 FUEL: 100LL A+
 71 AIRFRAME RPRS: MAJOR
 72 PWR PLANT RPRS: MAJOR
 73 BOTTLE OXYGEN: NONE
 74 BULK OXYGEN: HIGH/LOW
 75 TSNT STORAGE: HGR, TIE
 76 OTHER SERVICES:
 AFRT, AVNCS, CARGO, CHTR, INSTR,
 RNTL, SALES

FACILITIES

80 ARPT BCN: WG
 81 ARPT LGT SKED : SEE RMK
 BCN LGT SKED: SS-SR
 82 UNICOM: 122.950
 83 WIND INDICATOR: YES-L
 84 SEGMENTED CIRCLE: NONE
 85 CONTROL TWR: YES
 86 FSS: GREEN BAY
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

	05/23	09/27	13/31	18/36
> 30 RUNWAY INDENT:	3,424	6,179	3,061	8,002
> 31 LENGTH:	75	150	75	150
> 32 WIDTH:	ASPH-F	CONC-G	ASPH-F	CONC-G
> 33 SURF TYPE-COND:	NONE	GRVD	NONE	GRVD
35 GROSS WT: S		75.0		65.0
36 (IN THSDS) D		125.0		85.0
37 2D		185.0		130.0
38 2D/2D2				
> 39 PCN:				
> 40 EDGE INTENSITY:		HIGH		HIGH
> 42 RWY MARK TYPE-COND:	BSC - F / BSC - F	NPI - G / NPI - G	BSC - F / BSC - F	PIR - G / PIR - G
> 43 VGS:	/	P4L / P4L	/	P4L / P4L
44 THR COSSING HGT.:	/	50 / 47	/	47 / 52
45 VISUAL GLIDE ANGLE:	/	3.00 / 3.00	/	3.00 / 3.00
> 46 CNTRLN-TDZ:	N - N / N - N	N - N / N - N	N - N / N - N	N - N / N - N
> 47 RVR-RVV:	- N / - N	- N / - N	- N / - N	R - N / T - N
> 48 REIL:	N / N	N / Y	N / N	Y / N
> 49 APCH LIGHTS:	/	/	/	/ MALSR
> 50 FAR 77 CATEGORY	A(V) / A(V)	D / D	A(V) / A(V)	D / PIR
> 51 DISPLACED THR:	/	/ 531	/	/
> 52 CTLG OBSTN:	/ RR	/ TREE	/ ROAD	ANT / TREES
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/ 21	/ 37	/ 15	15 / 61
> 55 DIST FROM RWY END:	/ 500	/ 720	/ 217	550 / 3,000
> 56 CNTRLN OFFSET:	/ 155L	/ 150R	/ 127R	250L / 185L
57 OBSTN CLNC SLOPE:	20:1 / 14:1	34:1 / 14:1	20:1 / 1:1	23:1 / 45:1
58 CLOSE-IN OBSTN:	N / N	N / N	N / N	N / N
> 60 TAKE OFF RUN AVBL (TORA):	/	6,179 / 6,179	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	6,179 / 6,179	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	5,648 / 6,179	/	/
> 63 LNDG DIST AVBL (LDA):	/	5,648 / 5,648	/	/

A 015 JSHELL@WINNEBAGOCOUNTYWI.GOV.
 A 035 RWY 05/23 MAXIMUM WEIGHT BEARING CAPACITY FOR ANY ACFT IS 50000 LBS.
 A 035 RWY 13/31 MAXIMUM WEIGHT BEARING CAPACITY FOR ANY ACFT IS 50000 LBS.
 A 057 RWY 27 APCH RATIO 34:1 TO DTHR.
 A 070 A+ AND 100LL AVBL FOR FEE AFTER HRS, 920-236-7827.
 A 081 WHEN ATCT CLSD, ACTVT MALSR RWY 36; REIL RWY 18 & 27; HIRL RWY 09/27 & 18/36 - CTAF. HIRL 18/36 PRESET ON LOW INTST SS-SR, TO INCR INTST & ACTVT - CTAF. PAPI RWY 09, 27, 18 & 36 OPR CONSLY.
 A 110-004 BIRDS ON & INVOF ARPT.
 A 110-008 RWYS 13/31, 05/23 & TWYS C, H, P NOT AVBL TO ACFT WITH MORE THAN 30 PSGR SEATS.
 A 110-009 RY 23 & RY 27 APCH ENDS ARE CLOSELY ALIGNED. VERIFY CORRECT RY AND COMPASS HEADING PRIOR TO DEP.
 A 110-010 FOR CD IF UNA TO CTC ON FSS FREQ, CTC CHICAGO ARTCC AT 630-906-8921.
 A 110-011 SFC CONDS NOT MONTRD BTWN 2200 - 0500 HRS.

111 INSPECTOR: (S)

112 LAST INSP: 08/20/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/1/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/1/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: WI LOC ID: OSH FAA SITE NR: 27469.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (S)

112 LAST INSP: 08/20/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/1/2026
AFD EFF 04/16/2026