

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 7/5/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: NORTH BEND 4 STATE: OR LOC ID: OTH FAA SITE NR: 19541.*A
> 2 AIRPORT NAME: SOUTHWEST OREGON RGNL 5 COUNTY: COOS OR
> 3 CBD TO AIRPORT (NM): 01 NW 6 REGION/ADO: ANM/SEA 7 SECT AERO CHT: KLAMATH FALLS

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: COOS COUNTY AIRPORT DISTRICT
> 12 ADDRESS: 1100 AIRPORT LANE, FLOOR 3
NORTH BEND, OR 97459-2079
> 13 PHONE NR: 541-756-8500
> 14 MANAGER: RODGER CRADDOCK
> 15 ADDRESS: 1100 AIRPORT LANE, FLOOR 3
NORTH BEND, OR 97459-2079
> 16 PHONE NR: 541-756-8531
> 17 ATTENDANCE SCHEDULE:
ALL ALL 0500-2100

SERVICES

70 FUEL: 100LL A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES:
AFRT, AMB, CHTR, INSTR, RNTL, SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 43-25-01.0000N ESTIMATED
20 ARPT LONG: 124-14-49.3000W
21 ARPT ELEV: 17.4 SURVEYED
22 ACREAGE: 619
> 23 RIGHT TRAFFIC: 31
> 24 NON-COMM LANDING: YES
25 NPIAS/FED AGREEMENTS: NGRY3
> 26 FAR 139 INDEX: I A S 05/1973

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM:
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: YES
86 FSS: MC MINNVILLE
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	05/23	13/31
> 30 RUNWAY INDENT:	5,980	4,470
> 31 LENGTH:	150	150
> 32 WIDTH:	ASPH-G	ASPH-G
> 33 SURF TYPE-COND:	GRVD	GRVD
> 34 SURF TREATMENT:	120.0	120.0
35 GROSS WT: S	215.0	190.0
36 (IN THSDS) D	340.0	305.0
37 2D	800.0	735.0
38 2D/2D2		

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

	HIGH	MED		
> 40 EDGE INTENSITY:	PIR - F / PIR - F	BSC - G / BSC - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	P4R /	/ P4L	/	/
> 43 VGSI:	51 /	/ 50	/	/
44 THR COSSING HGT.:	3.00 /	/ 4.00	/	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	N / Y	Y / Y	/	/
> 49 APCH LIGHTS:	MALSR /	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

	PIR / B(V)	B(V) / B(V)		
50 FAR 77 CATEGORY	/ 660	/	/	/
> 51 DISPLACED THR:	BOAT / BOAT	BOAT / ROAD	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	144 / 144	144 / 13	/	/
> 54 HGT ABOVE RWY END:	3,700 / 1,320	1,740 / 200	/	/
> 55 DIST FROM RWY END:	B / 550R	0B / 250R	/	/
> 56 CNTRLN OFFSET:	25:1 / 8:1	11:1 / 0:1	/	/
57 OBSTN CLNC SLOPE:	N / N	N / N	/	/
58 CLOSE-IN OBSTN:				

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

	5,320 / 5,980	4,470 / 4,470		
> 60 TAKE OFF RUN AVBL (TORA):	5,320 / 5,980	4,470 / 4,470	/	/
> 61 TAKE OFF DIST AVBL (TODA):	5,320 / 5,980	4,470 / 4,470	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	5,320 / 5,980	4,470 / 4,470	/	/
> 63 LNDG DIST AVBL (LDA):	5,320 / 5,320	4,470 / 4,470	/	/

> 110 REMARKS

A 017 AFT HR - 541-756-5181.
A 026 INDEX B AVBL WITH 4 HR PPR - 541-297-4777.
A 039 RWY 05/23 PCR VALUE: 398/F/A/X/T
A 039 RWY 13/31 PCR VALUE: 124/F/A/X/T
A 043 RWY 31 P4L OTS INDEFLY.
A 081 WHEN ATCT CLSD, ACTVT MALSR RWY 05; REIL RWYS 13, 23, 31; MIRL RWY 13/31; HIRL 05/23 - CTAF. PAPI RWY 05 OPR CONSLY.
A 110-001 SHIP CHNL XS RWY 05 2/3 MI FM THLD; XS RWY 13 & RWY 23 1000 - 1700 FT FM THLD; MAST HGTS TO 144 FT.
A 110-002 WATERFOWL ON & INVOF ARPT.
A 110-003 ARPT USE FEES.
A 110-004 PAEW INVOF RWYS & TWYS 0730-1530.
A 110-005 TWY A3 CLSD OVR 60000 LB.
A 110-006 FOR CD IF UNA TO CTC ON FSS FREQ, CTC SEATTLE ARTCC AT 253-351-3694.
A 110-007 PILOTS CONDUCTING EFVS OPS; BE AWARE LED ALS IN USE RWY 05.

111 INSPECTOR: (F)

112 LAST INSP: 11/18/2024

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 7/5/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 7/5/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: OR LOC ID: OTH FAA SITE NR: 19541.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ANM/SEA 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 11/18/2024

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 7/5/2026
AFD EFF 06/11/2026