

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/10/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: WEST PALM BEACH 4 STATE: FL LOC ID: PBI FAA SITE NR: 03555.*A
> 2 AIRPORT NAME: PALM BEACH INTL 5 COUNTY: PALM BEACH FL
> 3 CBD TO AIRPORT (NM): 03 W 6 REGION/ADO: ASO/ORL 7 SECT AERO CHT: MIAMI

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: PALM BEACH COUNTY
> 12 ADDRESS: 846 PALM BEACH INTL AIRPORT
WEST PALM BEACH, FL 33406
> 13 PHONE NR: 561-471-7420
> 14 MANAGER: LAURA BEEBE
> 15 ADDRESS: 846 PALM BEACH INTL AIRPORT
WEST PALM BEACH, FL 33406
> 16 PHONE NR: 561-471-7420
> 17 ATTENDANCE SCHEDULE:
ALL ALL ALL

SERVICES

70 FUEL: 100LL A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: HIGH/LOW
74 BULK OXYGEN: HIGH/LOW
75 TSNT STORAGE: TIE
76 OTHER SERVICES:
AFRT, AMB, AVNCS, CARGO, CHTR, INSTR,
RNTL, SALES, SURV

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED : SS-SR
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: YES
86 FSS: MIAMI
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:
26 FAR 139 INDEX: I C S 05/1973

	10L/28R	10R/28L	14/32
> 30 RUNWAY INDENT:	10,001	3,214	6,931
> 31 LENGTH:	150	75	150
> 32 WIDTH:	ASPH-G	ASPH-G	ASPH-F
> 33 SURF TYPE-COND:	GRVD	NONE	GRVD
> 34 SURF TREATMENT:	120.0	25.0	120.0
35 GROSS WT: S	250.0		250.0
36 (IN THSDS) D	550.0		521.0
37 2D	1073.0		1042.0
38 2D/2D2			
> 39 PCN:			
LIGHTING/APCH AIDS			
> 40 EDGE INTENSITY:	HIGH	MED	MED
> 42 RWY MARK TYPE-COND:	PIR - G / PIR - G	BSC - G / BSC - G	NPI - G / NPI - G
> 43 VGSI:	P4R / P4L	/	P4R / P4L
44 THR COSSING HGT.:	68 / 70	/	66 / 57
45 VISUAL GLIDE ANGLE:	3.00 / 3.00	/	3.00 / 3.25
> 46 CNTRLN-TDZ:	Y - / Y -	- / -	N - / N -
> 47 RVR-RVV:	TR - N / TR -	- / -	- / -
> 48 REIL:	/ Y	Y / Y	Y / Y
> 49 APCH LIGHTS:	MALSR /	/	/
OBSTRUCTION DATA			
50 FAR 77 CATEGORY	PIR / PIR	A(V) / A(V)	D / D
> 51 DISPLACED THR:	1,200 / 811	/	/ 418
> 52 CTLG OBSTN:	TREES / TREES	TREES /	TREES / ROAD
> 53 OBSTN MARKED/LGTD:	/	/	/
> 54 HGT ABOVE RWY END:	41 / 40	30 /	34 / 17
> 55 DIST FROM RWY END:	1,665 / 2,230	1,416 /	1,370 / 200
> 56 CNTRLN OFFSET:	515L / 670L	205R /	230R / 250L
57 OBSTN CLNC SLOPE:	35:1 / 50:1	40:1 / 20:1	34:1 / 0:1
58 CLOSE-IN OBSTN:	N / N	N / N	N / Y
DECLARED DISTANCES			
> 60 TAKE OFF RUN AVBL (TORA):	10,001 / 10,001	3,214 / 3,214	6,926 / 6,926
> 61 TAKE OFF DIST AVBL (TODA):	10,001 / 10,001	3,214 / 3,214	6,926 / 6,926
> 62 ACLT STOP DIST AVBL (ASDA):	9,351 / 9,051	3,214 / 3,214	6,000 / 6,926
> 63 LNDG DIST AVBL (LDA):	8,151 / 8,240	3,214 / 3,214	6,000 / 6,513

> 110 REMARKS

A 026 INDEX D ARFF EQUIPMENT AVAILABLE; 24 HOUR PPR.
A 030 RWY 10R/28L NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.
A 030 RWY 14/32 ARRESTING GEAR/SYSTEM: ENGINEERED MATERIALS ARRESTING SYSTEM (EMAS) 222 FT IN LENGTH BY 170 FT IN WIDTH AT THE DEPARTURE END OF RWY 14.
A 039 RWY 10L/28R PCR VALUE: 710/F/B/W/T
A 039 RWY 10R/28L PCR VALUE: 260/F/A/X/T
A 039 RWY 14/32 PCR VALUE: 610/F/A/W/T
A 057 RWY 10L & RWY 28R APCH RATIO 50:1 AT DISPLACEMENT.
A 057 RWY 32 APCH RATIO 36:1 FM DSPLCD THR; TREES 965 FT OUT & 385 FT L.
A 058 ROAD 200 FT FM AER RWY 32, 250 FT LEFT OF CNTRLN.
A 110-001 MIGRATORY BIRDS ON AND INVOF ARPT.
A 110-002 NOISE ABATEMENT PROCEDURES IN EFFECT. MULTIENGINE FLIGHT TRAINING PROHIBITED SS TO SR SUN AND HOLIDAY; STRICT ENVIRONMENTAL OPERATING STAGE 2 ACFT 0300-1200Z CALL NOISE ABATEMENT OFFICER 561-471-7467.
A 110-005 BE ALERT; RYS 28L & 28R THLDS STAGGERED BY 5400 FT.

111 INSPECTOR: (F) 112 LAST INSP: 05/30/2025 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/10/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/10/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: FL LOC ID: PBI FAA SITE NR: 03555.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASO/ORL 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

- A 110-010 BE ALERT: TWY L IS LCTD BTWN RYS 10L/28R & 10R/28L. TWY L IS WIDER AND LONGER THAN RY 10R/28L - DO NOT CONFUSE TWY L FOR RY. AIRCRAFT WITH WINGSPAN OF 118 FT OR GREATER IS PROHIBITED ON TWY L.
- A 110-013 24 HR PPR FOR ACFT WITH WINGSPANS GTR THAN 171 FT.
- A 110-014 ACFT WITH WINGSPANS GTR THAN 118 FT MAY NOT OPR ON TWY E, TWY W, TWY Y AND TWY F NW OF TWY A.
- A 110-015 RWY 14/32 SAFETY AREA NOT STD SFC VARNS.
- A 110-016 RWY 10L/28R SAFETY AREA NOT STD SFC VARNS.
- A 110-017 ACFT WITH WINGSPANS GTR THAN 49 MAY NOT OPER SIMUL ON RWY 10R/28L AND TWY R.
- A 110-018 RWY 10L/28R SAFETY AREA NOT STD SFC VARNS.
- A 110-019 RWY 14 LAHSO SIGNAGE NOT STD.
- A 110-020 24 HR ADVN NOTICE OR IMT REPORTING UPON LDG FOR ACFT EQUIPPED WITH WEATHER MODIFICATION OR GEOENGINEERING EQUIP CTC ARPT OPS 561-471-7420.

111 INSPECTOR: (F)

112 LAST INSP: 05/30/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/10/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/10/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: FL LOC ID: PBI FAA SITE NR: 03555.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASO/ORL 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 05/30/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/10/2026
AFD EFF 06/11/2026