

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/14/2026  
AFD EFF 05/14/2026

> 1 ASSOC CITY: NEW PHILADELPHIA 4 STATE: OH LOC ID: PHD FAA SITE NR: 18298.\*A  
 > 2 AIRPORT NAME: HARRY CLEVER FLD 5 COUNTY: TUSCARAWAS OH  
 3 CBD TO AIRPORT (NM): 02 SE 6 REGION/ADO: AGL/DET 7 SECT AERO CHT: DETROIT

### GENERAL

10 OWNERSHIP: PUBLIC  
 > 11 OWNER: CITY OF NEW PHILADELPHIA  
 > 12 ADDRESS: SERVICE DIRECTOR, 150 E HIGH AVE STE 200  
 NEW PHILADELPHIA, OH 44663-4500  
 > 13 PHONE NR: 330-364-4491  
 > 14 MANAGER: ERIC HUBBARD  
 > 15 ADDRESS: 1834 E HIGH AVE  
 NEW PHILADELPHIA, OH 44663-3239  
 > 16 PHONE NR: 330-339-6078  
 > 17 ATTENDANCE SCHEDULE:  
 ALL MON-FRI 0730-1700

### SERVICES

70 FUEL: 100LL A  
 71 AIRFRAME RPRS: MAJOR  
 72 PWR PLANT RPRS: MAJOR  
 73 BOTTLE OXYGEN: NONE  
 74 BULK OXYGEN: NONE  
 75 TSNT STORAGE: HGR, TIE  
 76 OTHER SERVICES:  
 AVNCS, INSTR, RNTL

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

80 ARPT BCN: WG  
 81 ARPT LGT SKED : SEE RMK  
 BCN LGT SKED: SS-SR  
 82 UNICOM: 122.800  
 83 WIND INDICATOR: YES-L  
 84 SEGMENTED CIRCLE: NONE  
 85 CONTROL TWR: NO  
 86 FSS: CLEVELAND  
 87 FSS ON ARPT: NO  
 88 FSS PHONE NR:  
 89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:  
 > 34 SURF TREATMENT:  
 35 GROSS WT: S  
 36 (IN THSDS) D  
 37 2D  
 38 2D/2D2  
 > 39 PCN:

	12/30	15/33
> 30 RUNWAY INDENT:	1,907	3,951
> 31 LENGTH:	70	100
> 32 WIDTH:	TURF-G	ASPH-G
> 33 SURF TYPE-COND:	NONE	NONE
> 34 SURF TREATMENT:		52.5
35 GROSS WT: S		67.5
36 (IN THSDS) D		140.0
37 2D		
38 2D/2D2		

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
 > 42 RWY MARK TYPE-COND:  
 > 43 VGS:  
 44 THR COSSING HGT.:  
 45 VISUAL GLIDE ANGLE:  
 > 46 CNTRLN-TDZ:  
 > 47 RVR-RVV:  
 > 48 REIL:  
 > 49 APCH LIGHTS:

		MED		
> 40 EDGE INTENSITY:	- G / - G	NPI - F / NPI - F	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	P4R / P4L	/	/
> 43 VGS:	/	32 / 54	/	/
44 THR COSSING HGT.:	/	4.00 / 4.00	/	/
45 VISUAL GLIDE ANGLE:	/		/	/
> 46 CNTRLN-TDZ:	N - N / N - N	N - N / N - N	- / -	- / -
> 47 RVR-RVV:	- N / - N	- N / - N	- / -	- / -
> 48 REIL:	N / N	Y / Y	/	/
> 49 APCH LIGHTS:	/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
 > 51 DISPLACED THR:  
 > 52 CTLG OBSTN:  
 > 53 OBSTN MARKED/LGTD:  
 > 54 HGT ABOVE RWY END:  
 > 55 DIST FROM RWY END:  
 > 56 CNTRLN OFFSET:  
 57 OBSTN CLNC SLOPE:  
 58 CLOSE-IN OBSTN:

	A(V) / A(V)	A(NP) / A(NP)		
50 FAR 77 CATEGORY	/	330 /	/	/
> 51 DISPLACED THR:	TREES / TREES	ROAD / TREES	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	70 / 81	15 / 46	/	/
> 54 HGT ABOVE RWY END:	428 / 593	200 / 401	/	/
> 55 DIST FROM RWY END:	80R / 170R	9R / 170R	/	/
> 56 CNTRLN OFFSET:	6:1 / 7:1	0:1 / 4:1	/	/
57 OBSTN CLNC SLOPE:	N / N	Y / Y	/	/
58 CLOSE-IN OBSTN:				

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
 > 61 TAKE OFF DIST AVBL (TODA):  
 > 62 ACLT STOP DIST AVBL (ASDA):  
 > 63 LNDG DIST AVBL (LDA):

	1,907 / 1,907	3,951 / 3,951		
> 60 TAKE OFF RUN AVBL (TORA):	1,907 / 1,907	3,951 / 3,951	/	/
> 61 TAKE OFF DIST AVBL (TODA):	1,907 / 1,758	3,951 / 3,634	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	1,758 / 1,758	3,621 / 3,634	/	/

### > 110 REMARKS

A 016 CELL 330-827-0820.  
 A 017 CLSD MAJOR HOLDS; FOR SVC AFT HRS CALL AMGR CELL.  
 A 042 RWY 12 YELLOW CONES.  
 A 042 RWY 30 YELLOW CONES.  
 A 043 RWY 33 PAPI UNUSBL BYD 5 DEGS LEFT OF CNTRLN.  
 A 057 APCH SLP 1:1 TO DTHR OVR +45 FT TREE, 45 FT DIST, 215 FT L.  
 A 058 +15 FT ROAD, 0-200 FT DIST, 7-115 FT R; +7 FT FENCE, 0-200 FT DIST, 15 FT L TO 90 FT R; +16 FT BLDG, 168 FT DIST, 237 FT L.  
 A 058 RWY 33 +18-25 TREES, 0-100 FT DIST, 230 FT L.  
 A 075 PRIOR CDN RQRD.  
 A 081 ACTVT REIL RWY 15 & 33; MIRL RWY 15/33 - 123.3. PAPI RWY 15 & 33 OPR CONSLY.  
 A 110-002 TWY A CLSD WHEN ACFT ON APCH OR DEP; SFC MKG CONFLICT.  
 A 110-003 FOR CD CTC CLEVELAND APCH AT 216-352-2323, WHEN APCH CLSD CTC CLEVELAND ARTCC AT 440-774-0223/0490.

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/14/2026  
AFD EFF 05/14/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/14/2026  
AFD EFF 05/14/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: OH LOC ID: PHD FAA SITE NR: 18298.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/DET 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

## FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

## OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

## DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (S)

112 LAST INSP: 09/26/2023

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/14/2026  
AFD EFF 05/14/2026