

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: PHOENIX 4 STATE: AZ LOC ID: PHX FAA SITE NR: 00754.*A
> 2 AIRPORT NAME: PHOENIX SKY HARBOR INTL 5 COUNTY: MARICOPA AZ
> 3 CBD TO AIRPORT (NM): 03 E 6 REGION/ADO: AWP/PHX 7 SECT AERO CHT: PHOENIX

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: CITY OF PHOENIX
> 12 ADDRESS: 2485 E BUCKEYE RD
PHOENIX, AZ 85034
> 13 PHONE NR: 602-273-3302
> 14 MANAGER: CHAD MAKOVSKY
> 15 ADDRESS: 2485 E BUCKEYE RD
PHOENIX, AZ 85034
> 16 PHONE NR: 602-273-3302
> 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

SERVICES

70 FUEL: 100LL A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: HIGH/LOW
74 BULK OXYGEN: HIGH/LOW
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES: AFRT, AMB, AVNCS, CARGO, CHTR, SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED : BCN LGT SKED: SS-SR
82 UNICOM:
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: YES
86 FSS: PRESCOTT
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 33-26-03.4000N ESTIMATED
20 ARPT LONG: 112-00-41.7000W
21 ARPT ELEV: 1134.8 SURVEYED
22 ACREAGE: 3,400
> 23 RIGHT TRAFFIC: 07L, 26
> 24 NON-COMM LANDING: YES
25 NPIAS/FED AGREEMENTS: NGRSY
> 26 FAR 139 INDEX: I E S 05/1973

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

| 07L/25R | 07R/25L | 08/26 |
|---------|---------|--------|
| 10,300 | 7,800 | 11,489 |
| 150 | 150 | 150 |
| CONC-G | CONC-G | CONC-G |
| GRVD | GRVD | GRVD |
| 30.0 | 30.0 | 30.0 |
| 235.0 | 200.0 | 200.0 |
| 435.0 | 400.0 | 455.0 |
| 940.0 | 1010.0 | 965.0 |

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGS:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

| HIGH | HIGH | HIGH | |
|-------------------|-------------------|-------------------|-------|
| PIR - G / PIR - G | PIR - G / PIR - G | PIR - G / PIR - G | - / - |
| P4L / P4L | P4L / P4L | P4L / P4L | / |
| 73 / 70 | 70 / 66 | 69 / 71 | / |
| 3.00 / 3.00 | 3.00 / 3.00 | 3.00 / 3.00 | / |
| N - N / N - N | - / - | N - N / N - N | - / - |
| T - N / R - N | - / - | - N / - N | - / - |
| N / N | / | N / Y | / |
| MALS R / | MALS R / MALS R | MALS F / | / |

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

| PIR / C | PIR / PIR | PIR / PIR | / |
|----------------|--------------|-------------|---|
| / | / | 898 / | / |
| POLE / ANT | POLE / ANT | BLDG / ROAD | / |
| / LM | L / LM | / | / |
| 62 / 416 | 33 / 424 | 66 / 9 | / |
| 2,958 / 17,582 | 900 / 20,059 | 3,020 / 905 | / |
| 750R / 600L | 640R / 1193L | 503L / 540R | / |
| 44:1 / 41:1 | 20:1 / 46:1 | 42:1 / 50:1 | / |
| N / N | N / N | N / N | / |

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

| | | | |
|-----------------|---------------|-----------------|---|
| 10,300 / 10,300 | 7,800 / 7,800 | 11,489 / 11,489 | / |
| 10,300 / 10,300 | 7,800 / 7,800 | 11,489 / 11,489 | / |
| 10,300 / 10,300 | 7,800 / 7,800 | 11,489 / 11,489 | / |
| 10,300 / 10,300 | 7,800 / 7,800 | 10,591 / 11,489 | / |

> 110 REMARKS

A 014 24 HR DUTY MGR 602-273-3388; AIRSIDE OPS OFC 602-273-2008; OPS SUPT 602-273-2072.
A 024 OVNGT PRKG FEE.
A 039 RWY 07L/25R PCR VALUE: 674/R/A/W/T
A 039 RWY 07R/25L PCR VALUE: 796/R/A/W/T
A 039 RWY 08/26 PCR VALUE: 846/R/A/W/T
A 105 LTD TSNT MAINT & PRK; PPR - COPPER CONTROL 30 MIN BFR ARR OR DEP - 311.0. WHEN ANG CLSD TSNT - 602-273-3770 OR 132.0.
A 110-004 FEE FOR CHARTERS, TRAVEL CLUB & REVENUE PRODUCING ACFT.
A 110-012 NOISE ABATEMENT PROC IN EFCT.
A 110-016 TWY R & PTNS OF TWY S & T BLW ATCT NOT VSB FM ATCT.
A 110-019 TWY R OVHD TRAIN BRIDGE AT MIDPT PRVDS 81 FT 9 IN CLNC. TXL Y3 OVHD TRAIN BRIDGE AT MIDPT PRVDS 44 FT 7 IN CLNC.
A 110-023 EXPERIMENTAL OR GND DMSTN NA WO PRIOR APVL - AIRSIDE OPS.
A 110-025 ANG: OFFL BUS ONLY; BASH PHASE II IN EFCT 1 MAR - 31 MAY & 1 AUG - 31 OCT; LTD RAMP SPACE AVBL - 602-273-3770.
A 110-026 PPR WINGSPAN 215 FT OR GTR GROUP VI - OPS 602-273-2008 FOR FOLLOW ME SVC WHILE TAX TO & FM RAMP & RWYS.
A 110-027 PRAC INST APCH, STOP & TAX BACK LDG, STOP & GO LDG, TGL NA. OTR FLIGHT TRNG OPS NA WO PRIOR WRITTEN APVL - AIRSIDE OPS 602-273-2008.
111 INSPECTOR: (F) 112 LAST INSP: 09/12/2024 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: AZ LOC ID: PHX FAA SITE NR: 00754.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/PHX 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

| | | | |
|-------|-------|-------|-------|
| - / - | - / - | - / - | - / - |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| - / - | - / - | - / - | - / - |
| - / - | - / - | - / - | - / - |
| / | / | / | / |
| / | / | / | / |

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

| | | | |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

| | | | |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

> 110 REMARKS

- A 110-029 ENG RUNS NA WO PRIOR COORD WITH AIRSIDE OPS.
- A 110-031 INTL GATE USE RQR CDN WITH ARPT OPS 48 HR PRIOR TO ARR.
- A 110-032 INTL LDG RIGHTS RQR US CUST & BDR PROTECTION NOTIFICATION 48 HR PRIOR TO LDG.
- A 110-033 REVIEW HOT SPOT INFO ON ARPT DIAGRAM.
- A 110-035 RWY STATUS LGTS IN OPRN.
- A 110-036 GEN INFO - 602-273-3302.
- A 110-041 TWYS A BTN A3 AND A10, A4, A5, A6, A7, A8, A9 CLSD TO ACFT WINGSPAN OF MORE THAN 125FT.
- A 110-042 TWY A BTN INT A11 & A12, A12, D BTN INT D13 TO R, D13, F BTW INT G2 & G3 CLSD TO WINGSPAN GTR THAN 135 FT.
- A 110-043 TWY C BTN TXL I & C9, BTN C9 & C10, BTN C10 & C11, BTN C11 & Q, TWY D BTN D8 & T, D9, TWY H BTN TWY H4 & H7, H5, H6, H7 CLSD TO WINGSPAN GTR THAN 171 FT.
- A 110-044 TWY D BTN S & D13, D10, D11, D12 CLSD TO WINGSPAN GTR THAN 118 FT.

111 INSPECTOR: (F)

112 LAST INSP: 09/12/2024

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: AZ LOC ID: PHX FAA SITE NR: 00754.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/PHX 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

| | | | |
|-------|-------|-------|-------|
| - / - | - / - | - / - | - / - |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| - / - | - / - | - / - | - / - |
| - / - | - / - | - / - | - / - |
| / | / | / | / |
| / | / | / | / |

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

| | | | |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

| | | | |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 09/12/2024

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026