

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/28/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: ST PETERSBURG- 4 STATE: FL LOC ID: PIE FAA SITE NR: 03475.\*A  
> 2 AIRPORT NAME: ST PETE-CLEARWATER INTL 5 COUNTY: PINELLAS FL  
> 3 CBD TO AIRPORT (NM): 08 N 6 REGION/ADO: ASO/ORL 7 SECT AERO CHT: MIAMI

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: COUNTY OF PINELLAS  
> 12 ADDRESS: ST. PETE-CLEARWATER INTERNATIONAL, 14700 CLEARWATER, FL 33762  
> 13 PHONE NR: 727-453-7800  
> 14 MANAGER: MARK SPRAGUE  
> 15 ADDRESS: ST PETE-CLEARWATER INTERNATIONAL CLEARWATER, FL 33762  
> 16 PHONE NR: 727-453-7800  
> 17 ATTENDANCE SCHEDULE:  
ALL ALL ALL

### SERVICES

70 FUEL: 100 A A1+  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN: NONE  
74 BULK OXYGEN: HIGH/LOW  
75 TSNT STORAGE: HGR, TIE  
76 OTHER SERVICES: AFRT, AMB, CHTR, INSTR, RNTL

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 27-54-31.0810N ESTIMATED  
20 ARPT LONG: 082-41-11.4360W  
21 ARPT ELEV: 10.7 SURVEYED  
22 ACREAGE: 1,900  
> 23 RIGHT TRAFFIC: NO  
> 24 NON-COMM LANDING: NO  
25 NPIAS/FED AGREEMENTS: NNGPRY3  
> 26 FAR 139 INDEX: I C S 11/1974

80 ARPT BCN: WG  
81 ARPT LGT SKED : SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM: 122.950  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: NONE  
85 CONTROL TWR: YES  
86 FSS: SAINT  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

	04/22	18/36
30 RUNWAY INDENT:	6,000	9,730
31 LENGTH:	150	150
32 WIDTH:	ASPH-F	ASPH-E
33 SURF TYPE-COND:	GRVD	GRVD
34 SURF TREATMENT:	91.0	120.0
35 GROSS WT: S	153.0	218.0
36 (IN THSDS) D	252.0	413.0
37 2D		866.0
38 2D/2D2		

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGS: 44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

	MED	HIGH		
40 EDGE INTENSITY:	NPI - G / NPI - G	PIR - F / PIR - F	- / -	- / -
42 RWY MARK TYPE-COND:	P4L / P4L	P4L / P4L	/	/
43 VGS:	57 / 45	68 / 76	/	/
44 THR COSSING HGT.:	3.00 / 3.00	3.00 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	- / -	Y - Y / Y - N	- / -	- / -
46 CNTRLN-TDZ:	- / -	TMR - N / TMR -	- / -	- / -
47 RVR-RVV:	Y / Y	N / N	/	/
48 REIL:	/	MALSR /	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

	C / B(V)	PIR / PIR		
50 FAR 77 CATEGORY:	/	/ 930	/	/
51 DISPLACED THR:	TREES / ROAD	BRUSH / TREE	/	/
52 CTLG OBSTN:	/	/	/	/
53 OBSTN MARKED/LGTD:	32 / 8	9 / 30	/	/
54 HGT ABOVE RWY END:	1,135 / 270	665 / 450	/	/
55 DIST FROM RWY END:	10L / 250L	280R / 425L	/	/
56 CNTRLN OFFSET:	29:1 / 8:1	50:1 / 8:1	/	/
57 OBSTN CLNC SLOPE:	N / N	N / Y	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

	6,000 / 6,000	9,730 / 9,730		
60 TAKE OFF RUN AVBL (TORA):	6,000 / 6,000	9,730 / 9,730	/	/
61 TAKE OFF DIST AVBL (TODA):	6,000 / 6,000	9,180 / 9,650	/	/
62 ACLT STOP DIST AVBL (ASDA):	6,000 / 6,000	9,180 / 8,720	/	/

> 110 REMARKS

A 039 RWY 04/22 PCR VALUE: 360/F/B/X/T  
A 039 RWY 18/36 PCR VALUE: 490/F/A/X/T  
A 057 RWY 22 APCH RATIO 34:1 TO THR.  
A 057 RWY 36 APCH RATIO 50:1 TO DTHR.  
A 058 RWY 36 6 FT FENCE 200 FT BFR AER 483 FT R OF CNTRLN.  
A 081 WHEN ATCT CLSD ACTVT MALSR RWY 18; TDZ RWY 18; CNTLN RWY 18/36; MIRL RWY 04/22; HIRL RWY 18/36; TWY LGTS - CTAF.  
A 110-002 NOISE SENSITIVE AREA 5 MI N EXTDG 1 MI E & W OF LOC SB TO SHORELINE.  
A 110-003 MILITARY: CONTRACT AVOIL O-128 AVBL.  
A 110-004 TBJT LNDG RWY 18 & DEP RWY 36 USE PUBLD NOISE ABATEMENT PROC.  
A 110-008 LGTS ON HWY N OF ARPT MAY BE MISTAKEN FOR RWY LGTS.  
A 110-010 BANNER TOWING NA.  
A 110-011 BIRDS ON & INVOF ARPT.  
A 110-012 FOR CD IF UNA TO CTC ON FSS FREQ, CTC TAMPA APCH AT 813-878-2528.

111 INSPECTOR: ( F )

112 LAST INSP: 01/07/2026

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/28/2026  
AFD EFF 04/16/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/28/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: FL LOC ID: PIE FAA SITE NR: 03475.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASO/ORL 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics  
<https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

## FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

## OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

## DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 110-013 PPR RQRD FOR ALL TRANS ACFT REQUESTING TO PRK ON CLEARWATER USAR MIL RAMP/APRON. MUST CTC CLEARWATER ARMY SUPPORT FAC OPS AT (910)-771-3046 OR ASF MACDILL AT (813)-828-3183/3180 UP TO 7 DAYS BFR ARR. MIN NOTICE IS 24 HOURS BFR ARR. 1000Z-0300Z M-TH OR FRI 1000Z-1830Z EXCLUDING HOLIDAYS & WEEKENDS.

111 INSPECTOR: ( F )

112 LAST INSP: 01/07/2026

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/28/2026  
AFD EFF 04/16/2026