

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/11/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: POCATELLO 4 STATE: ID LOC ID: PIH FAA SITE NR: 04288.*A
> 2 AIRPORT NAME: POCATELLO RGNL 5 COUNTY: POWER ID
> 3 CBD TO AIRPORT (NM): 07 NW 6 REGION/ADO: ANM/HLN 7 SECT AERO CHT: SALT LAKE CITY

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: CITY OF POCATELLO
> 12 ADDRESS: P.O. BOX 4169
POCATELLO, ID 83205-4169
> 13 PHONE NR: 208-234-6163
> 14 MANAGER: ALAN EVANS
> 15 ADDRESS: P. O. BOX 4169
POCATELLO, ID 83205-4169
> 16 PHONE NR: 208-234-6154
> 17 ATTENDANCE SCHEDULE:

ALL ALL 0600-2200

SERVICES

70 FUEL: 100LL A1 A1+
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: HIGH/LOW
74 BULK OXYGEN:
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES:
AFRT, CARGO, CHTR, INSTR, RNTL

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 42-54-35.2530N ESTIMATED
20 ARPT LONG: 112-35-45.3080W
21 ARPT ELEV: 4451.9 SURVEYED
22 ACREAGE: 3,374
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGPY
> 26 FAR 139 INDEX: I A S 04/1973

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: YES
86 FSS: BOISE
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

| | 03/21 | 17/35 |
|----------------------|--------|--------|
| > 30 RUNWAY INDENT: | 9,059 | 7,150 |
| > 31 LENGTH: | 150 | 100 |
| > 32 WIDTH: | ASPH-G | ASPH-G |
| > 33 SURF TYPE-COND: | PFC | GRVD |
| > 34 SURF TREATMENT: | 120.0 | 120.0 |
| 35 GROSS WT: S | 245.0 | 245.0 |
| 36 (IN THSDS) D | 428.0 | 428.0 |
| 37 2D | 965.0 | 965.0 |
| 38 2D/2D2 | | |
| > 39 PCN: | | |

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

| | HIGH | MED | | |
|--------------------------|-------------------|-------------------|-------|-------|
| > 40 EDGE INTENSITY: | NPI - G / PIR - G | BSC - F / BSC - F | - / - | - / - |
| > 42 RWY MARK TYPE-COND: | P4L / P4L | P4L / P4L | / | / |
| > 43 VGSI: | 53 / 52 | 45 / 45 | / | / |
| 44 THR COSSING HGT.: | 3.00 / 3.00 | 3.00 / 3.00 | / | / |
| 45 VISUAL GLIDE ANGLE: | - / - | - / - | - / - | - / - |
| > 46 CNTRLN-TDZ: | - / T - Y | - / - | - / - | - / - |
| > 47 RVR-RVV: | Y / | Y / | / | / |
| > 48 REIL: | / MALSR | / | / | / |
| > 49 APCH LIGHTS: | | | | |

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

| | C / PIR | B(V) / B(V) | | |
|-------------------------|-------------|-------------|---|---|
| 50 FAR 77 CATEGORY | / | / | / | / |
| > 51 DISPLACED THR: | / | / POLE | / | / |
| > 52 CTLG OBSTN: | / | / | / | / |
| > 53 OBSTN MARKED/LGTD: | / | / 42 | / | / |
| > 54 HGT ABOVE RWY END: | / | / 2,030 | / | / |
| > 55 DIST FROM RWY END: | / | / 50R | / | / |
| > 56 CNTRLN OFFSET: | 50:1 / 50:1 | 50:1 / 43:1 | / | / |
| 57 OBSTN CLNC SLOPE: | N / N | N / N | / | / |
| 58 CLOSE-IN OBSTN: | | | | |

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

| | | | | |
|----------------------------------|---------------|---------------|---|---|
| > 60 TAKE OFF RUN AVBL (TORA): | 9,059 / 9,059 | 7,150 / 7,150 | / | / |
| > 61 TAKE OFF DIST AVBL (TODA): | 9,059 / 9,059 | 7,150 / 7,150 | / | / |
| > 62 ACLT STOP DIST AVBL (ASDA): | 9,059 / 9,059 | 7,150 / 7,150 | / | / |
| > 63 LNDG DIST AVBL (LDA): | 9,059 / 9,059 | 7,150 / 7,150 | / | / |

> 110 REMARKS

A 017 FOR SERVICE OTHER TIMES CALL 1-800-350-0737
A 026 72 HRS PPR FOR UNSKED ACR OPNS WITH MORE THAN 30 PAX SEATS CALL ADMIN 208-234-6154 OR OPS 208-241-7949.
A 039 RWY 03/21 PCR VALUE: 615/F/B/X/T
A 039 RWY 17/35 PCR VALUE: 615/F/B/X/T
A 070 FBO MONITORS 122.95 & 123.0.
A 081 AFT ATCT CLSD ACTVT MALSR RWY 21; REIL RWY 17 & 03; PAPI RWY 21, 17 & 35; MIRL RWY 17/35; HIRL RWY 03/21 - CTAF. PAPI RWY 03 OPR CONSPLY.
A 110-001 FLOCKS OF WATERFOWL IN VCNTY ARPT.
A 110-003 RADIO CONTROLLED ACFT 1 MI E OF ARPT BLO 400 FT AGL.
A 110-004 TWY 'G' HAS NO EDGE LIGHTS OR REFLECTORS, RESTRICTED TO DAY USE ONLY.
A 110-005 AFLD COND UNMON 2330-0600 DLY EXC ACR OPNS AND 24-HR PPR 208-234-6154 OR 208-241-7949. ADNL FEES APPLY.
A 110-006 FOR CD IF UNA TO CTC ON FSS FREQ, CTC SALT LAKE ARTCC AT 801-320-2568.

111 INSPECTOR: (F)

112 LAST INSP: 04/21/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/11/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/11/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: ID LOC ID: PIH FAA SITE NR: 04288.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ANM/HLN 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

| | | | |
|-------|-------|-------|-------|
| - / - | - / - | - / - | - / - |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| - / - | - / - | - / - | - / - |
| - / - | - / - | - / - | - / - |
| / | / | / | / |
| / | / | / | / |

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

| | | | |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

| | | | |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 04/21/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/11/2026
AFD EFF 06/11/2026