

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: PORT ISABEL 4 STATE: TX LOC ID: PIL FAA SITE NR: 24537.*A
 > 2 AIRPORT NAME: CAMERON COUNTY 5 COUNTY: CAMERON TX
 3 CBD TO AIRPORT (NM): 10 NW 6 REGION/ADO: ASW/TEX 7 SECT AERO CHT: BROWNSVILLE

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: CAMERON COUNTY
 > 12 ADDRESS: COUNTY COURTHOUSE, 1100 E. MONROE
 BROWNSVILLE, TX 78520
 > 13 PHONE NR: 956-544-0830
 > 14 MANAGER: JOE VEGA
 > 15 ADDRESS: 33174 STATE PARK RD 100 SOUTH
 SOUTH PADRE ISLAND, TX 78597
 > 16 PHONE NR: 956-761-3700
 > 17 ATTENDANCE SCHEDULE:

ALL ALL 0800-1700

SERVICES

70 FUEL: 100LL A
 71 AIRFRAME RPRS: MINOR
 72 PWR PLANT RPRS: MINOR
 73 BOTTLE OXYGEN:
 74 BULK OXYGEN: LOW
 75 TSNT STORAGE: HGR, TIE
 76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

80 ARPT BCN: WG
 81 ARPT LGT SKED : SS-SR
 BCN LGT SKED: SS-SR
 82 UNICOM: 122.800
 83 WIND INDICATOR: YES
 84 SEGMENTED CIRCLE: YES
 85 CONTROL TWR: NO
 86 FSS: SAN ANGELO
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

| | 03/21 | 08/26 | 13/31 | 17/35 |
|----------------------|-------------|--------|-------------|-------------|
| > 30 RUNWAY INDENT: | 5,000 | 5,317 | 8,001 | 4,200 |
| > 31 LENGTH: | 150 | 150 | 200 | 75 |
| > 32 WIDTH: | ASPH-CONC-P | CONC-P | ASPH-CONC-G | ASPH-CONC-G |
| > 33 SURF TYPE-COND: | NONE | NONE | NONE | NONE |
| > 34 SURF TREATMENT: | 30.0 | 50.0 | 105.0 | 30.0 |
| 35 GROSS WT: S | 45.0 | 60.0 | 135.0 | 45.0 |
| 36 (IN THSDS) D | 90.0 | 110.0 | 230.0 | 90.0 |
| 37 2D | | | | |
| 38 2D/2D2 | | | | |

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGSJ:
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

| | NRS - P / NRS - P | NRS - F / NRS - F | MED NPI - G / NPI - G | BSC - G / BSC - G |
|--------------------------|-------------------|-------------------|--------------------------|-------------------|
| > 40 EDGE INTENSITY: | / | / | P2L / P2L | / |
| > 42 RWY MARK TYPE-COND: | / | / | 27 / 41 | / |
| > 43 VGSJ: | / | / | 2.00 / 3.00 | / |
| 44 THR COSSING HGT.: | - / - | - / - | - / - | - / - |
| 45 VISUAL GLIDE ANGLE: | - / - | - / - | - / - | - / - |
| > 46 CNTRLN-TDZ: | / | / | Y / Y | / |
| > 47 RVR-RVV: | / | / | / | / |
| > 48 REIL: | / | / | / | / |
| > 49 APCH LIGHTS: | / | / | / | / |

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

| | B(V) / B(V) | B(V) / B(V) | C / B(V) | B(V) / B(V) |
|-------------------------|--------------|---------------|-------------|-------------|
| 50 FAR 77 CATEGORY | / | / | / | / |
| > 51 DISPLACED THR: | BRUSH / TREE | FENCE / TREES | / | / TOWER |
| > 52 CTLG OBSTN: | / | / | / | / |
| > 53 OBSTN MARKED/LGTD: | 12 / 12 | 8 / 20 | / | / 273 |
| > 54 HGT ABOVE RWY END: | 630 / 480 | 330 / 254 | / | / 4,000 |
| > 55 DIST FROM RWY END: | 0B / 240L | 261L / 250R | / | / 605L |
| > 56 CNTRLN OFFSET: | 35:1 / 23:1 | 16:1 / 2:1 | 50:1 / 50:1 | 50:1 / 13:1 |
| 57 OBSTN CLNC SLOPE: | N / N | N / N | N / N | N / N |
| 58 CLOSE-IN OBSTN: | | | | |

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

| | | | | |
|----------------------------------|---|---|---|---|
| > 60 TAKE OFF RUN AVBL (TORA): | / | / | / | / |
| > 61 TAKE OFF DIST AVBL (TODA): | / | / | / | / |
| > 62 ACLT STOP DIST AVBL (ASDA): | / | / | / | / |
| > 63 LNDG DIST AVBL (LDA): | / | / | / | / |

> 110 REMARKS

A 016 JEVEGA@CO.CAMERON.TX.US
 A 033 RWY 03/21 RWY PAVEMENT HAS HEAVY GRASS ENCROACHMENT.
 A 033 RWY 08/26 ROUGH PAVEMENT. RWY HAS HEAVY GRASS ENCROACHMENT.
 A 042 RWY 03 MARKINGS FADED
 A 042 RWY 08 MARKINGS FADED.
 A 042 RWY 21 MARKINGS FADED.
 A 042 RWY 26 MARKINGS FADED.
 A 048 RWY 13 REIL OTS.
 A 048 RWY 31 REIL OTS.
 A 070 L 100 LL & JET A AVBL SELF SERVE & FULL SERV.
 A 110-003 NO POSITION HOLDING MARKINGS ON NUMEROUS TWYS APPROACHING RY INTERSECTIONS.
 A 110-004 LOOSE GRAVEL/PAVEMENT AT INTERSECTION OF RY 13 & NORTHEAST TWY CONNECTING RYS 13 & 21.
 A 110-005 FOR CD CTC CORPUS CHRISTI APCH AT 361-299-4230.

111 INSPECTOR: (C)

112 LAST INSP: 04/21/2023

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: TX LOC ID: PIL FAA SITE NR: 24537.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASW/TEX 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

| | | | | |
|--------------------------|-------|-------|-------|-------|
| > 40 EDGE INTENSITY: | - / - | - / - | - / - | - / - |
| > 42 RWY MARK TYPE-COND: | / | / | / | / |
| > 43 VGSI: | / | / | / | / |
| 44 THR COSSING HGT.: | / | / | / | / |
| 45 VISUAL GLIDE ANGLE: | / | / | / | / |
| > 46 CNTRLN-TDZ: | - / - | - / - | - / - | - / - |
| > 47 RVR-RVV: | - / - | - / - | - / - | - / - |
| > 48 REIL: | / | / | / | / |
| > 49 APCH LIGHTS: | / | / | / | / |

OBSTRUCTION DATA

| | | | | |
|-------------------------|---|---|---|---|
| 50 FAR 77 CATEGORY | / | / | / | / |
| > 51 DISPLACED THR: | / | / | / | / |
| > 52 CTLG OBSTN: | / | / | / | / |
| > 53 OBSTN MARKED/LGTD: | / | / | / | / |
| > 54 HGT ABOVE RWY END: | / | / | / | / |
| > 55 DIST FROM RWY END: | / | / | / | / |
| > 56 CNTRLN OFFSET: | / | / | / | / |
| 57 OBSTN CLNC SLOPE: | / | / | / | / |
| 58 CLOSE-IN OBSTN: | / | / | / | / |

DECLARED DISTANCES

| | | | | |
|----------------------------------|---|---|---|---|
| > 60 TAKE OFF RUN AVBL (TORA): | / | / | / | / |
| > 61 TAKE OFF DIST AVBL (TODA): | / | / | / | / |
| > 62 ACLT STOP DIST AVBL (ASDA): | / | / | / | / |
| > 63 LNDG DIST AVBL (LDA): | / | / | / | / |

> 110 REMARKS

111 INSPECTOR: (C)

112 LAST INSP: 04/21/2023

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026