

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/5/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: PIERRE 4 STATE: SD LOC ID: PIR FAA SITE NR: 22762.*A
> 2 AIRPORT NAME: PIERRE RGNL 5 COUNTY: HUGHES SD
> 3 CBD TO AIRPORT (NM): 03 E 6 REGION/ADO: AGL/DMA 7 SECT AERO CHT: OMAHA

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: CITY OF PIERRE
> 12 ADDRESS: 3800 AIRPORT ROAD, SUITE 209
PIERRE, SD 57501
> 13 PHONE NR: 605-773-7447
> 14 MANAGER: CASEY PAMPERIEN
> 15 ADDRESS: 3800 AIRPORT ROAD, SUITE 209
PIERRE, SD 57501
> 16 PHONE NR: 605-773-7447
> 17 ATTENDANCE SCHEDULE:

ALL MON-FRI 0500-2400
ALL SAT-SUN 0500-2200

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 44-22-57.6730N ESTIMATED
20 ARPT LONG: 100-17-09.5110W
21 ARPT ELEV: 1744.3 SURVEYED
22 ACREAGE: 1,834
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGPY
> 26 FAR 139 INDEX: I B S 05/1973

SERVICES

70 FUEL: 100LL A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: HIGH/LOW
74 BULK OXYGEN: HIGH/LOW
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES:
AFRT, AGRI, AMB, CHTR, INSTR, RNTL,
SALES

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED: SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: NO
86 FSS: HURON
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	07/25	13/31
> 30 RUNWAY INDENT:	6,880	6,900
> 31 LENGTH:	100	100
> 32 WIDTH:	ASPH-G	ASPH-G
> 33 SURF TYPE-COND:	GRVD	GRVD
> 34 SURF TREATMENT:	91.0	91.0
35 GROSS WT: S	114.0	108.0
36 (IN THSDS) D	180.0	168.0
37 2D		
38 2D/2D2		
> 39 PCN:		

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGS: I
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

	HIGH	HIGH		
> 40 EDGE INTENSITY:	NPI - G / NPI - G	PIR - G / PIR - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	P4L / P4L	P4L / P4L	/	/
> 43 VGS: I	51 / 57	52 / 55	/	/
44 THR COSSING HGT.:	3.00 / 3.00	3.00 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	N - N / N - N	N - N / N - N	- / -	- / -
> 46 CNTRLN-TDZ:	- N / - N	- N / - N	- / -	- / -
> 47 RVR-RVV:	Y / Y	Y / N	/	/
> 48 REIL:	/	/ MALSR	/	/
> 49 APCH LIGHTS:				

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

	C / C	D / PIR		
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	TANK /	/	/	/
> 52 CTLG OBSTN:	L /	/	/	/
> 53 OBSTN MARKED/LGTD:	79 /	/	/	/
> 54 HGT ABOVE RWY END:	3,158 /	/	/	/
> 55 DIST FROM RWY END:	548L /	/	/	/
> 56 CNTRLN OFFSET:	37:1 / 50:1	50:1 / 50:1	/	/
57 OBSTN CLNC SLOPE:	N / N	N / N	/	/
58 CLOSE-IN OBSTN:				

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

	6,880 / 6,880	6,900 / 6,900		
> 60 TAKE OFF RUN AVBL (TORA):	6,880 / 6,880	6,900 / 6,900	/	/
> 61 TAKE OFF DIST AVBL (TODA):	6,880 / 6,880	6,900 / 6,900	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	6,880 / 6,880	6,900 / 6,900	/	/
> 63 LNDG DIST AVBL (LDA):	6,880 / 6,880	6,900 / 6,900	/	/

> 110 REMARKS

A 024 NO
A 026 48 HOUR PPR FOR UNSKED ACR OPNS INVOLVING ACFT DESIGNED FOR 31 OR MORE PAX SEATS CALL 605-773-7447 OR 605-773-7405.
A 039 RWY 07/25 PCR VALUE: 515/F/D/X/T
A 039 RWY 13/31 PCR VALUE: 421/F/D/W/T
A 081 ACTVT MALSR RWY 31; REIL RWY 07, 13, 25; PAPI RWY 07, 25, 13 & 31; HIRL RWY 07/25 & 13/31 -CTAF.
A 110-001 ARPT COND UNMON AT NGT FM LAST ACR ARR/DEP TILL 0500 LCL.
A 110-002 CLASS I, ARFF INDEX B. ARFF COVERAGE PRVDD DURG SKED ACR OPS; 24 HRS PPR FOR UNSKED ACR OPS WITH MORE THAN 30 PSGR SEATS CALL ARPT OPS 605-773-7476/7405.
A 110-003 TWY C IS 50 FT WIDE & RESTRD TO ACFT 75000 POUNDS OR LESS.
A 110-004 NO LINE OF SIGHT BTN RWY ENDS OF RWY 07 & 25.
A 110-005 BIRDS ON & INVOF ARPT AND WI 25 NM RADIUS.
A 110-006 NOTE: SEE SPECIAL NOTICES SECTION & AEROBATIC PRACTICE AREAS.
A 110-007 FOR CD IF UNA TO CTC ON FREQ, CTC MINNEAPOLIS ARTCC AT 651-463-5588.
A 110-008 ATND DLY 1200-0400Z; FOR ATTENDANT OTR TIMES CALL 605-224-9000.

111 INSPECTOR: (F)

112 LAST INSP: 10/23/2024

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/5/2026
AFD EFF 05/14/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/5/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: SD LOC ID: PIR FAA SITE NR: 22762.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/DMA 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 10/23/2024

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/5/2026
AFD EFF 05/14/2026