

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/12/2026  
AFD EFF 05/14/2026

> 1 ASSOC CITY: PARKERSBURG 4 STATE: WV LOC ID: PKB FAA SITE NR: 26820.\*A  
> 2 AIRPORT NAME: MID-OHIO VALLEY RGNL 5 COUNTY: WOOD WV  
> 3 CBD TO AIRPORT (NM): 06 NE 6 REGION/ADO: AEA/BKW 7 SECT AERO CHT: CINCINNATI

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: WOOD CO. ARPT AUTH  
> 12 ADDRESS: P.O. BOX 4089  
PARKERSBURG, WV 26104-4089  
> 13 PHONE NR: 304-464-5113  
> 14 MANAGER: BENJAMIN AUVILLE  
> 15 ADDRESS: ROUTE 31 & AIRPORT ROAD, BOX 4089  
WILLIAMSTOWN, WV 26187  
> 16 PHONE NR: 304-464-5113  
> 17 ATTENDANCE SCHEDULE:  
ALL ALL 0530-2230

### SERVICES

70 FUEL: 100LL A  
71 AIRFRAME RPRS: MINOR  
72 PWR PLANT RPRS: MINOR  
73 BOTTLE OXYGEN: NONE  
74 BULK OXYGEN: NONE  
75 TSNT STORAGE: HGR, TIE  
76 OTHER SERVICES:  
CHTR, INSTR, RNTL, SALES

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 39-20-41.8630N ESTIMATED  
20 ARPT LONG: 081-26-21.4550W  
21 ARPT ELEV: 858.5 SURVEYED  
22 ACREAGE: 1,103  
> 23 RIGHT TRAFFIC: NO  
> 24 NON-COMM LANDING: YES  
25 NPIAS/FED AGREEMENTS: NGY  
> 26 FAR 139 INDEX: I A S 11/1980

80 ARPT BCN: WG  
81 ARPT LGT SKED : SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM: 122.950  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: NONE  
85 CONTROL TWR: YES  
86 FSS: ELKINS  
87 FSS ON ARPT: NO  
88 FSS PHONE NR: 703-724-4288  
89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

	03/21	10/28
> 30 RUNWAY INDENT:	7,240	4,002
> 31 LENGTH:	150	150
> 32 WIDTH:	ASPH-G	ASPH-F
> 33 SURF TYPE-COND:	GRVD	GRVD
> 34 SURF TREATMENT:	85.0	50.0
35 GROSS WT: S	100.0	75.0
36 (IN THSDS) D	175.0	135.0
37 2D		
38 2D/2D2		

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGS: 44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

	HIGH	HIGH		
> 40 EDGE INTENSITY:	PIR - G / PIR - G	NPI - F / NPI - F	- / -	- / -
> 42 RWY MARK TYPE-COND:	P4L / P4R	P2L / P2L	/	/
> 43 VGS:	49 / 56	46 / 43	/	/
44 THR COSSING HGT.:	3.00 / 3.00	3.00 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	TR - / TR -	- / -	- / -	- / -
> 47 RVR-RVV:	/ Y	Y / Y	/	/
> 48 REIL:	MALSR /	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

	PIR / C	C / C		
50 FAR 77 CATEGORY	/ 460	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	50:1 / 34:1	34:1 / 34:1	/	/
57 OBSTN CLNC SLOPE:	N / N	N / N	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

> 60 TAKE OFF RUN AVBL (TORA):	7,240 / 7,240	4,002 / 4,002	/	/
> 61 TAKE OFF DIST AVBL (TODA):	7,240 / 7,240	4,002 / 4,002	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	6,780 / 7,240	4,002 / 4,002	/	/
> 63 LNDG DIST AVBL (LDA):	6,780 / 6,780	4,002 / 4,002	/	/

### > 110 REMARKS

A 012 FEDEX DELIVERY: 543 AIRPORT RD, WILLIAMSTOWN, WV 26187  
A 026 PPR 30 MIN FOR UNSCHEDULED ACR OPNS WITH MORE THAN 30 PSGR SEATS; CALL AMGR (304) 464-5115.  
A 039 RWY 03/21 PCR VALUE: 390/F/D/X/T  
A 039 RWY 10/28 PCR VALUE: 380/R/D/W/T  
A 043 RWY 21 UNUSBL BYD 5 DEGS LEFT AND 9 DEGS RIGHT OF CNTRLN.  
A 043 RWY 28 UNUSBL BYD 8 DEGS LEFT AND 8 DEGS RIGHT OF CNTRLN.  
A 081 WHEN ATCT CLSD ACTVT MALSR RWY 03; REIL RWY 10 & 21; HIRL RWY 03/21 & 10/28 - CTAF. PAPI RWY 03 & 21 OPR CONSLY. REIL RWY 28 UNAVBL WHEN ATCT CLSD.  
A 110-001 BIRDS & DEER ON & INVOF ARPT.  
A 110-003 NO LANDING FEE FOR ACFT LESS THAN 6500 LBS; FOR ACFT GREATER THAN 6500, LNDG FEE WAIVED WITH FUEL PURCHASES.  
A 110-004 ARNG OPS DSN 661-3400 C304-464-4530.  
A 110-005 WHEN ATCT CLSD, FOR CD CTC INDIANAPOLIS ARTCC AT 317-247-2411.

111 INSPECTOR: ( F )

112 LAST INSP: 09/23/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/12/2026  
AFD EFF 05/14/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/12/2026  
AFD EFF 05/14/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: WV LOC ID: PKB FAA SITE NR: 26820.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AEA/BKW 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

## FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

## OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

## DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: ( F )

112 LAST INSP: 09/23/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/12/2026  
AFD EFF 05/14/2026