

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 7/1/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: POMPANO BEACH 4 STATE: FL LOC ID: PMP FAA SITE NR: 03451.*A
> 2 AIRPORT NAME: POMPANO BEACH AIRPARK 5 COUNTY: BROWARD FL
> 3 CBD TO AIRPORT (NM): 01 NE 6 REGION/ADO: ASO/ORL 7 SECT AERO CHT: MIAMI

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: CITY OF POMPANO BEACH
> 12 ADDRESS: 100 WEST ATLANTIC BOULEVARD, CITY HALL
POMPANO BEACH, FL 33061
> 13 PHONE NR: 954-786-4601
> 14 MANAGER: STEVEN ROCCO
> 15 ADDRESS: POMPANO BEACH AIRPARK, 1001 NORTHEAST
POMPANO BEACH, FL 33060
> 16 PHONE NR: 954-786-4135
> 17 ATTENDANCE SCHEDULE:

ALL ALL 0700-1900

SERVICES

70 FUEL: 100LL A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: HIGH/LOW
74 BULK OXYGEN: HIGH/LOW
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES: AMB, AVNCS, CHTR, INSTR, RNTL, SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: YES
86 FSS: MIAMI
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 26-14-50.4960N ESTIMATED
20 ARPT LONG: 080-06-40.0590W
21 ARPT ELEV: 19.3 SURVEYED
22 ACREAGE: 650
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NPRVY
> 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	06/24	10/28	15/33
> 30 RUNWAY INDENT:	4,001	3,687	4,918
> 31 LENGTH:	150	100	150
> 32 WIDTH:	ASPH-F	ASPH-F	ASPH-G
> 33 SURF TYPE-COND:	NONE	NONE	NONE
> 34 SURF TREATMENT:	20.0	26.0	30.0
35 GROSS WT: S			
36 (IN THSDS) D			
37 2D			
38 2D/2D2			
> 39 PCN:	6 /F/B/Y/T	8 /F/B/Y/T	21 /F/B/X/T

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGS: 44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

	MED	MED	MED
> 40 EDGE INTENSITY:	BSC - G / BSC - G	BSC - G / BSC - G	NPI - F / NPI - F
> 42 RWY MARK TYPE-COND:	P2L / P2L	P2L / P2L	P4L / P4L
> 43 VGS:	45 / 49	42 / 53	39 / 53
44 THR COSSING HGT.:	3.75 / 3.50	3.75 / 3.90	3.00 / 3.00
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -
> 48 REIL:	Y / Y	Y / Y	/ Y
> 49 APCH LIGHTS:	/	/	MALS /

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

	A(NP) / A(NP)	A(V) / A(V)	C / C
50 FAR 77 CATEGORY	/	/ 185	501 / 340
> 51 DISPLACED THR:	TREES / TREES	TREE / TREES	PLINE / TREES
> 52 CTLG OBSTN:	/	/	/
> 53 OBSTN MARKED/LGTD:	40 / 59	37 / 25	48 / 42
> 54 HGT ABOVE RWY END:	845 / 1,395	925 / 410	1,815 / 1,260
> 55 DIST FROM RWY END:	225L / 150L	90R / 105R	275L / 300L
> 56 CNTRLN OFFSET:	16:1 / 20:1	19:1 / 8:1	33:1 / 25:1
57 OBSTN CLNC SLOPE:	N / N	N / N	N / N
58 CLOSE-IN OBSTN:			

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/

REMARKS

A 035 RWY 06/24 LTD TO GWT 12500 LBS OR LESS.
A 035 RWY 10/28 LTD TO GWT 12500 LBS OR LESS.
A 035 RWY 15/33 LTD TO GWT 30000 LBS OR LESS.
A 057 RWY 10 RWY 28 APRCH SLOPE 24:1 TO DISP T-HOLD.
A 057 RWY 15 APCH SLOPE 48:1 TO DSPLCD THR.
A 057 RWY 33 APCH SLP 37:1 TO DTHR.
A 081 REIL RWY 06 & 24, 33; PAPI RWY 10 & 28 OPR DUSK TO DAWN. WHEN ATCT CLSD ACTVT MALS RWY 15 - CTAF. MIRL RWY 15/33 & RWY MOST ALIGNED TO WIND PRESET MED INTST ONLY.
A 093 BELL HEL SVC CTR ON ARPT.
A 110-001 NMRS BIRDS ON & INVOF ARPT.
A 110-005 ALL RWYS NOISE SENSITIVE ALL QUADRANTS; CTC AMGR FOR HEL & FIXED WING OPS. TGL OPNS PMTD MON-FRI 0900-1800 AND LTD AS POSS ON WKENDS AND LEGAL HOLS. STOP AND GO OPNS AND INTERSECTION TKOFS STGLY DISCOURAGED AT ALL TIMES.
A 110-006 FOR CD WHEN ATCT CLSD CTC MIAMI APCH AT 305-869-5432.
A 110-008 ACFT WITH GWT MORE THAN 30000 LBS PPR ON RWY 15/33. ACFT EXCEEDING 12500 PROHIBITED ON RWY 10/28.

111 INSPECTOR: (S) 112 LAST INSP: 05/05/2026 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 7/1/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 7/1/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: FL LOC ID: PMP FAA SITE NR: 03451.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASO/ORL 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (S)

112 LAST INSP: 05/05/2026

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 7/1/2026
AFD EFF 06/11/2026