

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/15/2025  
AFD EFF 06/12/2025

> 1 ASSOC CITY: RIVERSIDE 4 STATE: CA LOC ID: RAL FAA SITE NR: 02112.\*A  
> 2 AIRPORT NAME: RIVERSIDE MUNI 5 COUNTY: RIVERSIDE CA  
> 3 CBD TO AIRPORT (NM): 04 SW 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT: LOS ANGELES

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: CITY OF RIVERSIDE  
> 12 ADDRESS: 6951 FLIGHT ROAD  
RIVERSIDE, CA 92504  
> 13 PHONE NR: 951-351-6113  
> 14 MANAGER: DR. DANIEL PRATHER  
> 15 ADDRESS: 6951 FLIGHT ROAD  
RIVERSIDE, CA 92504  
> 16 PHONE NR: 951-351-6113  
> 17 ATTENDANCE SCHEDULE:

ALL M-F 0700-1700  
ALL S-S 0600-1600

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 33-57-06.8000N ESTIMATED  
20 ARPT LONG: 117-26-42.4000W  
21 ARPT ELEV: 818.9 SURVEYED  
22 ACREAGE: 525  
> 23 RIGHT TRAFFIC: 16  
> 24 NON-COMM LANDING: NO  
25 NPIAS/FED AGREEMENTS: NGY  
> 26 FAR 139 INDEX:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGS: 41 / 40  
44 THR COSSING HGT.: 3.00 / 3.00  
45 VISUAL GLIDE ANGLE: N - N / N - N  
> 46 CNTRLN-TDZ: - N / - N  
> 47 RVR-RVV: N / N  
> 48 REIL: /  
> 49 APCH LIGHTS:

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE: 50:1 / 25:1  
58 CLOSE-IN OBSTN: N / Y

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

> 110 REMARKS

### SERVICES

70 FUEL: 100LL A  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN: HIGH/LOW  
74 BULK OXYGEN: HIGH/LOW  
75 TSNT STORAGE: TIE  
76 OTHER SERVICES: CHTR, INSTR, RNTL, SALES, SURV

### FACILITIES

80 ARPT BCN: WG  
81 ARPT LGT SKED: SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM: 122.950  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: YES  
85 CONTROL TWR: YES  
86 FSS: RIVERSIDE  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

	09/27	16/34	H1
> 30 RUNWAY INDENT:	5,401	2,850	60
> 31 LENGTH:	100	50	60
> 32 WIDTH:	ASPH-G	ASPH-F	ASPH-G
> 33 SURF TYPE-COND:	NONE	NONE	NONE
35 GROSS WT: S	48.0	40.0	
36 (IN THSDS) D	70.0	50.0	
37 2D	110.0	80.0	
38 2D/2D2			
> 39 PCN:			
> 40 EDGE INTENSITY:	MED	MED	PERI
> 42 RWY MARK TYPE-COND:	PIR - G / NPI - G	BSC - G / BSC - G	- / -
> 43 VGS:	P4L / P4L	/ P2L	/
44 THR COSSING HGT.:	41 / 40	/ 36	/
45 VISUAL GLIDE ANGLE:	3.00 / 3.00	/ 3.00	/
> 46 CNTRLN-TDZ:	N - N / N - N	N - N / N - N	- / -
> 47 RVR-RVV:	- N / - N	- N / - N	- / -
> 48 REIL:	N / N	N / N	/
> 49 APCH LIGHTS:	/	/	/
50 FAR 77 CATEGORY	PIR / C	A(V) / A(V)	/
> 51 DISPLACED THR:	/	/	/
> 52 CTLG OBSTN:	/ GND	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/
> 54 HGT ABOVE RWY END:	/ 37	/	/
> 55 DIST FROM RWY END:	/ 1,155	/	/
> 56 CNTRLN OFFSET:	/ 520R	/	/
57 OBSTN CLNC SLOPE:	50:1 / 25:1	20:1 / 20:1	/
58 CLOSE-IN OBSTN:	N / Y	N / N	N / N
> 60 TAKE OFF RUN AVBL (TORA):	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/

A 014 DPRATHER@RIVERSIDCA.GOV  
A 035 RWY 16/34 LTD BY ARPT OPERATOR TO 12500 LBS SINGLE WHEEL GEAR.  
A 058 RWY 27 SUPPLEMENTAL WIND CONE 0 FT FM THR 350 FT S OF RY CNTRLN.  
A 070 FOR FUEL AFTER HRS CALL (951) 321-0091.  
A 081 ACTVT MIRL RWYS 09/27 & 16/34; TWY LGTS; HELI PERI LGTS - CTA. PAPI RWYS 09, 27 & 34 OPR CONSLY.  
A 110 THIS AIRPORT HAS BEEN SURVEYED BY THE NATIONAL GEODETIC SURVEY.  
A 110-001 ACFT DEP RYS 09 & 27 NOT VSBL TO ACFT AT OTHER END OF RY.  
A 110-005 RWY 27: -20 FT DITCH 50 FT FM RWY 27 THLD.  
A 110-009 POWER PLANT 3,000 FT NORTH OF RY 16 THLD PRODUCING THERMAL PLUME, AVOIDANCE ADZD,  
A 110-010 NUMEROUS POWER LINES 1,780 - 2,887 FEET NORTH OF RY 16 THLD AT OR BLO 80 FEET AGL.  
A 110-011 S 1,400 FT OF RWY 34 & TWY J AND S 500 FT OF TWY B NOT VSB FM TWR.  
A 110-012 TWY E STEEP SLOPE  
A 110-013 TWY L NOT VSB FM TWR.  
A 110-014 FOR CD WHEN ATCT CLSD CTC SOCAL APCH AT 800-448-3724.  
A 110-015 TURBINE ENG ACFT: PREFERRED ROLLING TKOF FOR NOISE MGMT.

111 INSPECTOR: (S)

112 LAST INSP: 05/07/2024

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/15/2025  
AFD EFF 06/12/2025

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/15/2025  
AFD EFF 06/12/2025

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: CA LOC ID: RAL FAA SITE NR: 02112.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-016 RWY 27 DEP: FOR NOISE MGMT, AFTER DEP TURN RIGHT 10 DEGS; ASSUME CRS AFTER RCHG 1500 MSL.  
A 110-017 NO HIGH PWR ENG MAINT RUNS BTN 2200-0700 LCL.  
A 110-018 FOR NOISE MGMT: NO TURNS BFR ARPT BDRY AND 1500 MSL.

111 INSPECTOR: (S)

112 LAST INSP: 05/07/2024

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/15/2025  
AFD EFF 06/12/2025