

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/12/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: REDDING 4 STATE: CA LOC ID: RDD FAA SITE NR: 02089.\*A  
> 2 AIRPORT NAME: REDDING RGNL 5 COUNTY: SHASTA CA  
> 3 CBD TO AIRPORT (NM): 06 SE 6 REGION/ADO: AWP/SFO 7 SECT AERO CHT: KLAMATH FALLS

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: CITY OF REDDING  
> 12 ADDRESS: AIRPORTS DIVISION, 6751 WOODRUM CIRCLE, REDDING, CA 96002-6071  
> 13 PHONE NR: 530-224-4321  
> 14 MANAGER: ANDREW SOLSVIG  
> 15 ADDRESS: 6751 WOODRUM CIRCLE, SUITE 200 REDDING, CA 96002  
> 16 PHONE NR: 530-224-4321  
> 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

### SERVICES

70 FUEL: 100LL A  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN: HIGH/LOW  
74 BULK OXYGEN: HIGH/LOW  
75 TSNT STORAGE: TIE  
76 OTHER SERVICES: AMB, AVNCS, CARGO, CHTR, INSTR, RNTL, SALES

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 40-30-32.3470N ESTIMATED  
20 ARPT LONG: 122-17-36.1870W  
21 ARPT ELEV: 505.0 SURVEYED  
22 ACREAGE: 1,584  
> 23 RIGHT TRAFFIC: NO  
> 24 NON-COMM LANDING: NO  
25 NPIAS/FED AGREEMENTS: NGPRVY  
> 26 FAR 139 INDEX: I B S 05/1973

### FACILITIES

80 ARPT BCN: WG  
81 ARPT LGT SKED: SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM: 122.950  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: YES  
85 CONTROL TWR: YES  
86 FSS: RANCHO MURIETA  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT: 13/31 17/35  
> 31 LENGTH: 5,067 7,003  
> 32 WIDTH: 150 150  
> 33 SURF TYPE-COND: ASPH-P ASPH-P  
> 34 SURF TREATMENT: NONE GRVD  
35 GROSS WT: S 60.0 98.0  
36 (IN THSDS) D 72.0 128.0  
37 2D 110.0 195.0  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY: MED HIGH  
> 42 RWY MARK TYPE-COND: BSC - P / BSC - P PIR - P / PIR - P - / -  
> 43 VGSI: / P2L P4L / P4L /  
44 THR COSSING HGT.: / 32 40 / 55 /  
45 VISUAL GLIDE ANGLE: / 3.00 3.43 / 3.00 /  
> 46 CNTRLN-TDZ: N - N / N - N N - N / N - N - / -  
> 47 RVR-RVV: - N / - N - N / - N - / -  
> 48 REIL: N / N Y / N /  
> 49 APCH LIGHTS: / / MALSR /

### OBSTRUCTION DATA

50 FAR 77 CATEGORY B(V) / B(V) C / PIR /  
> 51 DISPLACED THR: / / /  
> 52 CTLG OBSTN: TREES / TREE TREE / /  
> 53 OBSTN MARKED/LGTD: / / /  
> 54 HGT ABOVE RWY END: 65 / 88 44 / /  
> 55 DIST FROM RWY END: 1,600 / 2,075 1,700 / /  
> 56 CNTRLN OFFSET: 300R / 275R 650R / /  
57 OBSTN CLNC SLOPE: 21:1 / 21:1 34:1 / 50:1 /  
58 CLOSE-IN OBSTN: N / N N / N /

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA): 5,067 / 5,067 7,003 / 7,003 /  
> 61 TAKE OFF DIST AVBL (TODA): 5,067 / 5,067 7,003 / 7,003 /  
> 62 ACLT STOP DIST AVBL (ASDA): 5,067 / 5,067 7,003 / 6,997 /  
> 63 LNDG DIST AVBL (LDA): 5,067 / 5,067 7,003 / 6,997 /

### > 110 REMARKS

A 014 EMAIL: ASOLSVIG@CITYOFREDDING.ORG  
A 026 PPR FOR UNSKED ACR OPNS WITH MORE THAN 30 PSGR SEATS 2130-0630 CALL AMGR (530) 224-4321.  
A 030 RWY 13/31 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.  
A 033 RWY 13/31 SEVERE CRACKING.  
A 033 RWY 17/35 SEVERE CRACKING.  
A 039 RWY 13/31 PCR VALUE: 350/F/C/X/T  
A 039 RWY 17/35 PCR VALUE: 500/F/B/X/T  
A 042 RWY 13 MRKGS FADED.  
A 042 RWY 17 MARKINGS FADED, NOT REFLECTIVE.  
A 042 RWY 31 MRKGS FADED.  
A 042 RWY 35 MRKGS FADED, NOT REFLECTIVE.  
A 081 ACTVT MALSR RWY 35; REIL RWY 17; PAPI RWY 17; HIRL RWY 17/35; MIRL RWY 13/31; TWY LGTS - CTAF.  
A 083 WIND TEE & WIND CONE COLOCATED IN SEGMENTED CIRCLE.  
A 110-002 U.S. FOREST SERVICE ON FLD, EXPECT HEAVY AIR TANKER ACTIVITY DURING FIRE SEASON.

111 INSPECTOR: ( F ) 112 LAST INSP: 02/13/2026 113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/12/2026  
AFD EFF 06/11/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/12/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: CA LOC ID: RDD FAA SITE NR: 02089.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/SFO 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

- A 110-003 FIELD CONDITIONS RWY; APNS & TWYS GOOD TO FAIR.
- A 110-005 FOR NOISE ABATEMENT AVOID OVERFLIGHTS OF RESIDENTIAL HOUSING WHEN POSSIBLE.
- A 110-006 USE CTN BIRDS INVOF ARPT.
- A 110-007 FOR CD IF UNA TO CTC ON FSS FREQ, CTC OAKLAND ARTCC AT 510-745-3380.

111 INSPECTOR: ( F )

112 LAST INSP: 02/13/2026

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/12/2026  
AFD EFF 06/11/2026