

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: REDDING 4 STATE: CA LOC ID: RDD FAA SITE NR: 02089.*A
> 2 AIRPORT NAME: REDDING RGNL 5 COUNTY: SHASTA CA
> 3 CBD TO AIRPORT (NM): 06 SE 6 REGION/ADO: AWP/SFO 7 SECT AERO CHT: KLAMATH FALLS

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: CITY OF REDDING
> 12 ADDRESS: AIRPORTS DIVISION, 6751 WOODRUM CIRCLE,
REDDING, CA 96002-6071
> 13 PHONE NR: 530-224-4321
> 14 MANAGER: ANDREW SOLSVIG
> 15 ADDRESS: 6751 WOODRUM CIRCLE, SUITE 200
REDDING, CA 96002
> 16 PHONE NR: 530-224-4321
> 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

SERVICES

70 FUEL: 100LL A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: HIGH/LOW
74 BULK OXYGEN: HIGH/LOW
75 TSNT STORAGE: TIE
76 OTHER SERVICES:
AMB, AVNCS, CARGO, CHTR, INSTR, RNTL,
SALES

OPERATIONS

Information on aircraft operations is available
from FAA's Aviation System Performance
Metrics
<https://aspm.faa.gov>

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 40-30-32.3470N ESTIMATED
20 ARPT LONG: 122-17-36.1870W
21 ARPT ELEV: 505.0 SURVEYED
22 ACREAGE: 1,584
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGPRVY
> 26 FAR 139 INDEX: I B S 05/1973

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: YES
86 FSS: RANCHO MURIETA
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	12/30	16/34
> 30 RUNWAY INDENT:	5,067	7,003
> 31 LENGTH:	150	150
> 32 WIDTH:	ASPH-P	ASPH-P
> 33 SURF TYPE-COND:	NONE	GRVD
> 34 SURF TREATMENT:	60.0	98.0
35 GROSS WT: S	72.0	128.0
36 (IN THSDS) D	110.0	195.0
37 2D		
38 2D/2D2		
> 39 PCN:		

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGS: I
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

	MED	HIGH		
> 40 EDGE INTENSITY:	BSC - P / BSC - P	PIR - P / PIR - P	- / -	- / -
> 42 RWY MARK TYPE-COND:	/ P2L	P4L / P4L	/	/
> 43 VGS: I	/ 32	40 / 55	/	/
44 THR COSSING HGT.:	/ 3.00	3.43 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	N - N / N - N	N - N / N - N	- / -	- / -
> 46 CNTRLN-TDZ:	- N / - N	- N / - N	- / -	- / -
> 47 RVR-RVV:	N / N	Y / N	/	/
> 48 REIL:	/	/ MALSR	/	/
> 49 APCH LIGHTS:				

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

	B(V) / B(V)	C / PIR		
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	TREES / TREE	TREE /	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	65 / 88	44 /	/	/
> 54 HGT ABOVE RWY END:	1,600 / 2,075	1,700 /	/	/
> 55 DIST FROM RWY END:	300R / 275R	650R /	/	/
> 56 CNTRLN OFFSET:	21:1 / 21:1	34:1 / 50:1	/	/
57 OBSTN CLNC SLOPE:	N / N	N / N	/	/
58 CLOSE-IN OBSTN:				

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

	5,067 / 5,067	7,003 / 7,003		
> 60 TAKE OFF RUN AVBL (TORA):	5,067 / 5,067	7,003 / 7,003	/	/
> 61 TAKE OFF DIST AVBL (TODA):	5,067 / 5,067	7,003 / 6,997	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	5,067 / 5,067	7,003 / 6,997	/	/
> 63 LNDG DIST AVBL (LDA):				

> 110 REMARKS

A 014 EMAIL: ASOLSVIG@CITYOFREDDING.ORG
A 026 PPR FOR UNSKED ACR OPNS WITH MORE THAN 30 PSGR SEATS 2130-0630 CALL AMGR (530) 224-4321.
A 030 RWY 12/30 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.
A 033 RWY 12/30 SEVERE CRACKING.
A 033 RWY 16/34 SEVERE CRACKING.
A 039 RWY 12/30 PCR VALUE: 350/F/C/X/T
A 039 RWY 16/34 PCR VALUE: 500/F/B/X/T
A 042 RWY 12 MRKGS FADED.
A 042 RWY 16 MARKINGS FADED, NOT REFLECTIVE.
A 042 RWY 30 MRKGS FADED.
A 042 RWY 34 MRKGS FADED, NOT REFLECTIVE.
A 081 ACTVT MALSR RWY 34; REIL RWY 16; PAPI RWY 16; HIRL RWY 16/34; MIRL RWY 12/30; TWY LGTS - CTAF.
A 083 WIND TEE & WIND CONE COLOCATED IN SEGMENTED CIRCLE.
A 110-002 U.S. FOREST SERVICE ON FLD, EXPECT HEAVY AIR TANKER ACTIVITY DURING FIRE SEASON.

111 INSPECTOR: (F) 112 LAST INSP: 05/29/2025 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: CA LOC ID: RDD FAA SITE NR: 02089.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/SFO 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-003 FIELD CONDITIONS RWY; APNS & TWYS GOOD TO FAIR.
A 110-005 FOR NOISE ABATEMENT AVOID OVERFLIGHTS OF RESIDENTIAL HOUSING WHEN POSSIBLE.
A 110-006 USE CTN BIRDS INVOF ARPT.
A 110-007 FOR CD IF UNA TO CTC ON FSS FREQ, CTC OAKLAND ARTCC AT 510-745-3380.

111 INSPECTOR: (F)

112 LAST INSP: 05/29/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026