

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/17/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: RUTLAND 4 STATE: VT LOC ID: RUT FAA SITE NR: 25526.*A
> 2 AIRPORT NAME: RUTLAND/SOUTHERN VERMONT RGNL 5 COUNTY: RUTLAND VT
> 3 CBD TO AIRPORT (NM): 05 S 6 REGION/ADO: ANE/NONE 7 SECT AERO CHT: NEW YORK

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: STATE OF VERMONT
> 12 ADDRESS: 219 N MAIN ST
BARRE, VT 05641
> 13 PHONE NR: 802-272-7725
> 14 MANAGER: CHRISTOPHER BEITZEL
> 15 ADDRESS: 219 N MAIN ST
BARRE, VT 05641
> 16 PHONE NR: 802-272-7725
> 17 ATTENDANCE SCHEDULE:

ALL ALL 0700-1930

SERVICES

70 FUEL: 100LL A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: NONE
74 BULK OXYGEN: NONE
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES: AFRT, CHTR, INSTR, RNTL, SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 43-31-47.0290N ESTIMATED
20 ARPT LONG: 072-56-58.6540W
21 ARPT ELEV: 787.3 SURVEYED
22 ACREAGE: 345
> 23 RIGHT TRAFFIC: 19
> 24 NON-COMM LANDING: YES
25 NPIAS/FED AGREEMENTS: NGY3
> 26 FAR 139 INDEX: IV A U 11/2005

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 122.800
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: NO
86 FSS: BURLINGTON
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	01/19	13/31
> 30 RUNWAY INDENT:	5,304	3,169
> 31 LENGTH:	100	75
> 32 WIDTH:	ASPH-G	ASPH-G
> 33 SURF TYPE-COND:	GRVD	NONE
> 34 SURF TREATMENT:	40.0	30.0
35 GROSS WT: S	68.0	
36 (IN THSDS) D		
37 2D		
38 2D/2D2		

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGS: 17 / 55
44 THR COSSING HGT.: 3.50 / 3.20
45 VISUAL GLIDE ANGLE: - / -
> 46 CNTRLN-TDZ: - / -
> 47 RVR-RVV: - / -
> 48 REIL: / N
> 49 APCH LIGHTS: / MALSR

	HIGH	MED		
> 40 EDGE INTENSITY:	NPI - G / PIR - G	BSC - G / BSC - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	PSIR / P4L	/	/	/
> 43 VGS:	17 / 55	/	/	/
44 THR COSSING HGT.:	3.50 / 3.20	/	/	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/ N	Y /	/	/
> 49 APCH LIGHTS:	/ MALSR	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY: C / PIR
> 51 DISPLACED THR: 300 /
> 52 CTLG OBSTN: HILL /
> 53 OBSTN MARKED/LGTD: /
> 54 HGT ABOVE RWY END: 135 /
> 55 DIST FROM RWY END: 4,800 /
> 56 CNTRLN OFFSET: B /
57 OBSTN CLNC SLOPE: 34:1 / 50:1
58 CLOSE-IN OBSTN: N / N

	C / PIR	A(V) / A(V)		
50 FAR 77 CATEGORY:	C / PIR	A(V) / A(V)	/	/
> 51 DISPLACED THR:	300 /	/	/	/
> 52 CTLG OBSTN:	HILL /	ROAD / TREES	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	135 /	16 / 20	/	/
> 55 DIST FROM RWY END:	4,800 /	325 / 600	/	/
> 56 CNTRLN OFFSET:	B /	0B / 100R	/	/
57 OBSTN CLNC SLOPE:	34:1 / 50:1	7:1 / 20:1	/	/
58 CLOSE-IN OBSTN:	N / N	N / N	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA): 5,304 / 5,004
> 61 TAKE OFF DIST AVBL (TODA): 5,304 / 5,004
> 62 ACLT STOP DIST AVBL (ASDA): 5,304 / 5,004
> 63 LNDG DIST AVBL (LDA): 5,004 / 5,004

	5,304 / 5,004	/	/	/
> 60 TAKE OFF RUN AVBL (TORA):	5,304 / 5,004	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	5,304 / 5,004	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	5,304 / 5,004	/	/	/
> 63 LNDG DIST AVBL (LDA):	5,004 / 5,004	/	/	/

> 110 REMARKS

A 017 FOR AFT HRS SVC CALL 802-773-3348.
A 024 LDG FEES MAY APPLY FOR COML ACFT.
A 026 ARFF SVC AVBL FOR NON-AIR CARRIER OPS, 48 HR PPR. CTC AMGR.
A 030 RWY 01/19 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS. 90 DAY PPR FOR UNSKED ACR OPS GTR THAN 30 PAX SEATS - CALL AMGR.
A 030 RWY 13/31 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS. 90 DAY PPR FOR UNSKED ACR OPS GTR THAN 30 PAX SEATS - CALL AMGR.
A 039 RWY 01/19 PCR VALUE: 271/F/D/X/T
A 039 RWY 13/31 PCR VALUE: 172/F/D/X/T
A 043 RWY 01 OTS UFN.
A 081 ACTVT MALSR RWY 19; REIL RWY 13; HIRL RWY 01/19; MIRL RWY 13/31 - CTAF.
A 110-001 ACFT WITH WING SPANS EXCEEDING 79 FT AUZD TO USE TWY H & TWY B EAST OF RWY 1/19 & RWY 13/31 FOR TAX & RWYS 01 & 19 FOR TKOF & LDG. NOISE SENSITIVE AREA SE OF ARPT CTC AMGR.
A 110-002 RWY CONDS MAY NOT BE MNT OR RPRTD WHEN ARPT IS UNATNDD.
A 110-003 TYPE I & TYPE IV DEICING AVBL.

111 INSPECTOR: (F)

112 LAST INSP: 11/21/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/17/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/17/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: VT LOC ID: RUT FAA SITE NR: 25526.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ANE/NONE 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

- A 110-005 BIRDS ON & INVOF ARPT.
- A 110-007 COLD TEMPERATURE AIRPORT. ALTITUDE CORRECTION REQUIRED AT OR BELOW -7C.
- A 110-008 USE TWY A TO TAX TO OR FM AER 01 OR 19.
- A 110-009 TWY C CNCTS MAIN APRON WITH TWY A.
- A 110-010 FOR CD CTC BOSTON ARTCC AT 603-879-6859.

111 INSPECTOR: (F)

112 LAST INSP: 11/21/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/17/2026
AFD EFF 06/11/2026