

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/15/2025
AFD EFF 06/12/2025

> 1 ASSOC CITY: SANTA FE 4 STATE: NM LOC ID: SAF FAA SITE NR: 14728.*A
> 2 AIRPORT NAME: SANTA FE RGNL 5 COUNTY: SANTA FE NM
> 3 CBD TO AIRPORT (NM): 09 SW 6 REGION/ADO: ASW/LNM 7 SECT AERO CHT: ALBUQUERQUE

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: CITY OF SANTA FE
> 12 ADDRESS: PO BOX 909
SANTA FE, NM 87504-0909
> 13 PHONE NR: 505-955-2900
> 14 MANAGER: JAMES HARRIS
> 15 ADDRESS: 121 AVIATION DR
SANTA FE, NM 87507-0909
> 16 PHONE NR: 505-955-2900
> 17 ATTENDANCE SCHEDULE:
ALL ALL 0600-2200

SERVICES

70 FUEL: 100LL A A+
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: HIGH/LOW
74 BULK OXYGEN: HIGH/LOW
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES:
AMB, AVNCS, CHTR, INSTR, RNTL, SALES,
SURV

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 35-37-01.6000N ESTIMATED
20 ARPT LONG: 106-05-21.9000W
21 ARPT ELEV: 6348.7 SURVEYED
22 ACREAGE: 2,128
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGY3
> 26 FAR 139 INDEX: I A U 11/2005

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: YES
86 FSS: ALBUQUERQUE
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

| | 02/20 | 10/28 | 15/33 | H1 |
|----------------------|--------|--------|--------|------|
| > 30 RUNWAY INDENT: | 8,366 | 6,301 | 6,316 | 40 |
| > 31 LENGTH: | 150 | 75 | 100 | 40 |
| > 32 WIDTH: | ASPH-P | ASPH-G | ASPH-E | CONC |
| > 33 SURF TYPE-COND: | PFC | PFC | GRVD | NONE |
| > 34 SURF TREATMENT: | 116.0 | 12.5 | 28.0 | |
| 35 GROSS WT: S | 164.0 | | 43.5 | |
| 36 (IN THSDS) D | 269.0 | | | |
| 37 2D | | | | |
| 38 2D/2D2 | | | | |
| > 39 PCN: | | | | |

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGS: 69 / 54
44 THR COSSING HGT.: 3.00 / 3.00
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL: / Y
> 49 APCH LIGHTS:

| | MED | | MED | |
|--------------------------|-------------------|-------------------|-------------------|-------|
| > 40 EDGE INTENSITY: | PIR - G / PIR - G | NPI - G / NPI - G | NPI - G / NPI - G | - / - |
| > 42 RWY MARK TYPE-COND: | V4L / V4L | / | / V4R | / |
| > 43 VGS: | 69 / 54 | / | / 86 | / |
| 44 THR COSSING HGT.: | 3.00 / 3.00 | / | / 3.00 | / |
| 45 VISUAL GLIDE ANGLE: | - / - | - / - | - / - | - / - |
| > 46 CNTRLN-TDZ: | - / - | - / - | - / - | - / - |
| > 47 RVR-RVV: | / Y | Y / | Y / Y | / |
| > 48 REIL: | / | / | / | / |
| > 49 APCH LIGHTS: | | | | |

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

| | PIR / C | B(V) / C | C / C | |
|-------------------------|------------|------------|-------------|-------|
| 50 FAR 77 CATEGORY | / | / | / | / |
| > 51 DISPLACED THR: | HILL / | / ROAD | / | / |
| > 52 CTLG OBSTN: | / | / | / | / |
| > 53 OBSTN MARKED/LGTD: | 6 / | / 11 | / | / |
| > 54 HGT ABOVE RWY END: | 225 / | / 250 | / | / |
| > 55 DIST FROM RWY END: | 226L / | / 260R | / | / |
| > 56 CNTRLN OFFSET: | 4:1 / 50:1 | 50:1 / 4:1 | 50:1 / 50:1 | / |
| 57 OBSTN CLNC SLOPE: | N / N | N / N | N / N | N / N |
| 58 CLOSE-IN OBSTN: | | | | |

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

| | | | | |
|----------------------------------|---|---|---------|---|
| > 60 TAKE OFF RUN AVBL (TORA): | / | / | 6,316 / | / |
| > 61 TAKE OFF DIST AVBL (TODA): | / | / | 6,316 / | / |
| > 62 ACLT STOP DIST AVBL (ASDA): | / | / | 5,221 / | / |
| > 63 LNDG DIST AVBL (LDA): | / | / | 5,221 / | / |

> 110 REMARKS

A 016 505-955-2901, 505-955-2903
A 017 AFT HR SVC - 505-577-7256 OR 505-471-2255.
A 026 24 HR PPR FOR ACR OPS WITH MORE THAN 30 PAX SEATS - 505-955-2900. ARFF INDEX B AVBL ON REQ.
A 039 RWY 02/20 PCR VALUE: 170/F/D/X/T
A 039 RWY 10/28 PCR VALUE: 80/F/D/X/T
A 039 RWY 15/33 PCR VALUE: 80/F/D/X/T
A 040 RWY 02/20 MIDFIELD LGT COLORED.
A 081 WHEN ATCT CLSD ACTVT MIRL RWY 02/20, 15/33 - CTAF; MIRL RWY 02/20 PRESET LOW INTST; INCR INTST - CTAF.
A 110-003 RNG ON FLD.
A 110-006 NOISE ABATEMENT PROC - AMGR.
A 110-007 FOR CD IF UNA TO CTC ON FSS FREQ, CTC ALBUQUERQUE ARTCC AT 505-856-4561.

111 INSPECTOR: (F)

112 LAST INSP: 09/22/2022

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/15/2025
AFD EFF 06/12/2025

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/15/2025
AFD EFF 06/12/2025

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: NM LOC ID: SAF FAA SITE NR: 14728.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASW/LNM 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

| | | | |
|-------|-------|-------|-------|
| - / - | - / - | - / - | - / - |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| - / - | - / - | - / - | - / - |
| - / - | - / - | - / - | - / - |
| / | / | / | / |
| / | / | / | / |

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

| | | | |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

| | | | |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 09/22/2022

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/15/2025
AFD EFF 06/12/2025