

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/15/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: SANTA FE 4 STATE: NM LOC ID: SAF FAA SITE NR: 14728.\*A  
 > 2 AIRPORT NAME: SANTA FE RGNL 5 COUNTY: SANTA FE NM  
 3 CBD TO AIRPORT (NM): 09 SW 6 REGION/ADO: ASW/LNM 7 SECT AERO CHT: ALBUQUERQUE

### GENERAL

10 OWNERSHIP: PUBLIC  
 > 11 OWNER: CITY OF SANTA FE  
 > 12 ADDRESS: PO BOX 909  
 SANTA FE, NM 87504-0909  
 > 13 PHONE NR: 505-955-2910  
 > 14 MANAGER: JIMMY GUNN  
 > 15 ADDRESS: 121 AVIATION DR  
 SANTA FE, NM 87507-0909  
 > 16 PHONE NR: 505-955-2910  
 > 17 ATTENDANCE SCHEDULE:  
 ALL ALL 0600-2200

### SERVICES

70 FUEL: 100LL A A+  
 71 AIRFRAME RPRS: MAJOR  
 72 PWR PLANT RPRS: MAJOR  
 73 BOTTLE OXYGEN: HIGH/LOW  
 74 BULK OXYGEN: HIGH/LOW  
 75 TSNT STORAGE: HGR, TIE  
 76 OTHER SERVICES:  
 AMB, AVNCS, CHTR, INSTR, RNTL, SALES,  
 SURV

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

80 ARPT BCN: WG  
 81 ARPT LGT SKED : SEE RMK  
 BCN LGT SKED: SS-SR  
 82 UNICOM: 122.950  
 83 WIND INDICATOR: YES-L  
 84 SEGMENTED CIRCLE: YES  
 85 CONTROL TWR: YES  
 86 FSS: ALBUQUERQUE  
 87 FSS ON ARPT: NO  
 88 FSS PHONE NR:  
 89 TOLL FREE NR: 1-800-WX-BRIEF

18 AIRPORT USE: PUBLIC  
 19 ARPT LAT: 35-37-01.6000N ESTIMATED  
 20 ARPT LONG: 106-05-21.9000W  
 21 ARPT ELEV: 6348.7 SURVEYED  
 22 ACREAGE: 2,128  
 > 23 RIGHT TRAFFIC: NO  
 > 24 NON-COMM LANDING: NO  
 25 NPIAS/FED AGREEMENTS: NGY3  
 > 26 FAR 139 INDEX: I B U 11/2005

### RUNWAY DATA

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:  
 > 34 SURF TREATMENT:  
 35 GROSS WT: S  
 36 (IN THSDS) D  
 37 2D  
 38 2D/2D2  
 > 39 PCN:

	02/20	10/28	15/33	H1
> 30 RUNWAY INDENT:	8,366	6,301	6,316	40
> 31 LENGTH:	150	75	100	40
> 32 WIDTH:	ASPH-P	ASPH-G	ASPH-E	CONC
> 33 SURF TYPE-COND:	PFC	PFC	GRVD	NONE
> 34 SURF TREATMENT:	116.0	12.5	28.0	
35 GROSS WT: S	164.0		43.5	
36 (IN THSDS) D	269.0			
37 2D				
38 2D/2D2				
> 39 PCN:				

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
 > 42 RWY MARK TYPE-COND:  
 > 43 VGS: 69 / 54  
 44 THR COSSING HGT.: 3.00 / 3.00  
 45 VISUAL GLIDE ANGLE:  
 > 46 CNTRLN-TDZ:  
 > 47 RVR-RVV:  
 > 48 REIL: / Y  
 > 49 APCH LIGHTS:

	MED		MED	
> 40 EDGE INTENSITY:	PIR - G / PIR - G	NPI - G / NPI - G	NPI - G / NPI - G	- / -
> 42 RWY MARK TYPE-COND:	V4L / V4L	/	/ V4R	/
> 43 VGS:	69 / 54	/	/ 86	/
44 THR COSSING HGT.:	3.00 / 3.00	/	/ 3.00	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	/ Y	Y /	Y / Y	/
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:				

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
 > 51 DISPLACED THR:  
 > 52 CTLG OBSTN:  
 > 53 OBSTN MARKED/LGTD:  
 > 54 HGT ABOVE RWY END:  
 > 55 DIST FROM RWY END:  
 > 56 CNTRLN OFFSET:  
 57 OBSTN CLNC SLOPE:  
 58 CLOSE-IN OBSTN:

	PIR / C	B(V) / C	C / C	
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	HILL /	/ ROAD	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	6 /	/ 11	/	/
> 54 HGT ABOVE RWY END:	225 /	/ 250	/	/
> 55 DIST FROM RWY END:	226L /	/ 260R	/	/
> 56 CNTRLN OFFSET:	4:1 / 50:1	50:1 / 4:1	50:1 / 50:1	/
57 OBSTN CLNC SLOPE:	N / N	N / N	N / N	N / N
58 CLOSE-IN OBSTN:				

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
 > 61 TAKE OFF DIST AVBL (TODA):  
 > 62 ACLT STOP DIST AVBL (ASDA):  
 > 63 LNDG DIST AVBL (LDA):

> 60 TAKE OFF RUN AVBL (TORA):	/	/	6,316 /	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	6,316 /	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	5,221 /	/
> 63 LNDG DIST AVBL (LDA):	/	/	5,221 /	/

### > 110 REMARKS

A 016 AMGR: 505-955-2910, 505-955-2903.  
 A 017 AFT HR SVC - 505-577-7256 OR 505-471-2255.  
 A 026 24 HR PPR FOR ACR OPS WITH MORE THAN 30 PAX SEATS - 505-955-2900. ARFF INDEX B AVBL ON REQ.  
 A 039 RWY 02/20 PCR VALUE: 170/F/D/X/T  
 A 039 RWY 10/28 PCR VALUE: 80/F/D/X/T  
 A 039 RWY 15/33 PCR VALUE: 80/F/D/X/T  
 A 040 RWY 02/20 MIDFIELD LGT COLORED.  
 A 081 WHEN ATCT CLSD ACTVT MIRL RWY 02/20, 15/33 - CTAF; MIRL RWY 02/20 PRESET LOW INTST; INCR INTST - CTAF.  
 A 110-003 RNG ON FLD.  
 A 110-006 NOISE ABATEMENT PROC - AMGR.  
 A 110-007 FOR CD IF UNA TO CTC ON FSS FREQ, CTC ALBUQUERQUE ARTCC AT 505-856-4561.

111 INSPECTOR: ( F ) 112 LAST INSP: 09/22/2022 113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/15/2026  
AFD EFF 06/11/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/15/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: NM LOC ID: SAF FAA SITE NR: 14728.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASW/LNM 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

## FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

## OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

## DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 09/22/2022

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/15/2026  
AFD EFF 06/11/2026