

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/11/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: SAVANNAH 4 STATE: GA LOC ID: SAV FAA SITE NR: 03992.\*A  
> 2 AIRPORT NAME: SAVANNAH/HILTON HEAD INTL 5 COUNTY: CHATHAM GA  
> 3 CBD TO AIRPORT (NM): 07 NW 6 REGION/ADO: ASO/ATL 7 SECT AERO CHT: ATLANTA

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: SAVANNAH AIRPORT COMMISSION  
> 12 ADDRESS: 400 AIRWAYS AVE.  
SAVANNAH, GA 31408  
> 13 PHONE NR: 912-964-0514  
> 14 MANAGER: GREG B. KELLY, A.A.E.  
> 15 ADDRESS: 400 AIRWAYS AVE.  
SAVANNAH, GA 31408  
> 16 PHONE NR: 912-964-0514  
> 17 ATTENDANCE SCHEDULE:

ALL ALL 1100-0300Z++

### SERVICES

70 FUEL: 100LL A A+ A++  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN: HIGH/LOW  
74 BULK OXYGEN: HIGH/LOW  
75 TSNT STORAGE: HGR, TIE  
76 OTHER SERVICES: AFRT, CARGO, CHTR, INSTR, RNTL, SALES

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 32-07-39.3000N ESTIMATED  
20 ARPT LONG: 081-12-07.7000W  
21 ARPT ELEV: 50.2 SURVEYED  
22 ACREAGE: 3,650  
> 23 RIGHT TRAFFIC: NO  
> 24 NON-COMM LANDING: NO  
25 NPIAS/FED AGREEMENTS: NGPY3  
> 26 FAR 139 INDEX: I C S 05/1973

80 ARPT BCN: WG  
81 ARPT LGT SKED : SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM: 122.950  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: YES  
85 CONTROL TWR: YES  
86 FSS: MACON  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

	01/19	10/28
> 30 RUNWAY INDENT:	7,002	9,351
> 31 LENGTH:	150	150
> 32 WIDTH:	CONC-G	CONC-G
> 33 SURF TYPE-COND:	GRVD	GRVD
> 34 SURF TREATMENT:	75.0	75.0
35 GROSS WT: S	190.0	190.0
36 (IN THSDS) D	310.0	310.0
37 2D		
38 2D/2D2		

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGS: I  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

	HIGH	HIGH		
> 40 EDGE INTENSITY:	PIR - G / PIR - G	PIR - G / PIR - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	P4L / V4R	P4L / P4L	/	/
> 43 VGS: I	74 / 52	69 / 66	/	/
44 THR COSSING HGT.:	3.00 / 3.00	3.00 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	- / -	Y - Y / Y - N	- / -	- / -
> 46 CNTRLN-TDZ:	TM - / MR -	TM - / MR -	- / -	- / -
> 47 RVR-RVV:	N / Y	/ Y	/	/
> 48 REIL:	/	MALSR /	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

	PIR / C	PIR / C		
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	50:1 / 50:1	50:1 / 50:1	/	/
58 CLOSE-IN OBSTN:	N / N	N / N	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

> 60 TAKE OFF RUN AVBL (TORA):	7,002 / 7,002	9,351 / 9,351	/	/
> 61 TAKE OFF DIST AVBL (TODA):	7,002 / 7,002	9,351 / 9,351	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	7,002 / 7,002	9,351 / 9,351	/	/
> 63 LNDG DIST AVBL (LDA):	7,002 / 7,002	9,351 / 9,351	/	/

### > 110 REMARKS

A 033 RWY 01/19 RY 1/19 CENTER 75 FT KEEL SECTION OF RY CONCRETE FULL LENGTH; LAST 500 FT CONCRETE, FULL WIDTH, BOTH ENDS. ALL TWY INTERSECTIONS CONCRETE EXCEPT TWY B AT THE NORTH END OF THE RY AND TWY B2. REMAINDER OF RY 1/19 ASPHALT.  
A 033 RY 10/28 CENTER 75 FT KEEL SECTION CONCRETE FULL LENGTH; ALL TWY INTERSECTIONS CONCRETE EXCEPT TWY C2 AND C3. REMAINDER OF RY 10/28 ASPHALT.  
A 039 RWY 01/19 PCR VALUE: 567/R/B/W/T  
A 039 RWY 10/28 PCR VALUE: 576/R/B/W/T  
A 047 RWY 01 NO RVR WHEN ATCT CLSD.  
A 047 RWY 10 NO RVR WHEN ATCT CLSD.  
A 047 RWY 19 NO RVR WHEN ATCT CLSD.  
A 047 RWY 28 NO RVR WHEN ATCT CLSD.  
A 049 MALSR RWY 10 NSTD SPACING.  
A 070 FUEL: A++100(MIL), (NC-100LL).  
A 070 AVBL 1100-0300Z++ C912-964-1557, OT 2 HR PN, C912-313-6310. SVC FEE.  
A 081 WHEN ATCT CLSD ACTVT MALSR RWY 10; REIL RWYS 19 & 28; HIRL RWYS 01/19 & 10/28 - CTAF. VASI RWY 19 AND PAPI RWYS 01, 10, & 28 OPER CONTINUOUSLY.

111 INSPECTOR: ( F )

112 LAST INSP: 08/07/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/11/2026  
AFD EFF 06/11/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/11/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: GA LOC ID: SAV FAA SITE NR: 03992.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASO/ATL 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics  
<https://aspm.faa.gov>

## FACILITIES

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

## OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

## DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

- A 110-001 BIRDS & DEER ON & INVOF OF ARPT. AIR CARRIER ACFT CTC GND PRIOR TO PUSH BACK FROM ALL GATES. PILOTS SHOULD COMPLETE ALL CALCULATIONS PRIOR TO PUSH BACK FM TRML GATE. OPR TRANSPONDERS WITH ALT REPORTING MODE AND ADS-B (IF EQUIPPED) ENABLED ON ALL AIRPORT SURFACES.
- A 110-003 NO 180 DEG TURNS ON ASPH FOR ACFT OVER 12500 LBS GROSS.
- A 110-004 PPR FOR ACES OF GEN AVN ACFT ON THE ACR TRML RAMP CTC 912-964-7501.
- A 110-005 TWY A, TWY B TWY C, TWY D, TWY E, TWY F, TWY G AND TWY H ARE LTD TO DUAL WHEEL ACFT UP TO 173,000 LBS AND DUAL TANDEM WHEEL ACFT UP TO 310,000 LBS.
- A 110-008 TWY B2, C2 ARE LIMITED TO 12500 LBS.
- A 110-009 TWY E CLSD FM RY 28 TO BUT NOT INCLUDING TWY E2 TO ACFT WITH WING SPAN OF 175 FT OR GREATER.
- A 110-014 TWY 'E2' CONNECTOR CLSD TO ACFT LANDING RY 28. DISTANCE FM TOUCHDOWN TOO SHORT FOR SAFE TURN.
- A 110-016 ANG: COMBAT READINESS TRNG CNTR (CRTG)/AIR DOMINANCE CENTER (ADC) AFLD MGMT DSN 860-3145/3497, C912-963-3145/3497. DUTY HR 1230-2100Z ++ MON-FRI. CTC ADC BASE OPS ON UHF 253.20 (CALL SIGN "ADC OPS").

111 INSPECTOR: ( F )

112 LAST INSP: 08/07/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/11/2026  
AFD EFF 06/11/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/11/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: GA LOC ID: SAV FAA SITE NR: 03992.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASO/ATL 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

- A 110-017 165AW (C130 UNIT) AFDL MGMT DSN 860-8184/8433, C912-966-8184. DUTY HR 1230-2100Z++MON-THUR, 1230-1900Z++ FRI. ACFT INBD TO 165AW CTC COMD POST DSN 860-8244, C912-966-8244 OR UHF 225.75 WITHIN 50 NM WITH ETA AND REQ. ADC COMSEC STORAGE UNAVBL. 165AW COMSEC STORAGE UP TO SECRET AVBL VIA COMD POST DUR NORMAL DUTY HR ONLY.
- A 110-020 TRAN ALERT: TRAN ACFT PROHIBITED WHEN TRAN ALERT UNAVBL. FLEET SVC UNAVBL.
- A 110-021 ACFT/VEHICLES ON THE SOUTH END OF TWY A AND THE EAST END OF TWY E NOT VSB FROM THE ATCT.
- A 110-022 BASH PHASE II 01 APR - 31 OCT. CTC TWR OR COMD POST FOR BIRD HAZ. WILDLIFE MOST ACTIVE +/- 1 HR OF SS OR SR.
- A 110-023 ANG: MIL E2 TAXILANE.
- A 110-024 FOR CD IF UNA TO CTC ON FSS FREQ, CTC SAVANNAH APCH AT 912-964-3205, WHEN APCH CLSD CTC JACKSONVILLE ARTCC AT 904-845-1592.
- A 110-025 ARPT CLSD TO INTL GA ARR EXC 24HR PPR CTC US CUST 912-232-7507 OR 912-210-0348 AND SERVICING FIXED BASE OPR FOR PROCESSING AND INSTRUCTIONS.
- A 110-026 MILITARY: A-GEAR BAK-12B CABLE RAISED BY BAK-14M DEVICE O/R TO TWR.
- A 110-027 PILOTS CONDUCTING EFVS OPS; BE AWARE LED ALS IN USE RWY 10.

111 INSPECTOR: ( F )

112 LAST INSP: 08/07/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/11/2026  
AFD EFF 06/11/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/11/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: GA LOC ID: SAV FAA SITE NR: 03992.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASO/ATL 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

### FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 08/07/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/11/2026  
AFD EFF 06/11/2026