

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/18/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: SANTA BARBARA 4 STATE: CA LOC ID: SBA FAA SITE NR: 02235.\*A  
> 2 AIRPORT NAME: SANTA BARBARA MUNI 5 COUNTY: SANTA BARBARA CA  
> 3 CBD TO AIRPORT (NM): 07 W 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT: LOS ANGELES

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: CITY OF SANTA BARBARA  
> 12 ADDRESS: CITY HALL  
SANTA BARBARA, CA 93101  
> 13 PHONE NR: 805-967-7111  
> 14 MANAGER: CHRISTOPHER HASTERT  
> 15 ADDRESS: 601 FIRESTONE RD  
SANTA BARBARA, CA 93117  
> 16 PHONE NR: 805-967-7111  
> 17 ATTENDANCE SCHEDULE:  
ALL ALL 0600-2300

### SERVICES

70 FUEL: 100LL A  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN: HIGH/LOW  
74 BULK OXYGEN: HIGH/LOW  
75 TSNT STORAGE: TIE  
76 OTHER SERVICES:  
AFRT, AGRI, AVNCS, CARGO, CHTR,  
INSTR, SALES

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

80 ARPT BCN: WG  
81 ARPT LGT SKED : SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM: 122.950  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: YES  
85 CONTROL TWR: YES  
86 FSS: HAWTHORNE  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 34-25-34.2900N ESTIMATED  
20 ARPT LONG: 119-50-29.3740W  
21 ARPT ELEV: 13.5 SURVEYED  
22 ACREAGE: 948  
> 23 RIGHT TRAFFIC: 07, 33R, 33L  
> 24 NON-COMM LANDING: YES  
25 NPIAS/FED AGREEMENTS: NGPY3  
> 26 FAR 139 INDEX: I C S 05/1973

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

	07/25	15L/33R	15R/33L
> 30 RUNWAY INDENT:	6,052	4,180	4,184
> 31 LENGTH:	150	75	100
> 32 WIDTH:	ASPH-G	ASPH-G	ASPH-G
> 33 SURF TYPE-COND:	GRVD	NONE	NONE
> 34 SURF TREATMENT:	113.0	39.0	25.0
35 GROSS WT: S	188.0	61.0	39.0
36 (IN THSDS) D	318.0	108.0	
37 2D			
38 2D/2D2			

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGS: 44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

	HIGH		MED	
> 40 EDGE INTENSITY:	PIR - G / PIR - G	BSC - G / BSC - G	BSC - G / BSC - G	- / -
> 42 RWY MARK TYPE-COND:	/ P4L	/	/	/
> 43 VGS:	/ 50	/	/	/
44 THR COSSING HGT.:	/ 3.00	/	/	/
45 VISUAL GLIDE ANGLE:	N - N / N - N	N - N / N - N	N - N / N - N	- / -
> 46 CNTRLN-TDZ:	T - N / R - N	- N / - N	- N / - N	- / -
> 47 RVR-RVV:	N / Y	N / N	Y / N	/
> 48 REIL:	MALSR /	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

	PIR / C	A(V) / A(V)	B(V) / B(V)	
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	TREE / FENCE	BLDG /	TREE / TREE	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	77 / 6	37 /	53 / 65	/
> 54 HGT ABOVE RWY END:	3,100 / 275	900 /	600 / 1,300	/
> 55 DIST FROM RWY END:	350R / 0B	4R /	200R / 400L	/
> 56 CNTRLN OFFSET:	37:1 / 12:1	19:1 / 50:1	8:1 / 17:1	/
57 OBSTN CLNC SLOPE:	N / N	N / N	N / N	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

	07/25	15L/33R	15R/33L
> 60 TAKE OFF RUN AVBL (TORA):	6,052 / 6,052	4,180 / 4,180	4,184 / 4,184
> 61 TAKE OFF DIST AVBL (TODA):	6,052 / 6,052	4,180 / 4,180	4,184 / 4,184
> 62 ACLT STOP DIST AVBL (ASDA):	6,052 / 6,052	4,180 / 4,180	4,184 / 4,184
> 63 LNDG DIST AVBL (LDA):	6,052 / 6,052	3,963 / 4,180	4,184 / 4,184

> 110 REMARKS

A 014 MICHAEL SMITH - OPS MGR - MJSMITH@SANTABARBARACA.GOV  
A 030 RWY 15L/33R NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.  
A 030 RWY 15R/33L NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.  
A 039 RWY 07/25 PCR VALUE: 658/F/D/X/T  
A 039 RWY 15L/33R PCR VALUE: 45/F/D/X/T  
A 039 RWY 15R/33L PCR VALUE: 45/F/D/X/T  
A 070 100LL FUEL 24 HR CREDIT CARD SVC AVBL.  
A 070 FEE FOR JET A FUEL AFTER HRS CALL (805) 454-0051 OR 967-5608.  
A 081 WHEN ATCT CLSD ACTVT MALSR RWY 07; REIL RWYS 15R & 25; HIRL RWY 07/25; MIRL RWY 15R/33L - CTAF. PAPI RWY 25 OPR CONSLY.  
A 110-004 NUMEROUS FLOCKS OF BIRDS ON AND INVOF ARPT.  
A 110-005 PURE JET TOUCH/GO OR LOW APCHS PROHIBITED.  
A 110-007 DUE TO LMTD RAMP SPACE AT THE AIRLINE TRML NON-SKED TRNSP CAT ACFT WITH MORE THAN 30 PASSENGER SEATS ARE RQRD TO CTC ARPT OPNS 805-681-4803 24 HRS PRIOR TO ARR.

111 INSPECTOR: ( F ) 112 LAST INSP: 05/18/2021 113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/18/2026  
AFD EFF 06/11/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/18/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: CA LOC ID: SBA FAA SITE NR: 02235.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

## FACILITIES

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

## OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

## DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-009 NOISE ABATEMENT PROCS IN EFCT CTC ARPT OPNS 805-692-6025.  
A 110-010 RWY 15L/33R DALGT HRS ONLY.  
A 110-011 COML AIRLINE RAMP CLSD TO ALL GA ACFT.  
A 110-014 NO CUSTOMS PSNL OR FACS ARE AVBL AND INTL ACFT WILL NOT BE ALLOWED TO LAND UNLESS AN EMERG EXISTS.  
A 110-016 ALL ACR ACFT CTC ATC ON FREQ 121.7 PRIOR TO PUSHBACK FROM TRML RAMP AND RON PRKG 0600-2300. ESCORTS RQRD FROM RON PRKG WHEN ATC IS CLSD; CTC ARPT OPS 805-681-4803.

111 INSPECTOR: ( F )

112 LAST INSP: 05/18/2021

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/18/2026  
AFD EFF 06/11/2026