

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/28/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: SCHENECTADY 4 STATE: NY LOC ID: SCH FAA SITE NR: 16118.\*A  
> 2 AIRPORT NAME: SCHENECTADY COUNTY 5 COUNTY: SCHENECTADY NY  
> 3 CBD TO AIRPORT (NM): 03 N 6 REGION/ADO: AEA/NYC 7 SECT AERO CHT: NEW YORK

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: SCHENECTADY COUNTY  
> 12 ADDRESS: COUNTY OFFICE BLDG  
SCHENECTADY, NY 12305-2114  
> 13 PHONE NR: 518-356-5344  
> 14 MANAGER: SCOTT BARBER  
> 15 ADDRESS: 21 TOWER ROAD  
SCOTIA, NY 12302-3487  
> 16 PHONE NR: (518) 399-0111  
> 17 ATTENDANCE SCHEDULE:  
ALL ALL 0730-2230

### SERVICES

70 FUEL: 100LL A  
71 AIRFRAME RPRS: MINOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN: NONE  
74 BULK OXYGEN: LOW  
75 TSNT STORAGE: HGR, TIE  
76 OTHER SERVICES:  
AFRT, AMB, AVNCS, CARGO, CHTR, INSTR,  
RNTL, SALES, SURV

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

80 ARPT BCN: WG  
81 ARPT LGT SKED: SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM: 122.950  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: NONE  
85 CONTROL TWR: YES  
86 FSS: BURLINGTON  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 42-51-09.7860N ESTIMATED  
20 ARPT LONG: 073-55-46.4320W  
21 ARPT ELEV: 377.9 SURVEYED  
22 ACREAGE: 680  
> 23 RIGHT TRAFFIC: NO  
> 24 NON-COMM LANDING: YES  
25 NPIAS/FED AGREEMENTS: NGY3  
> 26 FAR 139 INDEX:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

	04/22	10/28
	7,001	4,850
	150	150
	ASPH-E	ASPH-G
	GRVD	GRVD
	95.0	55.0
	175.0	134.0
	348.0	218.0
	850.0	541.0
	62 /R/B/W/T	48 /F/B/Y/T

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGS: I  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

	HIGH	MED		
	PIR - G / NPI - G	NPI - G / NPI - G	- / -	- / -
	P4L / P4L	P2L / P2L	/	/
	51 / 50	50 / 50	/	/
	3.00 / 3.00	4.00 / 3.00	/	/
	- / -	- / -	- / -	- / -
	- / -	- / -	- / -	- / -
	N / N	N / Y	/	/
	MALSR /	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

	PIR / D	C / C		
	/	200 /	/	/
	TREES / GND	POLE / TREES	/	/
	/	/	/	/
	48 / 22	32 / 19	/	/
	1,086 / 200	520 / 200	/	/
	533R / 500R	241L / 230R	/	/
	18:1 / 1:1	10:1 / 0:1	/	/
	N / Y	N / Y	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 057 RWY 10 CLNC SLOPE 14:1 TO DTHR DUE TO 87 FT TREE, 1223 FT FM DTHR, 190 FT RT.  
A 058 RWY 22 +22FT RISING TERRAIN, 500 FT RT, 0 - 200 FT FM RWY.  
A 058 RWY 28 +10 FT ROAD, 150 FT - 200 FT FM RWY, 220 FT RT.  
A 081 WHEN ATCT CLSD, ACTVT MALSR RWY 04; PAPI RWY 04, 10, 22 & 28; HIRL RWY 04/22; MIRL RWY 10/28 - CTAF.  
A 082 USE 122.95 FOR SVC FM FBO  
A 110-001 LANDING FEE FOR INTINRNT MULTI-ENGINE ACFT REQUESTING TWR SVC 0330Z-1230Z.  
A 110-002 NO UPDATED FIELD OR BRAKING ACTION REPORTS AVBL BTN 0330Z-1230Z.  
A 110-003 60 FT DROPOFF 150 FT FM RY 28 END.  
A 110-004 NOISE ABATEMENT PROC IN EFFECT FOR LRGE ACFT REMAINING IN PATTERN CTC AIRFIELD MANAGER FOR DETAILS..  
A 110-005 BIRDS ON & INVOF ARPT.  
A 110-006 MILITARY C130 PATTERN OPERATIONS CONDUCTED DAILY.  
A 110-007 MILITARY: ANG: PPR BASE OPS DURG DUTY HR DSN 344-2621, C518-344-2621; OT COMD POST DSN 344-2420, C518-344-2420.  
A 110-008 MILITARY: CAUTION: BASH PHASE II PERIOD (15 MAR-15 MAY) AND (1 JUL-15 NOV). BIRD WATCH COND (BWC) SVR: TKOFF, LDG & LCL TRNG PROH UNLESS MSN ESTNL; BWC MDT: MULT APCH PROH, DEP & FULL-STOP ALLOWED IF RTE AVOIDS BIRD ACT; CTC ANG AFLD OPS (CALL-SIGN "SKIER OPS") FOR CURRENT BWC.

111 INSPECTOR: (S)

112 LAST INSP: 06/04/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/28/2026  
AFD EFF 04/16/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/28/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: NY LOC ID: SCH FAA SITE NR: 16118.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AEA/NYC 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

## FACILITIES

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

## OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

## DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-010 MILITARY: ANG APRON: ORANGE DASHED WINGTIP CLNC LINES BOTH SIDES OF YELLOW CENTER TAXILINE. DASHED WINGTIP LINES PROVIDE POSITIVE, CLEARLY IDENTIFIABLE OBST CLNC FOR TAXIING ACFT. ANY OBJECT PARKED ON BACK SIDE OF LINES PROVIDE NO WINGTIP CLNC ISSUE.  
A 110-011 NO ULTRA-LIGHT OPERATONS IN CLASS D AIRSPACE WITHOUT APPROV FM ATCT.  
A 110-012 FLT NOTIFICATION SVC (ADCUS) AVBL.  
A 110-013 FUEL: A++ (MIL).  
A 110-014 FOR CD CTC ALBANY APCH AT 518-862-2299.  
A 110-015 MILITARY: ANG: OPR 1030-2000Z++ MON-FRI, CLSD WKND AND FED HOL. SCHENECTADY COUNTY AIRPORT FONE NR (518)399-0377. COMSEC STORAGE AVBL FOR TRAN CREWS.  
A 110-016 MILITARY: CSTMS/AGG/IMG: 1300-2100Z++ MON-FRI, FONE PRIOR 2000Z++ PRECEDING WKD, C518-431-0200, C800-973-2867.

111 INSPECTOR: (S)

112 LAST INSP: 06/04/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/28/2026  
AFD EFF 04/16/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/28/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: NY LOC ID: SCH FAA SITE NR: 16118.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AEA/NYC 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

## FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

## OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

## DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

111 INSPECTOR: (S)

112 LAST INSP: 06/04/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/28/2026  
AFD EFF 04/16/2026