AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/5/2026
AFD EFF 10/29/2026

> 1 ASSOC CITY: SEATTLE
> 2 AIRPORT NAME: SEATTLE-TACOMA INTL
3 CBD TO AIRPORT (NM): 10 S
4 STATE: WA
6 REGION/ADO: ANM/SEA
LOC ID: SEA
5 COUNTY: KING WA
7 SECT AERO CHT: SEATTLE
FAA SITE NR: 26395.*A

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: PORT OF SEATTLE
> 12 ADDRESS: BOX 1209
SEATTLE, WA 98111
> 13 PHONE NR: 206-787-3000
> 14 MANAGER: WENDY REITER
> 15 ADDRESS: BOX 68727
SEATTLE, WA 98168
> 16 PHONE NR: (206) 787-5229
> 17 ATTENDANCE SCHEDULE:

ALL	ALL	ALL

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 47-26-59.6000N ESTIMATED
20 ARPT LONG: 122-18-42.4000W
21 ARPT ELEV: 432.3 SURVEYED
22 ACREAGE: 2,500
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: YES
25 NPIAS/FED AGREEMENTS: NGY3
> 26 FAR 139 INDEX: I E S 05/1973

SERVICES

70 FUEL: A A1

71 AIRFRAME RPRS: NONE
72 PWR PLANT RPRS: NONE
73 BOTTLE OXYGEN: NONE
74 BULK OXYGEN: NONE
75 TSNT STORAGE: TIE
76 OTHER SERVICES:
AFRT, CARGO, CHTR

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED : SS-SR
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: YES
86 FSS: SEATTLE
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

RUNWAY DATA

	16C/34C	16L/34R	16R/34L	
> 30 RUNWAY INDENT:	9,426	11,901	8,500	
> 31 LENGTH:	150	150	150	
> 32 WIDTH:	CONC-E	CONC-E	CONC-E	
> 33 SURF TYPE-COND:	GRVD	GRVD	GRVD	
> 34 SURF TREATMENT:	120.0	120.0	120.0	
35 GROSS WT: S	250.0	250.0	250.0	
36 (IN THSDS) D	550.0	550.0	482.0	
37 2D	1111.0	1120.0	1007.0	
38 2D/2D2	PCR/1002/R/	PCR/1147/R/	PCR/866 /R/	
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	HIGH	HIGH	HIGH	
> 42 RWY MARK TYPE-COND:	PIR - G / PIR - G	PIR - G / PIR - G	PIR - G / PIR - G	- / -
> 43 VGSI:	P4L / P4L	P4L / P4L	P4R / P4L	/
44 THR COSSING HGT.:	71 / 73	76 / 81	69 / 75	/
45 VISUAL GLIDE ANGLE:	3.00 / 3.00	3.00 / 2.75	3.00 / 3.00	/
> 46 CNTRLN-TDZ:	Y - Y / Y - N	Y - Y / Y - Y	Y - Y / Y - N	- / -
> 47 RVR-RVV:	TMR - N / TMR - N	TMR - N / TMR - N	TMR - / TMR -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	ALSF2 / MALSR	ALSF2 / MALSR	ALSF2 / MALSR	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	PIR / PIR	PIR / PIR	PIR / PIR	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	50:1 / 50:1	50:1 / 50:1	50:1 / 50:1	/
58 CLOSE-IN OBSTN:	N / N	N / N	N / N	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	9,426 / 9,426	11,901 / 11,901	8,500 / 8,500	/
> 61 TAKE OFF DIST AVBL (TODA):	9,426 / 9,426	11,901 / 11,901	8,500 / 8,500	/
> 62 ACLT STOP DIST AVBL (ASDA):	9,426 / 9,426	11,901 / 11,901	8,500 / 8,500	/
> 63 LNDG DIST AVBL (LDA):	9,426 / 9,426	11,901 / 11,901	8,500 / 8,500	/

> 110 REMARKS

A 038 RWY 16R/34L TDT 817
A 110-001 BIRD FLOCKS ON AND INVOF ARPT - CHECK LCL ADZYS.
A 110-003 FLIGHT NOTIFICATION SERVICE (ADCUS) AVBL.
A 110-008 HELICOPTERS LANDING & DEPARTING AVOID OVERFLYING FUEL FARM LCTD AT THE SE CORNER OF THE ARPT.
A 110-009 (E110) CONTINUOUS POWER ARPT.
A 110-010 (E94) WSO/WSFO.
A 110-011 TWY A SOUTH OF TWY G RSTD TO ACFT WITH WINGSPAN 225 FT OR LESS.
A 110-014 DO NOT MISTAKE TWY T FOR LDG SFC.
A 110-015 ACES TO AIR CARGO 4 PRKG AND CARGO AREAS RSTD TO ACFT WITH WINGSPAN 170 FT OR LESS.
A 110-016 TWY FOR CORPORATE HNGR RAMP RSTD TO ACFT WITH WINGSPAN 62 FT OR LESS FOR TAXI OPS. GA CUST PRKG IS VERY LTD.
A 110-021 PPR FOR ALL GA PRKG AND SVCS;, CTC 206-433-5481. OPER HRS 0700L - 2100L, WITH A CALL OUT AVBL UPON REQ.
A 110-022 TXL W RSTRD TO ACFT WITH WINGSPAN 135 FT OR LESS NORTH OF TWY N AND 167 FT OR LESS SOUTH OF TWY N. SEATTLE RAMP TWR PRVDS ADZY CTL ONLY.
A 110-024 GA LDG FEES PAYABLE BY MAJOR CREDIT CARDS ONLY.

111 INSPECTOR: (F)
112 LAST INSP: 01/16/2026
113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/5/2026
AFD EFF **10/29/2026**

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: WA LOC ID: SEA FAA SITE NR: 26395.*A
> 2 AIRPORT NAME: 5 COUNTY:
3 CBD TO AIRPORT (NM): 6 REGION/ADO: ANM/SEA 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

SERVICES

70 FUEL:

71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-025 TXL ON NORTH SIDE OF TWY N STLT RSTD TO ACFT WITH WINGSPAN 118 FT OR LESS. TRI-TXL'S AT NORTH STLT: CNTR (GREEN) TXL RSTD TO ACFT WITH WINGSPAN 135 FT OR LESS. WHEN AN ACFT IS ON THE CNTR (GREEN) OR OTR (ORANGE/BLUE) TXL'S, NO OTR ACFT CAN SIMUL USE THE ADJ TXL (S). ORANGE & BLUE TXL'S ARE RSTD TO ACFT WITH WINGSPAN 118 FT OR LESS. TWO ACFT CAN SIMUL USE THE OUTER TXL'S.
A 110-026 RY STATUS LGTS ARE IN OPN.
A 110-027 ACFT WITH WINGSPAN OF 171 FT. OR MORE PRKD AT PAX GATES OR CARGO 7 MUST PROVD 30 MIN PPR PRIOR TO PUSHBACK TO SEATTLE RAMP TWR WHEN VIS LESS THAN 2400 RVR.
A 110-028 TWY J EAST OF TWY T RSTD TO ACFT WITH WINGSPAN 118 FT OR LESS.
A 110-029 RWY 16L/34R RSTD TO ACFT WITH WINGSPAN 260 FT OR LESS.
A 110-030 TWY H RSTRD TO ACFT WITH WINGSPAN 118 FT OR LESS.
A 110-031 TWY B SOUTH OF TWY S RSTRD TO ACFT WITH WINGSPAN 260 FT OR LESS.
A 110-033 AIR CARGO 5 RAMP DUAL ENG TAX ONLY
A 110-034 100LL FUEL NOT AVBL.

111 INSPECTOR: (F) 112 LAST INSP: 01/16/2026 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/5/2026
AFD EFF **10/29/2026**

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: WA LOC ID: SEA FAA SITE NR: 26395.*A
> 2 AIRPORT NAME: 5 COUNTY:
3 CBD TO AIRPORT (NM): 6 REGION/ADO: ANM/SEA 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

SERVICES

70 FUEL:

71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

RUNWAY DATA

> 30 RUNWAY INDENT:				
> 31 LENGTH:				
> 32 WIDTH:				
> 33 SURF TYPE-COND:				
> 34 SURF TREATMENT:				
35 GROSS WT:	S			
36 (IN THSDS)	D			
37	2D			
38	2D/2D2			
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 110-035 THE USE OF REVERSE THRUST BYD WHAT IS NEC FOR OPNL OR SAFETY RSNS IS DISCOURAGED AT ALL TIMES. NOISE ABATEMENT FLT PROCS IN EFCT BTN 2200-0600. FOR FURTHER INFO CTC SEA NOISE ABATEMENT OFC AT 206-787-5393.
A 110-036 CONS TAXI TO TAKEOFF AT SEA. WHEN PRACTICAL, SAFE AND AVBL, CONS TAXI TO TAKEOFFS ARE ENCOURAGED. CONS TAXI TO TAKEOFFS MAY RDC ACFT NOISE WI NEARBY COMMUNITIES.
A 110-037 RPRT BIRD STRIKES TO 206-787-7233
A 110-039 SOUTH SATELLITE TXL RSTRD TO ACFT WITH WINGSPAN OF 214 FT OR LESS.
A 110-040 CARGO1 RSTRD TO ACFT WITH WINGSPAN OF 170 FT OR LESS.
A 110-041 TO MINIMIZE NOISE, FUEL BURN AND JET BLAST, OPERATORS ARE ADVISED TO USE THE MNM RQRD THRUST WHEN TAXIING INVOF THE TRML OR ACFT PRKG AREAS.

111 INSPECTOR: (F) 112 LAST INSP: 01/16/2026 113 LAST INFO REQ: