AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 10/31/2026
AFD EFF 10/29/2026

> 1 ASSOC CITY: ORLANDO
> 2 AIRPORT NAME: ORLANDO SANFORD INTL
3 CBD TO AIRPORT (NM): 16 NE
4 STATE: FL
6 REGION/ADO: ASO/ORL
LOC ID: SFB
5 COUNTY: SEMINOLE FL
7 SECT AERO CHT: JACKSONVILLE
FAA SITE NR: 03407.1*A

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: SANFORD ARPT AUTHORITY
> 12 ADDRESS: 1200 RED CLEVELAND BLVD, SUITE #200
SANFORD, FL 32773-0818
> 13 PHONE NR: 407-585-4101
> 14 MANAGER: NICOLE MARTZ
> 15 ADDRESS: 1200 RED CLEVELAND BLVD
SANFORD, FL 32773
> 16 PHONE NR: 407-585-4101
> 17 ATTENDANCE SCHEDULE:

ALL	ALL	ALL

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 28-46-37.8410N ESTIMATED
20 ARPT LONG: 081-14-05.6890W
21 ARPT ELEV: 54.8 SURVEYED
22 ACREAGE: 3,000
> 23 RIGHT TRAFFIC: 09C, 27R, 09R, 36
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGPY
> 26 FAR 139 INDEX: I D S 02/1989

SERVICES

70 FUEL: 100LL A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: HIGH
74 BULK OXYGEN: NONE
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES: AVNCS, CARGO, CHTR, INSTR, RNTL, SALES

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM:
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: YES
86 FSS: SAINT
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

RUNWAY DATA

	09C/27C	09L/27R	09R/27L	18/36
> 30 RUNWAY INDENT:				
> 31 LENGTH:	3,578	11,002	5,839	6,002
> 32 WIDTH:	75	150	75	150
> 33 SURF TYPE-COND:	ASPH-F	ASPH-G	ASPH-F	ASPH-CONC-F
> 34 SURF TREATMENT:	NONE	GRVD	NONE	GRVD
35 GROSS WT: S	12.0	100.0	67.0	111.0
36 (IN THSDS) D		279.0	80.0	183.0
37 2D		840.0		599.0
38 2D/2D2				
> 39 PCN:	PCR/960 /F/	PCR/1490/F/	PCR/310 /F/	PCR/596 /R/
LIGHTING/APCH AIDS				
> 40 EDGE INTENSITY:	MED	HIGH	HIGH	MED
> 42 RWY MARK TYPE-COND:	BSC - G / BSC - G	PIR - G / PIR - G	PIR - F / NPI - F	NPI - G / NPI - G
> 43 VGSI:	P2L / P2L	P4L / P4R	P4L / P4L	P4L / P4L
44 THR COSSING HGT.:	35 / 27	71 / 72	44 / 47	48 / 45
45 VISUAL GLIDE ANGLE:	4.00 / 3.00	3.00 / 3.00	3.00 / 3.00	3.00 / 3.00
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- N / - N	- / -	- / -
> 48 REIL:	Y / N	N / N	N / Y	Y / Y
> 49 APCH LIGHTS:	/	MALSR / MALSR	MALSR /	/
OBSTRUCTION DATA				
50 FAR 77 CATEGORY	A(V) / A(V)	PIR / PIR	PIR / C	D / B(V)
> 51 DISPLACED THR:	/	1,000 /	839 /	/
> 52 CTLG OBSTN:	TREES / TREES	TREES /	TREES / TREES	TREES / TREES
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	53 / 51	49 /	65 / 37	35 / 32
> 55 DIST FROM RWY END:	2,020 / 2,245	1,000 /	3,475 / 1,875	1,450 / 1,005
> 56 CNTRLN OFFSET:	65L / 125L	280L /	300R / 95L	10R / 295R
57 OBSTN CLNC SLOPE:	34:1 / 40:1	24:1 / 50:1	50:1 / 45:1	35:1 / 25:1
58 CLOSE-IN OBSTN:	N / N	N / N	N / N	N / N
DECLARED DISTANCES				
> 60 TAKE OFF RUN AVBL (TORA):	3,578 / 3,578	11,002 / 11,002	5,839 / 5,839	6,002 / 6,002
> 61 TAKE OFF DIST AVBL (TODA):	3,578 / 3,578	11,002 / 11,002	5,839 / 5,839	6,002 / 6,002
> 62 ACLT STOP DIST AVBL (ASDA):	3,578 / 3,578	11,002 / 11,002	5,839 / 5,839	5,956 / 6,002
> 63 LNDG DIST AVBL (LDA):	3,578 / 3,578	10,002 / 11,002	5,000 / 5,839	5,956 / 6,002

> 110 REMARKS

A 014	NICOLE MARTZ (PRESIDENT & CEO)
A 026	CLSD TO REPETITIVE ACR TRNG OPS EXCP 24 HR PPR - AMGR 407-585-4000 EXT 4006 OR 407-585-4119. ARFF INDEX E AVBL WITH 24 HR PPR (CHARTER CARRIERS ON PUBLISHED SKED EXEMPT).
A 030	RWY 09C/27C NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.
A 030	RWY 09L/27R PRIM ACR OPS RWY.
A 030	RWY 09R/27L NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS. PRI FLT T RWY.
A 030	RWY 18/36 PRIM ACR OPS RWY.
A 033	RWY 18/36 CNTR 75 FT GOOD COND; OUTER EDGE FAIR COND.
A 057	RWY 09L APCH 50:1 TO MKD DTHR.
A 081	WHEN ATCT CLSD ACTVT MALSR RWY 9R & 27R; PAPI RWYS 09L, 27R, 09C, 27C, 09R, 27L, 18, & 36; HIRL RWY 09L/27R, 09R/27L; MIRL RWY 18/36 & 9C/27C - CTAF.
A 110-004	FLT TRNG ACT IN TFC PAT & LCL AREA.
A 110-005	LRG AND/OR FLOCKING BIRDS; INCLG EAGLES INVOF ARPT.

111 INSPECTOR: (F)
112 LAST INSP: 01/16/2026
113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 10/31/2026
AFD EFF 10/29/2026

> 1 ASSOC CITY: ***CONTINUED*** | 4 STATE: FL | LOC ID: SFB | FAA SITE NR: 03407.1*A
> 2 AIRPORT NAME: | 5 COUNTY:
3 CBD TO AIRPORT (NM): | 6 REGION/ADO: ASO/ORL | 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

SERVICES

70 FUEL:

71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-006 US CUSTOMS & BORDER PROTECTION GA FAC (GAF) HRS OF OP THURS MON (1100AM - 700PM). ALL ACFT WITH LESS THAN 30 SEATS ARRIVING TO CLEAR CUSTOMS CTC 129.075 PRIOR TO LDG.
A 110-103 PAEW ON TRML RAMP WI 75 FT OF TWY C CNTRLN WHEN ACFT USING GATES 7 OR 8.
A 110-104 TWY P CLSD TO ACFT WITH WINGSPAN GREATER THAN 40 FT.
A 110-110 DUE TO FACILITY CONSTRAINTS THAT LIMIT ABILITY TO ACCOMMODATE DIVERTED FLIGHTS AIRCRAFT OPERATORS TO CONTACT THE AIRPORT AT 407-585-4101 FOR PRIOR COORDINATION, EXCEPT IN CASE OF A DECLARED IN-FLIGHT EMERGENCY
A 110-111 FOR TKOF TBJTS USE FAA NADP-2 COMPARABLE ACR OPS SPECS PROFILE OR NBAA PROFILE. ON VISUAL APCHS PILOTS ARE REQUESTED TO DLA LDG GEAR EXTN TIL OPRLY NEC.
A 110-112 TWY K CLSD TO ACFT WITH WINGSPAN GTR THAN 79 FT.
A 110-113 ALL UNSCHEDULED ACR WITH AT LEAST 31 PSGR SEATS PPR CTC DIRECTOR OF OPS 407-585-4112 OR 407-585-4119
A 110-114 CALM WIND RWY - WHEN WIND IS LESS THAN 5KTS, RWY09L IS PREF FOR ALL ACR AND LARGE ACFT, RWY 09R PREF FOR GA OPS.

111 INSPECTOR: (F) 112 LAST INSP: 01/16/2026 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 10/31/2026
AFD EFF 10/29/2026

> 1 ASSOC CITY: ***CONTINUED*** | 4 STATE: FL | LOC ID: SFB | FAA SITE NR: 03407.1*A
> 2 AIRPORT NAME: | 5 COUNTY:
3 CBD TO AIRPORT (NM): | 6 REGION/ADO: ASO/ORL | 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

SERVICES

70 FUEL:

71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:				
> 31 LENGTH:				
> 32 WIDTH:				
> 33 SURF TYPE-COND:				
> 34 SURF TREATMENT:				
35 GROSS WT:	S			
36 (IN THSDS)	D			
37	2D			
38	2D/2D2			
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 110-115 24 HR ADVN NOTICE OR IMT REPORTING UPON LDG FOR ACFT EQUIPPED WITH WEATHER MODIFICATION OR GEOENGINEERING EQUIP CTC ARPT OPS 407-585-4119
A 110-116 DUE TO LTD CBP FAC, SFB UNA TO ACCOMODATE INTL DVRSN EXC IN CASE OF A DECLARED IN-FLT EMERG.

111 INSPECTOR: (F) 112 LAST INSP: 01/16/2026 113 LAST INFO REQ: