

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/29/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: SPRINGFIELD 4 STATE: MO LOC ID: SGF FAA SITE NR: 12138.*A
 > 2 AIRPORT NAME: SPRINGFIELD-BRANSON NTL 5 COUNTY: GREENE MO
 3 CBD TO AIRPORT (NM): 05 NW 6 REGION/ADO: ACE/NONE 7 SECT AERO CHT: KANSAS CITY

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: CITY OF SPRINGFIELD
 > 12 ADDRESS: 2300 N AIRPORT BLVD, SUITE 100
 SPRINGFIELD, MO 65802
 > 13 PHONE NR: 417-868-0500
 > 14 MANAGER: MR. BRIAN C WEILER, A.A.E.
 > 15 ADDRESS: 2300 N AIRPORT BLVD, SUITE 100
 SPRINGFIELD, MO 65802
 > 16 PHONE NR: 417-868-0500
 > 17 ATTENDANCE SCHEDULE:
 ALL ALL ALL

SERVICES

70 FUEL: 100LL A
 71 AIRFRAME RPRS: MAJOR
 72 PWR PLANT RPRS: MAJOR
 73 BOTTLE OXYGEN: NONE
 74 BULK OXYGEN: HIGH/LOW
 75 TSNT STORAGE: HGR, TIE
 76 OTHER SERVICES:
 AFRT, AMB, AVNCS, CHTR, INSTR, RNTL,
 SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
 19 ARPT LAT: 37-14-44.3810N ESTIMATED
 20 ARPT LONG: 093-23-19.0570W
 21 ARPT ELEV: 1268.3 SURVEYED
 22 ACREAGE: 2,750
 > 23 RIGHT TRAFFIC: NO
 > 24 NON-COMM LANDING: NO
 25 NPIAS/FED AGREEMENTS: NGY3
 > 26 FAR 139 INDEX: I B S 05/1973

80 ARPT BCN: WG
 81 ARPT LGT SKED : SS-SR
 BCN LGT SKED: SS-SR
 82 UNICOM: 122.950
 83 WIND INDICATOR: YES-L
 84 SEGMENTED CIRCLE: NONE
 85 CONTROL TWR: YES
 86 FSS: COLUMBIA
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

	02/20	14/32
> 30 RUNWAY INDENT:	7,003	8,000
> 31 LENGTH:	150	150
> 32 WIDTH:	CONC-G	CONC-E
> 33 SURF TYPE-COND:	GRVD	GRVD
> 34 SURF TREATMENT:	135.0	135.0
35 GROSS WT: S	170.0	170.0
36 (IN THSDS) D	300.0	300.0
37 2D		
38 2D/2D2		

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGS: I
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

	HIGH	HIGH
> 40 EDGE INTENSITY:	PIR - G / PIR - G	PIR - G / NPI - G
> 42 RWY MARK TYPE-COND:	V4L / P4L	P4R / P4L
> 43 VGS: I	54 / 47	56 / 35
44 THR COSSING HGT.:	3.00 / 3.00	3.00 / 3.00
45 VISUAL GLIDE ANGLE:	- / -	- / -
> 46 CNTRLN-TDZ:	T - / R -	T - / R -
> 47 RVR-RVV:	/	N / Y
> 48 REIL:	MALSR / MALSR	MALSR /

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTGL OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

	PIR / D	PIR / C
50 FAR 77 CATEGORY	/	/
> 51 DISPLACED THR:	/	/
> 52 CTGL OBSTN:	/	/
> 53 OBSTN MARKED/LGTD:	/	/
> 54 HGT ABOVE RWY END:	/	/
> 55 DIST FROM RWY END:	/	/
> 56 CNTRLN OFFSET:	/	/
57 OBSTN CLNC SLOPE:	50:1 / 50:1	50:1 / 50:1
58 CLOSE-IN OBSTN:	N / N	N / N

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

> 60 TAKE OFF RUN AVBL (TORA):	7,003 / 7,003	8,000 / 8,000
> 61 TAKE OFF DIST AVBL (TODA):	7,003 / 7,003	8,000 / 8,000
> 62 ACLT STOP DIST AVBL (ASDA):	7,003 / 7,003	8,000 / 8,000
> 63 LNDG DIST AVBL (LDA):	7,003 / 7,003	8,000 / 8,000

> 110 REMARKS

A 014 DIRECTOR OF AVIATION.
 A 026 PPR 24 HRS FOR UNSKED ACR OPNS WITH MORE THAN 30 PSGR SEATS CALL SGF 417-868-0590. ARFF INDEX C & D AVBL ON REQUEST.
 A 039 RWY 02/20 PCR VALUE: 780/R/D/W/T
 A 039 RWY 14/32 PCR VALUE: 780/R/D/W/T
 A 074 OXYGEN AVBL MON-FRI 0800-1700.
 A 110-002 BIRDS & WILDLIFE ON & INVOF ARPT.
 A 110-005 TWY N SOUTH OF RY 14-32 CLSD TO A-321, B727-200, ALL MD 80 SERIES, B-757 AND LARGER ACFT.
 A 110-008 COMPASS ROSE NORTH OF TWY D AT THE APCH END RWY 32 RESTRICTED TO ACFT WITH FLUX VALVE & STBY COMPASS OF 5.5 FT IN HGT OR HYR.
 A 110-009 GROUP IV ACFT OR LRGR ON TWY D FROM THE AER 32 TO TWY N AND TWY U ALG CARGO APN MUST PERFORM JUDGMENTAL OVERSTEERING INSTEAD OF COCKPIT OVER CNTRLN WHEN TAX.

111 INSPECTOR: (F)

112 LAST INSP: 01/22/2026

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/29/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/29/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: MO LOC ID: SGF FAA SITE NR: 12138.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ACE/NONE 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-011 ARNG - MO-AVCRAD FAC OPR 1300-2100Z++ MON-FRI EXC HOL. MAINT ASST AVBL DUR NML DUTY HR. FLT ACT OPR 1400-2130Z++ MON-FRI EXC HOL. EXTN HR ON TUES, WED, THU 1400-0200Z++. DUR DST EXTN HR ONLY ON WED, THUR 1400-0500Z++. ARNG-24 HR PPR REQ, VALID 1 HR +/- ETA. FOR PPR, CTC FLT OPS AT C417-874-8460 DUR NML DUTY HR. ALL ACFT RQR CTC BEARS DEN ON 38.525, 138.75 AND 245.6 DEP ACFT RQR TO CTC BEARS DEN TO ADHERE TO ARPT SECURITY MEASURES. TRAN ACFT SHALL ARR AND DEP FR TWY G OR TWY J. A++ FUEL AVBL FOR SUPPORTED AVCRAD ACFT. RWY - ALL RWY GROOVED. RWY 02 RVR-T. TWY 20 RVR-R. RWY 14 RVR-T. RWY 32 RVR-R.

111 INSPECTOR: (F)

112 LAST INSP: 01/22/2026

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/29/2026
AFD EFF 04/16/2026