

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aer_o_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: SAN JUAN 4 STATE: PR LOC ID: SJU FAA SITE NR: 53180.1*A
> 2 AIRPORT NAME: LUIS MUNOZ MARIN INTL 5 COUNTY: --PUERTO RICO PR
> 3 CBD TO AIRPORT (NM): 03 SE 6 REGION/ADO: ASO/ATL 7 SECT AERO CHT: PUERTO RICO-

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: PUERTO RICO PORTS AUTH
> 12 ADDRESS: GPO BOX 362829
SAN JUAN, PR 00936-2829
> 13 PHONE NR: 787-289-7240
> 14 MANAGER: MR. JORGE HERNANDEZ
> 15 ADDRESS: P. O. BOX 38085
SAN JUAN, PR 00937-1085
> 16 PHONE NR: (787) 289-7240
> 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

SERVICES

70 FUEL: 100 A+ A++
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: NONE
74 BULK OXYGEN: NONE
75 TSNT STORAGE: HGR
76 OTHER SERVICES: AFRT, CARGO, CHTR

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 18-26-21.8370N ESTIMATED
20 ARPT LONG: 066-00-07.6800W
21 ARPT ELEV: 9.6 SURVEYED
22 ACREAGE: 1,600
> 23 RIGHT TRAFFIC: 08, 10
> 24 NON-COMM LANDING: YES
25 NPIAS/FED AGREEMENTS: NGY
> 26 FAR 139 INDEX: I D S 05/2005

80 ARPT BCN: WG
81 ARPT LGT SKED : SS-SR
BCN LGT SKED: SS-SR
82 UNICOM: 123.000
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: YES
86 FSS: SAN JUAN
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	08/26	10/28
> 30 RUNWAY INDENT:	10,400	8,016
> 31 LENGTH:	193	150
> 32 WIDTH:	ASPH-F	CONC-G
> 33 SURF TYPE-COND:	GRVD	GRVD
> 34 SURF TREATMENT:	120.0	120.0
35 GROSS WT: S	250.0	250.0
36 (IN THSDS) D	499.0	550.0
37 2D	1024.0	1075.0
38 2D/2D2		
> 39 PCN:		

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGS: I
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

	HIGH	HIGH		
> 40 EDGE INTENSITY:	PIR - G / PIR - G	PIR - G / PIR - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	P4L /	P4L / P4L	/	/
> 43 VGS: I	70 /	53 / 53	/	/
44 THR COSSING HGT.:	3.00 /	3.00 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	/ Y	/	/	/
> 48 REIL:	MALSR /	MALSR /	/	/
> 49 APCH LIGHTS:				

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

	PIR / C	PIR / B(V)		
50 FAR 77 CATEGORY	400 / 400	/	/	/
> 51 DISPLACED THR:	TREE / TREE	TREE / TREES	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	59 / 72	50 / 24	/	/
> 54 HGT ABOVE RWY END:	2,675 / 2,600	2,200 / 1,000	/	/
> 55 DIST FROM RWY END:	300R / 800R	300L / B	/	/
> 56 CNTRLN OFFSET:	42:1 / 33:1	40:1 / 33:1	/	/
57 OBSTN CLNC SLOPE:	N / N	N / N	/	/
58 CLOSE-IN OBSTN:				

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

	10,400 / 10,400	8,016 / 8,016		
> 60 TAKE OFF RUN AVBL (TORA):	10,400 / 10,400	8,016 / 8,016	/	/
> 61 TAKE OFF DIST AVBL (TODA):	9,784 / 10,308	8,016 / 8,016	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	9,384 / 9,908	8,016 / 8,016	/	/
> 63 LNDG DIST AVBL (LDA):				

> 110 REMARKS

A 033 RWY 08/26 RWY 08 FST 680 FT CONC.
A 039 RWY 08/26 PCR VALUE: 888/R/B/W/T
A 039 RWY 10/28 PCR VALUE: 1050/R/B/W/T
A 043 RWY 08 RWY 8 PAPI UNUSBL BYD 8 DEGS L AND R OF CNTRL.
A 110-027 APRON 12 AVBL FOR GA ACFT ONLY.
A 110-029 ANG MILITARY APRON - OFFL BUS. NO OVNGT PRKG ALLOWED. OPR 1130-2000Z MON-FRI, CLSD WKEND AND HOL. PPR DSN 740-9629, C787-253-7629. ALL TRAN ACFT CTC COMD POST UHF 235.0, 20 MIN PRIOR TO LDG AND PRIOR TO ENG START. TWY J BTN J1 AND J5 (NOT INCLUDING J5) CLSD TO ACFT WITH GREATER THAN 118 FT WINGSPAN.
A 110-031 ENGINE RUNUPS PROHIBITED ON GATES AREA.
A 110-034 ACFT 180 TURNS ON TWYS REQUIRES OPS COORDINATIONS.
A 110-035 FBO/GROUND HANDLER MUST SUBMIT 72 HRS PPR FOR ALL MIL ACFT TO: CCO@AEROSTARAIRPORTS.COM OR BY PHONE TO: 787-253-0979
A 110-037 ALL PVT AND CORPORATE AIRCRAFT MUST CONTACT ARPT OPS, BEFORE ARRIVAL, FOR FBOS & GROUND HANDLING INFO AT 787-253-0979.
A 110-039 MILITARY: ANG: INBD ACFT ORIGINATING FR OCONUS WITH A PPR FOR MUNIZ ANGB APN MUST CLEAR CUSTOMS AND BORDER PROTECTION AT CIV SIDE. PRIOR COORD MUST BE MADE WITH ANG AMOPS, FONE 740-9629 AT LEAST ONE BUS DAY PRIOR TO ARRIVAL.
A 110-040 HI VEHICLE ACTIVITY ADJ TO AND XG TWY N DURG DAY/ NGT OPNS.

111 INSPECTOR: (F) 112 LAST INSP: 07/25/2025 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: PR LOC ID: SJU FAA SITE NR: 53180.1*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASO/ATL 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 07/25/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026