

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/28/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: SALEM 4 STATE: OR LOC ID: SLE FAA SITE NR: 19595.*A
 > 2 AIRPORT NAME: MCNARY FLD 5 COUNTY: MARION OR
 3 CBD TO AIRPORT (NM): 02 SE 6 REGION/ADO: ANM/SEA 7 SECT AERO CHT: SEATTLE

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: CITY OF SALEM
 > 12 ADDRESS: 555 LIBERTY ST SE RM 220
 SALEM, OR 97301
 > 13 PHONE NR: 503-588-6314
 > 14 MANAGER: AARON ISON
 > 15 ADDRESS: 2990 25TH ST SE
 SALEM, OR 97302
 > 16 PHONE NR: 503-589-2057
 > 17 ATTENDANCE SCHEDULE:

ALL MON-FRI 0700-1900
 ALL SAT-SUN 0700-1700

SERVICES

70 FUEL: 100LL A
 71 AIRFRAME RPRS: MAJOR
 72 PWR PLANT RPRS: MAJOR
 73 BOTTLE OXYGEN: HIGH
 74 BULK OXYGEN: HIGH
 75 TSNT STORAGE: HGR, TIE
 76 OTHER SERVICES: AFRT, AMB, AVNCS, CHTR, INSTR, RNTL, SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

80 ARPT BCN: WG
 81 ARPT LGT SKED: SEE RMK
 BCN LGT SKED: SS-SR
 82 UNICOM: 122.950
 83 WIND INDICATOR: YES-L
 84 SEGMENTED CIRCLE: YES
 85 CONTROL TWR: YES
 86 FSS: MC MINNVILLE
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

18 AIRPORT USE: PUBLIC
 19 ARPT LAT: 44-54-34.3000N ESTIMATED
 20 ARPT LONG: 123-00-09.0000W
 21 ARPT ELEV: 213.4 SURVEYED
 22 ACREAGE: 751
 > 23 RIGHT TRAFFIC: NO
 > 24 NON-COMM LANDING: YES
 25 NPIAS/FED AGREEMENTS: NGPY3
 > 26 FAR 139 INDEX: I B S 05/1973

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

	13/31	16/34	H1
> 30 RUNWAY INDENT:	5,811	5,146	37
> 31 LENGTH:	150	100	37
> 32 WIDTH:	ASPH-G	ASPH-G	CONC-E
> 33 SURF TYPE-COND:	GRVD	GRVD	NONE
35 GROSS WT: S	120.0	39.5	
36 (IN THSDS) D	189.0	52.0	
37 2D	280.0		
38 2D/2D2	759.0		
> 39 PCN:		15 /F/D/X/T	

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGS: 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

	HIGH	MED	BSC - G / -	- / -
> 40 EDGE INTENSITY:	NPI - G / PIR - G	NPI - G / NPI - G		
> 42 RWY MARK TYPE-COND:	V4L /	P4L / P4L	/	/
> 43 VGS:	50 /	38 / 42	/	/
44 THR COSSING HGT.:	3.00 /	3.00 / 4.00	/	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	R - / T - N	- N / -	- / -	- / -
> 47 RVR-RVV:	Y /	Y / Y	/	/
> 48 REIL:	ODALS / MALSR	/	/	/
> 49 APCH LIGHTS:				

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

	D / PIR	B(V) / B(V)	/	/
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	ROAD / TREE	ROAD / TREE	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	11 / 459	16 / 216	/	/
> 54 HGT ABOVE RWY END:	600 / 15,950	430 / 4,528	/	/
> 55 DIST FROM RWY END:	550R / 1900L	280L / 273R	/	/
> 56 CNTRLN OFFSET:	36:1 / 30:1	14:1 / 20:1	/	/
57 OBSTN CLNC SLOPE:	N / N	N / N	N / N	/
58 CLOSE-IN OBSTN:				

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

> 60 TAKE OFF RUN AVBL (TORA):	5,811 / 5,811	5,145 / 5,145	/	/
> 61 TAKE OFF DIST AVBL (TODA):	5,811 / 5,811	5,145 / 5,145	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	5,811 / 5,811	5,145 / 5,145	/	/
> 63 LNDG DIST AVBL (LDA):	5,811 / 5,811	5,145 / 5,145	/	/

> 110 REMARKS

A 024 LDG FEE FOR COML & ITRNTT WITH FAA CERTIFIED MAX GROSS LDG WT GTR THAN 7000 LB.
 A 026 PPR FOR UNSKED ACR OPS GTR THAN 30 PAX SEATS - AMGR.
 A 039 RWY 13/31 PCR VALUE: 510/F/C/X/T
 A 070 L 100 LL SELF SVC H24.
 A 070 AFT HR JET A PPR - 503-508-4178 OR 503-364-4158.
 A 075 OVNGT TIEDOWN & COML AIR CHARTER LDG FEE. HGR AVBL PPR - 503-364-4158 OR 503-585-3838.
 A 081 WHEN ATCT CLSD ACTVT MALSR RWY 31; ODAL RWY 13; REIL RWY 13, 16, 34; HIRL RWY 13/31; MIRL RWY 16/34 - CTAF. REIL RWY 16, PAPI RWY 16 & 34 OTS INDEFLY.
 A 110-003 BIRD HAZ: WATERFOWL INVOF ARPT; GEESE TRSN CLASS D TPA OCT-MAY.
 A 110-004 TWY A FM TWY L TO L9 NOT VSB FM ATCT.
 A 110-008 NOISE ABTMENT PROC IN EFCT; AVOID OTCF RESIDENTIAL AREAS.
 A 110-009 RISING TRRN & TREES W & S OF ARPT & RWY 34 EXTDD CNTRLN. TREES ON RWY 16 EXTDD CNTRLN. NGT OPS NOT RCMD BOTH RWYS.
 A 110-010 ARNG: 1500-0030Z++ MON-FRI EXC HOL. TSNT PPR - D355-1401/ C971-355-1401; TSNT ALERT SVC & PRKG NA. ROTARY WING NOISE ABATEMENT PROC IN EFCT. TSNT ROTARY WING USE SANTIAM ARR/DEP. ARNG LGT ACFT PAX SVC VIP PAD S END OF MIL RAMP. DURG DUTY HR CTC GUARD OPS 10 MIN OUT - 40.90, 142.8, 248.5. OSA OPS - D355-1409/C971-355-1409.

111 INSPECTOR: (F) 112 LAST INSP: 11/21/2024 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/28/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/28/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: OR LOC ID: SLE FAA SITE NR: 19595.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ANM/SEA 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 110-012 FOR CD IF UNA TO CTC ON FSS FREQ, CTC SEATTLE ARTCC AT 253-351-3694.
A 110-013 CLSD AFT HVY SNOW. ARPT COND UNMNT 1600L-0800L & WKEND.
A 110-014 ACR OPS USE TWY A, TWY A1, TWY A2, TWY B, TWY C FM TWY A TO J, TWY F FM TWY A TO RWY 31, TWY J.

111 INSPECTOR: (F)

112 LAST INSP: 11/21/2024

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/28/2026
AFD EFF 04/16/2026