

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/27/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: LOS ALAMITOS 4 STATE: CA LOC ID: SLI FAA SITE NR: 01796.\*A  
> 2 AIRPORT NAME: LOS ALAMITOS AAF 5 COUNTY: ORANGE CA  
> 3 CBD TO AIRPORT (NM): 01 SE 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT: LOS ANGELES

### GENERAL

10 OWNERSHIP: ARMY  
> 11 OWNER: US ARMY  
> 12 ADDRESS: AASF, CAARNG, 4612 DOOLITTLE AVE  
LOS ALAMITOS, CA 90720  
> 13 PHONE NR: 562-795-2571  
> 14 MANAGER: BASE OPS  
> 15 ADDRESS: LOS ALAMITOS, CA 90720  
> 16 PHONE NR: 562-795-1351  
> 17 ATTENDANCE SCHEDULE:

ALL FRI-SUN 1500-2400Z++  
ALL MON-THU 1500-0600Z++

18 AIRPORT USE: PRIVATE  
19 ARPT LAT: 33-47-24.1080N ESTIMATED  
20 ARPT LONG: 118-03-05.1120W  
21 ARPT ELEV: 35.5 SURVEYED  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING: NO

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:

04L/22R	04R/22L
5,901	7,999
150	200
PEM	ASPH-CONC

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:

MED	HIGH
- / -	- / -
	75

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

### > 110 REMARKS

A 002 (JOINT FORCES TRAINING BASE JFTB)  
A 014 AIRFIELD OPERATIONS: C562-795-2571/2561  
A 017 CLSD ALL FEDERAL HOL. EXP CLOSURE OR RDCD SVC PER NOTAM. RSTD: PPR CTC AFLD OPS, RCMD UNITS ASK FOR CURRENT CPBLTY WHEN REQG PPR DSN 972-2571, C562-795-2571; NG.CA.CAARNG.MBX.KSLIOPERATIONS@ARMY.MIL FOR PPR REQ FORM.  
A 026 AIRFIELD MNTNS AN ARFF INDEX A ON A CONS BASIS WITH A TEMPRY INDEX OF B/C CPBLTY BY EXCPN. CTC AIRFIELD OPS NLT 48 HRS FOR CDN.  
A 040 RWY 04R/22L HIRL ELEV 1 FT AND LCTD 5 FT FROM EDGE OF RWY.  
A 070 NATO F24 AVBL.  
A 110-001 RWY-LGTS: RWY 22L - SF.  
A 110-002 RWY-17/35 CLSD (2500X150 ASP).  
A 110-003 JASU - 1(TMD150CIII) 1(AGPU).  
A 110-008 NS ABTMT - PRO IN EFF. ALL DEP RQR BRIEFINGS.  
A 110-010 MISC - WINDS ARE ACCURATE TO WITHIN PLUS OR MINUS 4 KNOTS.  
A 110-013 MISC: TO EXCEED WT BRG CAP CTC AFLD OPS. SEE FLIP AP/1 RTE AND AREA RSTD AND SUPPLEMENT ARPT RMK.  
A 110-014 ARNG AASF OPS- OPR 1530-2330Z++ MON-FRI; EXC HOL. DSN 972-2006, C562-795-2006. HTTP://WWW.CALGUARD.CA.GOV/AASF1.  
111 INSPECTOR: (N) 112 LAST INSP: 113 LAST INFO REQ: 12/04/1975

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

80 ARPT BCN: SWG  
81 ARPT LGT SKED : SS-SR  
BCN LGT SKED: SS-SR  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE: NONE  
85 CONTROL TWR: YES  
86 FSS: HAWTHORNE  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/27/2026  
AFD EFF 04/16/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/27/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: CA LOC ID: SLI FAA SITE NR: 01796.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT:

### GENERAL

- 10 OWNERSHIP:
- > 11 OWNER:
- > 12 ADDRESS:
- > 13 PHONE NR:
- > 14 MANAGER:
- > 15 ADDRESS:
- > 16 PHONE NR:
- > 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

- 18 AIRPORT USE:
- 19 ARPT LAT:
- 20 ARPT LONG:
- 21 ARPT ELEV:
- 22 ACREAGE:
- > 23 RIGHT TRAFFIC:
- > 24 NON-COMM LANDING:

- 80 ARPT BCN:
- 81 ARPT LGT SKED :  
BCN LGT SKED:
- 82 UNICOM:
- 83 WIND INDICATOR:
- 84 SEGMENTED CIRCLE:
- 85 CONTROL TWR:
- 86 FSS:
- 87 FSS ON ARPT:
- 88 FSS PHONE NR:
- 89 TOLL FREE NR:

### RUNWAY DATA

- > 30 RUNWAY INDENT:
- > 31 LENGTH:
- > 32 WIDTH:
- > 33 SURF TYPE-COND:

### LIGHTING/APCH AIDS

- > 40 EDGE INTENSITY:
- > 42 RWY MARK TYPE-COND:

- / - - / - - / - - / -

### OBSTRUCTION DATA

- 50 FAR 77 CATEGORY
- > 51 DISPLACED THR:
- > 52 CTLG OBSTN:
- > 53 OBSTN MARKED/LGTD:
- > 54 HGT ABOVE RWY END:
- > 55 DIST FROM RWY END:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

### > 110 REMARKS

- A 110-015 RSTD: FOR SPECIAL AFTER HRS LNDG AND AFLD LIGHTING REQUESTS FOR ACFT WEIGHING UNDER 14,500 LBS, CALL AFLD OPS AT 562-795-2571.
- A 110-016 SERVICE: TRAN ALERT - FUEL OPR MON-THU 1430-2330Z++, FRI 1430-0130Z++, CLSD WKENDS AND FEDERAL HOL. EXP CLOSURE OR RDCD SVC PER NOTAM. NO PRIORITY BASIS. EXP SVC DELAYS IF HVY ACFT ARE UTILIZING LAAAF. NO ACFT LAV SVC OR BELT LOAD, CTC AIRSERV AT KLGB 866-247-7378 OR 562-429-8062. LTD TRAN SVC. NO SHUTTLE SVC AVBL.
- A 110-017 CLASSIFIED STOR FOR TSNT AIRCREW UNAVBL AT AFLD MGMT OPS; CTC BASE SECFOR DSN 972-2100, C562-795-2100.
- A 110-018 AIRCREWS UTILIZING LAAAF MUST ADVS THEIR DEP TO LOCAL FSS TO INCL KSLYXYX AS AN ADDRESSEE ON THE ORIG DD 1801 FLT PLAN AND ON ANY CHG, DELAY, DEP AND CNL MSG.
- A 110-019 ALL TRAN AIRCREWS MUST RPT TO AFLD OPS. HIGH VIS EVENTS (VIP CODE 7 AND ABV) ARE RQRD TO NTFY AFLD OPS 30 MIN PRIOR TO ARR DUE TO POST HQ COORD.
- A 110-020 MISC: AFLD SIGNS NSTD. RWY 04R/22L THLD BARS NSTD. ALL RWY MARKINGS NSTD. TWY AND PRKG LINES NSTD AND NOT VIS IN DARKNESS OR INCLEMENT WX.

111 INSPECTOR: (N)

112 LAST INSP:

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/27/2026  
AFD EFF 04/16/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/27/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: CA LOC ID: SLI FAA SITE NR: 01796.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:

- / - - / - - / - - / -

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:

/ / / /  
/ / / /  
/ / / /  
/ / / /  
/ / / /  
/ / / /

### > 110 REMARKS

- A 110-021 MISC: WILDLIFE HAZ EXISTS; RQRS INCRD VIGILANCE BY ALL AGENCIES AND SUPVRS AND CTN BY AIRCREWS. BASH/WASH COND ANNOUNCED ON ATIS. PILOTS SHOULD RPRT ALL LARGE BIRD AND MAMMAL SIGHTINGS TO TWR OR AFLD OPS.
- A 110-022 FOR CD WHEN ATCT CLSD CTC SOCIAL APCH AT 800-448-3724.
- A 110-023 PAR REMOVED FROM SVC, PERMLY CLSD.
- A 110-024 TWY B1 & TWY E LTD TO ACFT 30000 LBS OR LESS.
- A 110-025 CAUTION: FALSE ATC INSTRNS HAVE BEEN RCVD IN THE AREA OF LOS ALAMITOS AIRFIELD; EXER EXTREME CTN ON ALL FREQS AND VFY INSTRNS.
- A 110-026 ALL WHEELED ACFT WILL LAND TO THE RWYS AND GND TAXI TO PRKG ON ALL APCHS AND DEPS UNLESS REQD AND APVD OR DRCTD BY ATC. DSGND HOVERING AREAS ARE RWY 22R RUNUP AREA, TWY E, & TWY F.
- A 110-027 CAUTION: AIRFIELD HAS HIGH POTENTIAL FOR FOD.
- A 110-028 AIRFIELD FOD COND RANGES FROM MOD TO OCNL.
- A 110-029 LAAAF AIRFIELD PROCEDURES GUIDE (APG) AND AIRFIELD OPERATIONS MANUAL (AOM) IS AVBL. IT CAN BE LCTD ON THE CALGUARD SHAREPOINT UNDER CAMP LOS ALAMITOS/JFTB SITES/LOS ALAMITOS ARMY AIRFIELD. CTC BASE OPS FOR A CURRENT COPY NG.CA.CAARNG.MBX.KSLIOPERATIONS@ARMY.MIL OR 562-795-2571.

111 INSPECTOR: (N)

112 LAST INSP:

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/27/2026  
AFD EFF 04/16/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/27/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: CA LOC ID: SLI FAA SITE NR: 01796.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:

Information on aircraft operations is available from FAA's Aviation System Performance Metrics  
<https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:

## FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:

- / - - / - - / - - / -

## OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/

## > 110 REMARKS

A 110-030 PILOTS WILL SMT ALL DD FORM 1801 WITH A NAME IN BLOCK 19, PILOT IN COMMAND (PIC) IAW LAAAF APG, 2-2, B, 3 AND THE GENERAL PLANNER (GP), 4 -3, ITEM 19. DD FORM 1801 WILL INCL A CTC NR SEPARATE FROM ANY FLT CREW FOR ANY SEARCH AND RESCUE (SAR) RELATED EMERGS.

A 110-031 GLARE OBSD FROM SOLAR FARM SITE ON AIRFIELD DRG MIDDAY HRS. PILOTS ARE ADVISED TO RPRT GLARE/GLINT TO ATC TWR UPON OBS.

A 110-032 ALL FIXED WING HIGH POWER MAINT RUN-UPS MUST BE CONDUCTED ON FAR WEST RAMP FACING TO THE EAST OR ON ACFT STAGING PAD FOR NOISE MITIGATION UFN. ACFT WILL CTC BASE OPS ON 126.2 PRIOR TO ACFT MOV.

A 110-033 LED LGTG ON AIRFIELD RWYS AND TWYS. LEDS MAY NOT BE COMPATIBLE WITH CERTAIN NGT VISION DEVICES.

A 110-034 RWY CLEAR ZONES AND ACDNT POTENTIAL ZONES (APZ) CONTAIN LAND USE INVOLVING SUBSTANTIAL HUMAN PRESENCE IN AREAS OF HIGH ACDNT POTENTIAL THAT COULD IMPACT SAFETY OF FLT.

A 110-035 RWY 04L/22R CLSD TO IFR/NIGHT EXCP VFR/DAY/NVG OPS DUE TO UNAVBLTY OF RWY LGTS.

A 110-036 RWY 04L & 22R THLD LGTS U/S.

A 110-037 RWY 22L ALS U/S.

A 110-038 AD FUEL REQ WILL BE MADE VIA THE FLWG PROCESS: PRI CTC POL (OPS6) ON VHF 126.2, SEC CTC POL 562-795-2149, THIRD CTC BASE OPS 562-795-2571. DUE TO RADIO INTFC, ESTAB CTC ON VHF ON FINAL OR UPON TAX.

A 110-039 EAST RAMP ACFT GND POINTS NONCOMPLIANT AND UNMARKED.

111 INSPECTOR: (N)

112 LAST INSP:

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/27/2026  
AFD EFF 04/16/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/27/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: CA LOC ID: SLI FAA SITE NR: 01796.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:

Information on aircraft operations is available from FAA's Aviation System Performance Metrics  
<https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:

## FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:

- / - - / - - / - - / -

## OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:

/ / / /  
/ / / /  
/ / / /  
/ / / /  
/ / / /  
/ / / /

> 110 REMARKS

111 INSPECTOR: (N)

112 LAST INSP:

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/27/2026  
AFD EFF 04/16/2026