

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/10/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: SANTA MONICA 4 STATE: CA LOC ID: SMO FAA SITE NR: 02253.*A
 > 2 AIRPORT NAME: SANTA MONICA MUNI 5 COUNTY: LOS ANGELES CA
 3 CBD TO AIRPORT (NM): 03 E 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT: LOS ANGELES

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: CITY OF SANTA MONICA
 > 12 ADDRESS: 3223 DONALD DOUGLAS LOOP S.
 SANTA MONICA, CA 90405
 > 13 PHONE NR: (310) 458-8692
 > 14 MANAGER: STELIOS MAKRIDES
 > 15 ADDRESS: 3223 DONALD DOUGLAS LOOP S.
 SANTA MONICA, CA 90405
 > 16 PHONE NR: (310) 458-8692
 > 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

SERVICES

70 FUEL: 100LL A UL94
 71 AIRFRAME RPRS: MAJOR
 72 PWR PLANT RPRS: MAJOR
 73 BOTTLE OXYGEN: HIGH
 74 BULK OXYGEN: HIGH
 75 TSNT STORAGE: TIE
 76 OTHER SERVICES: AVNCS, CHTR, INSTR, RNTL, SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

80 ARPT BCN: WG
 81 ARPT LGT SKED : SEE RMK
 BCN LGT SKED: SS-SR
 82 UNICOM: 122.950
 83 WIND INDICATOR: YES-L
 84 SEGMENTED CIRCLE: YES
 85 CONTROL TWR: YES
 86 FSS: HAWTHORNE
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

03/21	H1
3,500	40
150	40
ASPH-G	ASPH-G
GRVD	NONE
40.0	
60.0	
105.0	

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGS: 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

MED	PERI		
NPI - G / NPI - G	BSC - G / -	- / -	- / -
P4L / P4L	/	/	/
28 / 45	/	/	/
3.42 / 3.50	/	/	/
N - N / N - N	- / -	- / -	- / -
- N / - N	- / -	- / -	- / -
N / Y	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

B(V) / B(V)	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
20:1 / 20:1	/	/	/
N / N	N / N	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

3,500 / 3,500	/	/	/
3,500 / 3,500	/	/	/
3,500 / 3,500	/	/	/
3,500 / 3,500	/	/	/

> 110 REMARKS

A 014 STELIOS.MAKRIDES@SANTAMONICA.GOV
 A 070 100LL FULL SVC ONLY.
 A 070 UL94 AVBL AT SELF-SERVE ISLAND.
 A 081 WHEN ATCT CLSD ACTVT REIL RWY 21; MIRL RWY 03/21 - CTAF.
 A 110-005 HEL FLT TRNG OPN PROHIBITED; HEL OPNS APCH ARPT BDRY AT MIDFIELD AT OR ABOVE 900 FT MSL.
 A 110-007 INTXN DEPS AND FRMN LNDGS/DEPS PROHIBITED.
 A 110-009 RWY 03/21 DEP END APPROX 1000 FT FM RESIDENTIAL HOMES. EXTENDED HIGH POWER SETTINGS ON RUN-UP OR DEP NEGATIVELY IMPACT THE COMMUNITY.
 A 110-012 PPR RQRD FOR DW ACFT IN EXCESS OF 60000 LBS CRTFYD MAX LDG WT, CTC AMGR 310-458-8692.
 A 110-013 NO TOUCH/GO, STOP/GO, OR LOW APCH PERMITTED ON SAT, SUN, HOLS; WEEKDAYS SS-0700.
 A 110-014 VFR DEPS RWY 21 TURN LEFT 10 DEGS OVER SMO VOR THEN TURN RIGHT 225 DEGS
 A 110-015 IF DEP NORTH, NO RIGHT TURNS BFR RCHG SHORELINE. RWY 03 DEP NO TURNS PRIOR TO 405 FREEWAY LCTD 1 MI EAST.
 A 110-016 ENG MAINT RUN-UP: JETS AND TURBOPROPS NORTH SIDE, WI 300 FT EAST OF TWY A4. PISTON SNGLS AND TWINS ON SOUTH SIDE, WI 300 FT EAST OF TWY B4. 0900-1700 ONLY.
 A 110-017 CONS NOISE ORDINANCE IN EFCT CTC NOISE OFFICE FOR PROCS (310) 458-8692.

111 INSPECTOR: (S) 112 LAST INSP: 03/25/2026 113 LAST INFO REQ: 07/30/1984

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/10/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/10/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: CA LOC ID: SMO FAA SITE NR: 02253.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTGL OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

- A 110-018 NOISE LMTS ALL ACFT: PURE JET AND STAGE II (WITH/WITHOUT HUSHKITS) PROHIBITED. MAX NOISE LIMIT 95.0 DBA SNGL EVENT NOISE EXPOSURE LEVEL (SENEL) RCRDD 2200 FT EXTDD CNTRLN.
- A 110-019 PPR EX-MIL ACFT CTC ARPT MGR (310) 458-8692.
- A 110-020 CURFEW: NO ENG STARTS, APU, OR TKOFS EXC PPR LIFEGUARD FLTS 2300-0700 MON-FRI AND 2300-0800 WKENDS.
- A 110-022 TURBINE ACFT & ACFT OVER 12,000 LBS PROHIBITED ON SOUTH SIDE TSNT PKNG.
- A 110-023 IFR JETS & TURBOPROPS CTC GND PRIOR TO ENG START.
- A 110-024 PURE JET AND STAGE II (WITH/WITHOUT HUSH KITS) PROHIBITED.
- A 110-025 TSNT PRKG SOUTH SIDE, NEXT TO BCN.
- A 110-026 THE PAVED AREAS PRECDG THE RWY 3-21 THRS ARE NOT AVBL FOR LDG, TKOF, OR TAXI OPS. THE PAVED AREAS ARE NOW BLAST PADS CREATED FROM THE THRS' RELOCATION AND RWY LENGTH REDUCTION IN DECEMBER 2017.
- A 110-027 ACFT MUST NOW EXIT THE RWY AT DSGND CONNECTOR TWYS. THE CONS RWY EXIT SYS IS NO LONGER AVBL.
- A 110-028 FOR CD WHEN ATCT CLSD CTC SOCIAL APCH AT 800-448-3724.

111 INSPECTOR: (S)

112 LAST INSP: 03/25/2026

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/10/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/10/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: CA LOC ID: SMO FAA SITE NR: 02253.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (S)

112 LAST INSP: 03/25/2026

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/10/2026
AFD EFF 06/11/2026