

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/25/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: SPRINGFIELD 4 STATE: IL LOC ID: SPI FAA SITE NR: 05008.*A
> 2 AIRPORT NAME: ABRAHAM LINCOLN CAPITAL 5 COUNTY: SANGAMON IL
> 3 CBD TO AIRPORT (NM): 03 NW 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT: ST LOUIS

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: SPRINGFIELD ARPT AUTH
> 12 ADDRESS: 1200 CAPITAL AIRPORT DR
SPRINGFIELD, IL 62707-8489
> 13 PHONE NR: 217-788-1080
> 14 MANAGER: MARK HANNA
> 15 ADDRESS: CAPITAL AIRPORT
SPRINGFIELD, IL 62707-8419
> 16 PHONE NR: 217-788-1080
> 17 ATTENDANCE SCHEDULE:
ALL ALL 0530-0000

SERVICES

70 FUEL: 100LL A J8
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: NONE
74 BULK OXYGEN: HIGH/LOW
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES:
CHTR, INSTR, RNTL

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 39-50-40.6000N ESTIMATED
20 ARPT LONG: 089-40-39.2000W
21 ARPT ELEV: 597.9 SURVEYED
22 ACREAGE: 2,300
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGY3
> 26 FAR 139 INDEX: I B S 05/1973

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: YES
86 FSS: SAINT LOUIS
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	04/22	13/31
> 30 RUNWAY INDENT:	8,001	7,399
> 31 LENGTH:	150	150
> 32 WIDTH:	CONC-F	ASPH-F
> 33 SURF TYPE-COND:	GRVD	GRVD
> 34 SURF TREATMENT:	100.0	70.0
35 GROSS WT: S	200.0	90.0
36 (IN THSDS) D	350.0	160.0
37 2D		
38 2D/2D2		

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGS: 44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

	HIGH	HIGH		
> 40 EDGE INTENSITY:	PIR - G / PIR - G	PIR - G / PIR - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	V4L / V4L	P4R / V4L	/	/
> 43 VGS:	56 / 54	50 / 54	/	/
44 THR COSSING HGT.:	3.00 / 3.00	3.00 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	N - N / N - N	N - N / N - N	- / -	- / -
> 46 CNTRLN-TDZ:	T - N / R - N	- N / - N	- / -	- / -
> 47 RVR-RVV:	N / N	Y /	/	/
> 48 REIL:	MALSR / MALSR	/ MALSR	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTGL OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

	PIR / PIR	C / PIR		
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	TREE / TREE	TREES / TREE	/	/
> 52 CTGL OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	49 / 78	74 / 22	/	/
> 54 HGT ABOVE RWY END:	2,239 / 4,040	3,131 / 1,142	/	/
> 55 DIST FROM RWY END:	758R / 704R	383R / 628L	/	/
> 56 CNTRLN OFFSET:	41:1 / 49:1	39:1 / 42:1	/	/
57 OBSTN CLNC SLOPE:	N / N	N / N	/	/
58 CLOSE-IN OBSTN:				

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

	8,001 / 8,001	7,399 / 7,399		
> 60 TAKE OFF RUN AVBL (TORA):	8,001 / 8,001	7,399 / 7,399	/	/
> 61 TAKE OFF DIST AVBL (TODA):	7,927 / 8,001	7,216 / 7,000	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	7,927 / 8,001	7,216 / 7,000	/	/

> 110 REMARKS

A 026 ARFF UNAVBL FOR UNSKED ACFT OPS 0600-1130Z++ DLY EXC WITH PPR, CALL 217-788-1080.
A 039 RWY 04/22 PCR VALUE: 830/R/C/W/T
A 039 RWY 13/31 PCR VALUE: 830/F/C/X/T
A 081 WHEN ATCT CLSD ACTVT HIRL RY 13/31; HIRL RY 04/22; MALSR RYS 04; 22 & 31; VASI RY 31; REIL RY 13 - CTAF. PAPI RY 13 & VASI RYS 04 & 22 OPER CONTINUOUSLY.
A 110-009 TWY Y1, TWY Y2, AND TWY Y BTN TWY Y1 AND TWY A NOT AVBL FOR AIR CARRIER OPS WITH MORE THAN 9 PAX SEATS.
A 110-010 GENERAL AVIATION ACCESS TO & PARKING ON THE ACR RAMP IS PROHIBITED.
A 110-014 WX SVC AVBL H24.
A 110-016 DURING SNOW REMOVAL OPS EQUIPMENT OPERATORS WILL MONITOR CTAF WHEN THE TWR IS CLSD.
A 110-019 DASSP GATEWAY ARPT CALL 217-788-1080.
A 110-021 FOR CD IF UNA TO CTC ON FSS FREQ, CTC ST LOUIS APCH AT 314-890-1017.
A 110-022 100LL SELF SERVE AVBL 24HRS.
A 110-023 (OVERRUN LEN, RWY 22) 150 FT WIDTH.

111 INSPECTOR: (F)

112 LAST INSP: 10/23/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/25/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/25/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: IL LOC ID: SPI FAA SITE NR: 05008.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 10/23/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/25/2026
AFD EFF 06/11/2026