

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/13/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: WICHITA FALLS 4 STATE: TX LOC ID: SPS FAA SITE NR: 25029.\*A  
 > 2 AIRPORT NAME: SHEPPARD AFB/WICHITA FALLS MUNI 5 COUNTY: WICHITA TX  
 3 CBD TO AIRPORT (NM): 05 N 6 REGION/ADO: ASW/TEX 7 SECT AERO CHT: DALLAS-FT WORTH

### GENERAL

10 OWNERSHIP: AIR FORCE  
 > 11 OWNER: UNITED STATES AIR FORCE.  
 > 12 ADDRESS: SHEPPARD AFB  
 WICHITA FALLS, TX 76311  
 > 13 PHONE NR:  
 > 14 MANAGER: JENNY STEVENS  
 > 15 ADDRESS: 4000 ARMSTRONG DR, STE 8  
 WICHITA FALLS, TX 76305  
 > 16 PHONE NR: 940-761-4306  
 > 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL: 100LL A  
 71 AIRFRAME RPRS: MINOR  
 72 PWR PLANT RPRS: MINOR  
 73 BOTTLE OXYGEN: NONE  
 74 BULK OXYGEN:  
 75 TSNT STORAGE: TIE  
 76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

ALL ALL ALL

### FACILITIES

18 AIRPORT USE: PUBLIC  
 19 ARPT LAT: 33-59-19.6800N ESTIMATED  
 20 ARPT LONG: 098-29-30.8600W  
 21 ARPT ELEV: 1019.1 SURVEYED  
 22 ACREAGE: 3,800  
 > 23 RIGHT TRAFFIC: 15R, 18  
 > 24 NON-COMM LANDING: NO  
 25 NPIAS/FED AGREEMENTS: NGY  
 > 26 FAR 139 INDEX: I B S 05/1973

80 ARPT BCN: WG  
 81 ARPT LGT SKED : SEE RMK  
 BCN LGT SKED: SS-SR  
 82 UNICOM: 122.950  
 83 WIND INDICATOR: YES-L  
 84 SEGMENTED CIRCLE: NONE  
 85 CONTROL TWR: YES  
 86 FSS: FORT WORTH  
 87 FSS ON ARPT: NO  
 88 FSS PHONE NR:  
 89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:  
 > 34 SURF TREATMENT:  
 35 GROSS WT: S  
 36 (IN THSDS) D  
 37 2D  
 38 2D/2D2  
 > 39 PCN:

15C/33C	15L/33R	15R/33L	18/36
10,003	6,000	13,100	7,021
150	150	300	150
ASPH-CONC	ASPH-CONC	CONC	ASPH
GRVD	GRVD	NONE	GRVD

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
 > 42 RWY MARK TYPE-COND:  
 > 43 VGSi:  
 44 THR COSSING HGT.:  
 45 VISUAL GLIDE ANGLE:  
 > 46 CNTRLN-TDZ:  
 > 47 RVR-RVV:  
 > 48 REIL:  
 > 49 APCH LIGHTS:

27 /F/B/W/T	27 /R/C/W/T	75 /R/C/W/T	33 /F/A/W/T
HIGH	HIGH	HIGH	HIGH
PIR - G / PIR - G	NPI - G / NPI - G	PIR - G / PIR - G	NPI - G / NPI - G
P4L / P4L	P4L / P4L	P4L / P4L	/
46 / 48	40 / 40	55 / 56	/
3.00 / 3.00	3.00 / 3.00	3.00 / 3.00	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -N	- / -
/	Y / Y	/	/ Y
ALSf1 / ALSf1	/	MALSr / MALSr	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
 > 51 DISPLACED THR:  
 > 52 CTLG OBSTN:  
 > 53 OBSTN MARKED/LGTD:  
 > 54 HGT ABOVE RWY END:  
 > 55 DIST FROM RWY END:  
 > 56 CNTRLN OFFSET:  
 57 OBSTN CLNC SLOPE:  
 58 CLOSE-IN OBSTN:

PIR / PIR	/	D / PIR	B(V) / B(V)
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
50:1 / 50:1	/	50:1 / 50:1	50:1 / 50:1
N / N	N / N	N / N	N / N

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
 > 61 TAKE OFF DIST AVBL (TODA):  
 > 62 ACLT STOP DIST AVBL (ASDA):  
 > 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

### REMARKS

A 014 FBO 940-855-5460.  
 A 030 RWY 15C/33C CLOSED.  
 A 033 RWY 15C/33C RWY 15C FIRST 2000 FT, LAST 1000 FT CONC, MID ZONE ASPH.  
 A 033 RWY 15L/33R FIRST & LAST 1000 FT CONC; MID ZONE ASPH.  
 A 049 RWY 15R RAIL OTS UFN.  
 A 081 WHEN ATCT CLSD ACTVT MALSr RWY 33L - CTAF.  
 A 110-002 TRAN ALERT: OPR 1200-0200Z++ WKD; 1800-2300Z++ SUN, CLSD SAT AND HOL.  
 A 110-004 RSTD: PPR, 24 HR PN RQR, CTC AFLD OPS DSN 736-2180/6474, C940-676-2180/6474.  
 A 110-006 DURING PERIODS WHEN CTL TWR IS CLSD EXERCISE CAUTION WHEN TAXIING; THE CIVIL ARPT IS LCTD TO THE S AND THE MIL RAMP IS LCTD TO THE W OF THE RWYS. FLD COND NOTAM (FICON) (RSC/RCR) NOT RPRTD WHEN TWR CLSD.  
 A 110-007 RSTD: TRAN ACFT LTD TO ONE APCH TO A FULL STOP LDG AND MUST TAXI TO PRKG DURG STU TRNG.  
 A 110-008 MIGRATORY BIRD ACTIVITY ON & INVOF ARPT FM OCT-APR.  
 A 110-010 CAUTION: "MIL ARPT CONDUCTS HI PERFORMANCE JET TRNG IN A HI DENSITY ENVIRONMENT WITHIN 95 NM OF KSPS, 1200-0200Z++ MON-FRI TO FL390, AND WHEN TWR HR EXTN BY NOTAM, OCCASIONALLY SAT AND SUN.  
 A 110-011 (A89) LC CALL TO FSS 855-5574.

111 INSPECTOR: ( F ) 112 LAST INSP: 05/17/2024 113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/13/2026  
AFD EFF 06/11/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/13/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: TX LOC ID: SPS FAA SITE NR: 25029.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASW/TEX 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-012 A-GEAR: MA-1A RWY 15R-33L NOT RAISED, UNLESS 80TH FTW IS FLYING, RQR 30 MIN PN WHEN TWR OPR.  
A 110-014 MISC: BASE OPS 1200-0200Z++ WKD; 1800-2300Z++ SUN; CLSD SAT AND HOL.  
A 110-015 DUE TO CLOSE PROXIMITY OF RYS 33L & 33C USE VIGILANCE WITH MONITOR GND TRACK FOR THE HI-TACAN RY 33C APCH.  
A 110-016 RSTD: SOLO STU N/A.  
A 110-018 MISC: WX OBSERVATION LTD TO WEST DUE TO RSTD VIEW.  
A 110-022 SERVICE-LGT: RWY 15R-33L PAPI RRP AND ILS RPI NOT COINCIDENTAL.  
A 110-023 SERVICE-LGT: RWY 15C-33C PAPI GS AND ILS GS NOT COINCIDENTAL.  
A 110-024 RSTD: ALL TRAN ACFT MUST BE CHOCKED 30 MIN PRIOR TO TRANS ALERT CLOSING; PPR EXPIRES 30 MIN PRIOR TO AFLD CLOSING.ALL TRAN ACFT RQRD TO ARR WITH CREW ORDERS FOR SECURITY FORCES  
CAUTION: DO NOT CONFUSE PARL TWY WITH RWY 15R-33L.  
A 110-025 MISC: AETC FTR ACFT EXP REDUCED RY SEPARATION: DAY/WFR, SIMILAR TYPE ACFT 3000 FT, DISSIMILAR TYPE ACFT 6000 FT, NIGHT 6000 FT ALL AETC  
A 110-026 ACFT. TRAN AETC ACFT NOTIFY TWR ON INITIAL CTC IF REDUCED RY SEPARATION IS NOT DESIRED.  
A 110-028 MISC: MIL WX ADVSY/WARNING AVBL O/R-METRO.

111 INSPECTOR: ( F ) 112 LAST INSP: 05/17/2024 113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/13/2026  
AFD EFF 06/11/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/13/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: TX LOC ID: SPS FAA SITE NR: 25029.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASW/TEX 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

### > 110 REMARKS

A 110-029 SERVICE - TRAN ALERT: OPR 1130 -0300Z++ WKD; 1800-2300++ SUN; CLSD SAT AND HOL. QUALIFIED WEAPONS/MUNITIONS PERS NOT AVBL TO SAFE FTR TYPE ACFT.  
A 110-030 JASU: 3(AM32-95) 1(MC-1) 3(AM/32A-86D).  
A 110-031 FLUID: SP PRESAIR LOX.  
A 110-032 SERVICE-OIL JOAP RESULTS AVBL 1345-2100Z++ WKD EXC HOL.  
A 110-035 MISC: CLASS D AIRSPACE EFF 1130-0300Z++ MON-FRI; 1800-2300Z++ SUN; EXC HOL; OT CLASS E.  
A 110-036 CAUTION: ATC PERS IAW THE COOPERATIVE WX WATCH (CWW) WILL ALERT WX PERS ON ANY UNREPORTED WX COND THAT COULD AFFECT FLT SAFETY.  
A 110-037 CAUTION: MIL ARPT CONDUCTS HI PER JET TRNG IN A HI DENSITY ENVIRONMENT 1400-0400Z++ MON-FRI AND WHEN TWR HR EXTN BY NOTAM; OCNLY SAT. TRANS MIL ACFT NOT AUZD TO ARR/DEP OUTSIDE OF PUBL HR.  
A 110-039 MISC: EXPECT NO AF SVC WHILE PRK AT THE RGN ARPT.  
A 110-044 MISC: CTC BASE TAXI DSN 736-1843 C940-676-1843, OR U-DRIVE DSN 736-6813 C940-676-6813 PRIOR TO ARR.  
A 110-049 SERVICE-FUEL: A++.  
A 110-051 AFLD OPS FLT/COMMAND POST AT C940-676-2616.  
A 110-053 FOR CD IF UNA TO CTC ON FSS FREQ, CTC FORT WORTH ARTCC AT 817-858-7584.

111 INSPECTOR: ( F )

112 LAST INSP: 05/17/2024

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/13/2026  
AFD EFF 06/11/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/13/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: TX LOC ID: SPS FAA SITE NR: 25029.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASW/TEX 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics  
<https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-054 SERVICE-LGT: RWY 15C SFL OTS UFN.  
A 110-055 RSTD: RWY 15L/33R FOR 80 FTW T-6 ACFT USE ONLY.  
A 110-056 SERVICE-LGT: RWY 33C SFL OTS UFN.  
A 110-057 RSTD: RWY 15C/33C CLSD EXC XNG AT TWY G FOR 80 FTW ACFT. TWY K AND TWY G EAST OF RWY 15R/33L CLSD EXC FOR 80 FTW ACFT. TWY L AND TWY F BTWN RWY 15R/33L AND APCH END RWY 33C CLSD.  
A 110-058 MISC: FOR INFO ABT THE WICHITA FALLS MUNI ARR PROCS VISIT: WWW.SHEPPARD.AF.MIL/CONTACT/SHARE-THE-AIR.  
A 110-059 ILS/RADAR: ILS OR LOC/DME - ILS 15C NOT AVBL.

111 INSPECTOR: ( F )

112 LAST INSP: 05/17/2024

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/13/2026  
AFD EFF 06/11/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/13/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\*      4 STATE: TX      LOC ID: SPS      FAA SITE NR: 25029.\*A  
> 2 AIRPORT NAME:      5 COUNTY:  
> 3 CBD TO AIRPORT (NM):      6 REGION/ADO: ASW/TEX      7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:  
  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

## FACILITIES

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
> 25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

80 ARPT BCN:  
81 ARPT LGT SKED :  
    BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37            2D  
38            2D/2D2  
> 39 PCN:

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

## OBSTRUCTION DATA

50 FAR 77 CATEGORY      /      /      /      /  
> 51 DISPLACED THR:      /      /      /      /  
> 52 CTLG OBSTN:      /      /      /      /  
> 53 OBSTN MARKED/LGTD:      /      /      /      /  
> 54 HGT ABOVE RWY END:      /      /      /      /  
> 55 DIST FROM RWY END:      /      /      /      /  
> 56 CNTRLN OFFSET:      /      /      /      /  
57 OBSTN CLNC SLOPE:      /      /      /      /  
58 CLOSE-IN OBSTN:      /      /      /      /

## DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):      /      /      /      /  
> 61 TAKE OFF DIST AVBL (TODA):      /      /      /      /  
> 62 ACLT STOP DIST AVBL (ASDA):      /      /      /      /  
> 63 LNDG DIST AVBL (LDA):      /      /      /      /

> 110 REMARKS

111 INSPECTOR: ( F )

112 LAST INSP: 05/17/2024

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/13/2026  
AFD EFF 06/11/2026